
the Drupal Extension to Behat and Mink Documentation

Release 1.1

Melissa Anderson

March 08, 2016

1	Testing your site with the Drupal Extension to Behat and Mink	3
2	System Requirements	5
3	Stand-alone installation	7
4	System-wide installation	11
5	Environment specific settings	15
6	Drupal Extension Drivers	17
7	Blackbox Driver	19
8	Drush Driver	23
9	Drupal API Driver	27
10	Contexts	31
11	Contributed Module Subcontexts	33

Contents:

Testing your site with the Drupal Extension to Behat and Mink



The [Drupal Extension to Behat and Mink](#) provides Drupal-specific functionality for the [Behavior-Driven Development](#) testing frameworks of Behat and Mink.

1.1 What do Behat and Mink Do?

Behat and Mink allow you to describe the behavior of a web site in plain, but stylized language, and then turn that description into an automated test that will visit the site and perform each step you describe. Such functional tests can help site builders ensure that the added value they've created when building a Drupal site continues to behave as expected after any sort of site change – security updates, new module versions, changes to custom code, etc.

1.2 What does the Drupal Extension add?

The Drupal Extension to Behat and Mink assists in the performance of these common Drupal testing tasks:

- Set up test data with Drush or the Drupal API

- Define theme regions and test data appears within them
- Clear the cache, log out, and other useful steps
- Detect and discover steps provided by contributed modules and themes

System Requirements

2.1 Meet the system requirements

1. Check your PHP version:

```
php --version
```

It must be higher than 5.3.5! Note: This means you cannot use the same version of PHP for testing that you might use to run a Drupal 5 site.

PHP will also need to have the following libraries installed:

- [curl](#)
- [mbstring](#)
- [xml](#)

Check your current modules by running:

```
php -m
```

2. Check for Java:

```
java -version
```

It doesn't necessarily matter what version, but it will be required for Selenium.

3. Directions are written to use command-line cURL. You can make sure it's installed with:

```
curl --version
```

4. Selenium

Download the latest version of [Selenium Server](#) It's under the heading Selenium Server (formerly the Selenium RC Server). This is a single file which can be placed any where you like on your system and run with the following command:

```
java -jar selenium-server-standalone-2.44.0.jar &  
// replace with the name of the version you downloaded
```

Stand-alone installation

A stand-alone installation is recommended when you want your tests and testing environment to be portable, from local development to CI server, to client infrastructure. It also makes documentation consistent and reliable.

1. Create a folder for your BDD tests:

```
mkdir projectfolder
cd projectfolder
```

All the commands that follow are written to install from the root of your project folder.

2. Install Composer, a php package manager:

```
curl -s https://getcomposer.org/installer | php
```

3. Create a composer.json file to tell Composer what to install. To do that, paste the following code into your editor and save as composer.json. The Drupal Extension requires Behat, Mink, and the Mink Extension. They will all be set up because they're dependencies of the Drupal Extension, so you don't have to specify them directly in the composer.json file:

```
1 {
2   "require": {
3     "drupal/drupal-extension": "~3.0"
4   },
5   "config": {
6     "bin-dir": "bin/"
7   }
8 }
```

For Drupal 8, you'll need to specify the correct version of Guzzle:

```
1 {
2   "require": {
3     "drupal/drupal-extension": "~3.0",
4     "guzzlehttp/guzzle" : "^6.0@dev"
5   },
6   "config": {
7     "bin-dir": "bin/"
8   }
9 }
```

4. Run the following command to install the Drupal Extension and all those dependencies. This takes a while before you start to see output:

```
php composer.phar install
```

5. Configure your testing environment by creating a file called `behat.yml` with the following. Be sure that you point the `base_url` at the web site YOU intend to test. Do not include a trailing slash:

```
1 default:
2   suites:
3     default:
4       contexts:
5         - FeatureContext
6         - Drupal\DrupalExtension\Context\DrupalContext
7         - Drupal\DrupalExtension\Context\MinkContext
8         - Drupal\DrupalExtension\Context\MessageContext
9         - Drupal\DrupalExtension\Context\DrushContext
10      extensions:
11        Behat\MinkExtension:
12          goutte: ~
13          selenium2: ~
14          base_url: http://seven.1
15        Drupal\DrupalExtension:
16          blackbox: ~
```

6. Initialize behat. This creates the features folder with some basic things to get you started, including your own `FeatureContext.php` file:

```
bin/behat --init
```

7. This will generate a `FeatureContext.php` file that looks like:

```
1 <?php
2
3 use Behat\Behat\Tester\Exception\PendingException;
4 use Drupal\DrupalExtension\Context\RawDrupalContext;
5 use Behat\Behat\Context\SnippetAcceptingContext;
6 use Behat\Gherkin\Node\PyStringNode;
7 use Behat\Gherkin\Node\TableNode;
8
9 /**
10  * Defines application features from the specific context.
11  */
12 class FeatureContext extends RawDrupalContext implements SnippetAcceptingContext {
13
14     /**
15      * Initializes context.
16      *
17      * Every scenario gets its own context instance.
18      * You can also pass arbitrary arguments to the
19      * context constructor through behat.yml.
20      */
21     public function __construct() {
22     }
23 }
```

This `FeatureContext.php` will be aware of both the Drupal Extension and the Mink Extension, so you'll be able to take advantage of their drivers add your own custom step definitions as well.

8. To ensure everything is set up appropriately, type:

```
bin/behat -dl
```

You'll see a list of steps like the following, but longer, if you've installed everything successfully:

```
1  default | Given I am an anonymous user
2  default | Given I am not logged in
3  default | Given I am logged in as a user with the :role role(s)
4  default | Given I am logged in as :name
```

System-wide installation

A system-wide installation allows you to maintain a single copy of the testing tool set and use it for multiple test environments. Configuration is slightly more complex than the stand-alone installation but many people prefer the flexibility and ease-of-maintenance this setup provides.

4.1 Overview

To install the Drupal Extension globally:

1. Install Composer
2. Install the Drupal Extension in */opt/drupalextension*
3. Create an alias to the behat binary in */usr/local/bin*
4. Create your test folder

4.2 Install Composer

Composer is a PHP dependency manager that will make sure all the pieces you need get installed. [Full directions for global installation](#) and more information can be found on the [Composer website](#).

```
curl -sS https://getcomposer.org/installer |  
php mv composer.phar /usr/local/bin/composer
```

4.3 Install the Drupal Extension

1. Make a directory in */opt* (or wherever you choose) for the Drupal Extension:

```
cd /opt/  
sudo mkdir drupalextension  
cd drupalextension/
```

2. Create a file called *composer.json* and include the following:

```
1 {  
2   "require": {  
3     "drupal/drupal-extension": "~3.0"  
4   },
```

```
5  "config": {
6    "bin-dir": "bin/"
7  }
8 }
```

3. Run the install command:

```
sudo composer install
```

It will be a bit before you start seeing any output. It will also suggest that you install additional tools, but they're not normally needed so you can safely ignore that message.

4. Test that your install worked by typing the following:

```
bin/behat --help
```

If you were successful, you'll see the help output.

5. Make the binary available system-wide:

```
ln -s /opt/drupalextension/bin/behat /usr/local/bin/behat
```

4.4 Set up tests

1. Create the directory that will hold your tests. There is no technical reason this needs to be inside the Drupal directory at all. It is best to keep them in the same version control repository so that the tests match the version of the site they are written for.

One clear pattern is to keep them in the sites folder as follows:

Single site: *sites/default/behat-tests*

Multi-site or named single site: */sites/my.domain.com/behat-tests*

2. Wherever you make your test folder, inside it create the behat.yml file:

```
1  default:
2    suites:
3      default:
4        contexts:
5          - FeatureContext
6          - Drupal\DrupalExtension\Context\DrupalContext
7          - Drupal\DrupalExtension\Context\MinkContext
8          - Drupal\DrupalExtension\Context\MessageContext
9          - Drupal\DrupalExtension\Context\DrushContext
10     extensions:
11       Behat\MinkExtension:
12         goutte: ~
13         selenium2: ~
14         base_url: http://seven.1
15       Drupal\DrupalExtension:
16         blackbox: ~
```

3. Initialize behat. This creates the features folder with some basic things to get you started:

```
bin/behat --init
```

4. This will generate a FeatureContext.php file that looks like:


```

1  <?php
2
3  use Behat\Behat\Tester\Exception\PendingException;
4  use Drupal\DrupalExtension\Context\RawDrupalContext;
5  use Behat\Behat\Context\SnippetAcceptingContext;
6  use Behat\Gherkin\Node\PyStringNode;
7  use Behat\Gherkin\Node\TableNode;
8
9  /**
10 * Defines application features from the specific context.
11 */
12 class FeatureContext extends RawDrupalContext implements SnippetAcceptingContext {
13
14     /**
15      * Initializes context.
16      *
17      * Every scenario gets its own context instance.
18      * You can also pass arbitrary arguments to the
19      * context constructor through behat.yml.
20     */
21     public function __construct() {
22     }
23 }

```

This will make your FeatureContext.php aware of both the Drupal Extension and the Mink Extension, so you'll be able to take advantage of their drivers and step definitions and add your own custom step definitions here. The FeatureContext.php file must be in the same directory as your behat.yml file otherwise in step 5 you will get the following error:

[BehatBehatContextExceptionContextNotFoundException] *FeatureContext* context class not found and can not be used.

5. To ensure everything is set up appropriately, type:

```
behat -dl
```

You'll see a list of steps like the following, but longer, if you've installed everything successfully:

```

1  default | Given I am an anonymous user
2  default | Given I am not logged in
3  default | Given I am logged in as a user with the :role role(s)
4  default | Given I am logged in as :name

```

Environment specific settings

Some of the settings in `behat.yml` are environment specific. For example the base URL may be `http://mysite.localhost` on your local development environment, while on a test server it might be `http://127.0.0.1:8080`. Some other environment specific settings are the Drupal root path and the paths to search for subcontexts.

If you intend to run your tests on different environments these settings should not be committed to `behat.yml`. Instead they should be exported in an environment variable. Before running tests Behat will check the `BEHAT_PARAMS` environment variable and add these settings to the ones that are present in `behat.yml`. This variable should contain a JSON object with your settings.

Example JSON object:

```
{
  "extensions": {
    "Behat\\MinkExtension": {
      "base_url": "http://myproject.localhost"
    },
    "Drupal\\DrupalExtension": {
      "drupal": {
        "drupal_root": "/var/www/myproject"
      }
    }
  }
}
```

To export this into the `BEHAT_PARAMS` environment variable, squash the JSON object into a single line and surround with single quotes:

There is also a [Drush extension](#) that can help you generate these environment variables.

Drupal Extension Drivers

The Drupal Extension provides drivers for interacting with your site which are compatible with Drupal 6, 7, and 8. Each driver has its own limitations.

Feature	Blackbox	Drush	Drupal API
Map Regions	Yes	Yes	Yes
Create users	No	Yes	Yes
Create nodes	No	No	Yes
Create vocabularies	No	No	Yes
Create taxonomy terms	No	No	Yes
Run tests and site on different servers	Yes	Yes	No

Blackbox Driver

The blackbox driver assumes no privileged access to the site. You can run the tests on a local or remote server, and all the actions will take place through the site's user interface. This driver was enabled as part of the installation instructions by lines 13 and 14, highlighted below.

```

1 default:
2   suites:
3     default:
4       contexts:
5         - FeatureContext
6         - Drupal\DrupalExtension\Context\DrupalContext
7         - Drupal\DrupalExtension\Context\MinkContext
8     extensions:
9       Behat\MinkExtension:
10        goutte: ~
11        selenium2: ~
12        base_url: http://seven.1
13       Drupal\DrupalExtension:
14        blackbox: ~

```

7.1 Region steps

It may be really important that a block is in the correct region, or you may have a link or button that doesn't have a unique label. The blackbox driver allows you to create a map between a CSS selector and a user-readable region name so you can use steps like the following without having to write any custom PHP:

```

I press "Search" in the "header" region
I fill in "a value" for "a field" in the "content" region
I fill in "a field" with "Stuff" in the "header" region
I click "About us" in the "footer" region

```

7.1.1 Example:

A stock Drupal 7 installation has a footer area identified by the CSS Id "footer". By editing the behat.yml file and adding lines 15 and 16 below:

```

1 default:
2   suites:
3     default:
4       contexts:

```

```
5     - FeatureContext
6     - Drupal\DrupalExtension\Context\DrupalContext
7     - Drupal\DrupalExtension\Context\MinkContext
8 extensions:
9   Behat\MinkExtension:
10    goutte: ~
11    selenium2: ~
12    base_url: http://seven.1
13   Drupal\DrupalExtension:
14    blackbox: ~
15    region_map:
16      footer: "#footer"
```

You can use a step like the following without writing any custom PHP:

```
When I click "About us" in the "footer" region.
```

Using the blackbox driver configured with the regions of your site, you can access the following region-related steps:

Note:

These examples won't work unless you define the appropriate regions in your behat.yml file.

```
1 Feature: Test DrupalContext
2   In order to prove the Drupal context using the blackbox driver is working properly
3   As a developer
4   I need to use the step definitions of this context
5
6 Scenario: Test the ability to find a heading in a region
7   Given I am on the homepage
8   When I click "Download & Extend"
9   Then I should see the heading "Core" in the "content" region
10
11 Scenario: Clicking content in a region
12   Given I am at "download"
13   When I click "About Distributions" in the "content" region
14   Then I should see "Page status" in the "right sidebar"
15   And I should see the link "Drupal News" in the "footer" region
16
17 Scenario: Viewing content in a region
18   Given I am on the homepage
19   Then I should see "Come for the software, stay for the community" in the "left header"
20
21 Scenario: Test ability to find text that should not appear in a region
22   Given I am on the homepage
23   Then I should not see the text "Proprietary software is cutting edge" in the "left header"
24
25 Scenario: Submit a form in a region
26   Given I am on the homepage
27   When I fill in "Search Drupal.org" with "Views" in the "right header" region
28   And I press "Search" in the "right header" region
29   Then I should see the text "Search again" in the "right sidebar" region
30
31 Scenario: Check a link should not exist in a region
32   Given I am on the homepage
33   Then I should not see the link "This link should never exist in a default Drupal install" in the
34
35 Scenario: Find a button
```



```

36  Given I am on the homepage
37  Then I should see the "Search" button
38
39  Scenario: Find a button in a region
40  Given I am on the homepage
41  Then I should see the "Search" button in the "right header"
42
43  Scenario: Find an element in a region
44  Given I am on the homepage
45  Then I should see the "h1" element in the "left header"
46
47  Scenario: Element not in region
48  Given I am on the homepage
49  Then I should not see the "h1" element in the "footer"
50
51  Scenario: Text not in element in region
52  Given I am on the homepage
53  Then I should not see "DotNetNuke" in the "h1" element in the "left header"
54
55  Scenario: Find an element with an attribute in a region
56  Given I am on the homepage
57  Then I should see the "h1" element with the "id" attribute set to "site-name" in the "left header"
58
59  Scenario: Find text in an element with an attribute in a region
60  Given I am on the homepage
61  Then I should see "Drupal" in the "h1" element with the "id" attribute set to "site-name" in the

```

7.2 Message selectors

The Drupal Extension makes use of three selectors for message. If your CSS values are different than the defaults (shown below), you'll need to update your behat.yml file:

```

1  Drupal\DrupalExtension:
2    selectors:
3      message_selector: '.messages'
4      error_message_selector: '.messages.messages-error'
5      success_message_selector: '.messages.messages-status'

```

Message-related steps include:

```

1  Scenario: Error messages
2  Given I am on "/user"
3  When I press "Log in"
4  Then I should see the error message "Password field is required"
5  And I should not see the error message "Sorry, unrecognized username or password"
6  And I should see the following error messages:
7  | error messages |
8  | Username field is required |
9  | Password field is required |
10 And I should not see the following error messages:
11 | error messages |
12 | Sorry, unrecognized username or password |
13 | Unable to send e-mail. Contact the site administrator if the problem persists |
14
15 Scenario: Messages
16 Given I am on "/user/register"

```

```
17 When I press "Create new account"  
18 Then I should see the message "Username field is required"  
19 But I should not see the message "Registration successful. You are now logged in"
```

7.3 Override text strings

The Drupal Extension relies on default text for certain steps. If you have customized the label visible to users, you can change that text as follows:

```
Drupal\DrupalExtension:  
  text:  
    log_out: "Sign out"  
    log_in: "Sign in"  
    password_field: "Enter your password"  
    username_field: "Nickname"
```

Drush Driver

Many tests require that a user logs into the site. With the blackbox driver, all user creation and login would have to take place via the user interface, which quickly becomes tedious and time consuming. You can use the Drush driver to add users, reset passwords, and log in by following the steps below, again, without having to write custom PHP. You can also do this with the Drupal API driver. The main advantage of the Drush driver is that it can work when your tests run on a different server than the site being tested.

8.1 Install Drush

See the [Drush project page](#) for installation directions.

8.2 Point Drush at your Drupal site

8.2.1 Drupal Alias (For local or remote sites)

You'll need ssh-key access to a remote server to use Drush. If Drush and Drush aliases are new to you, see the [Drush site](#) for detailed examples

The alias for our example looks like:

```
1 <?php
2 $aliases['local'] = array(
3   'root' => '/var/www/seven/drupal',
4   'uri'  => 'seven.l'
5 );
6 $aliases['git7site'] = array(
7   'uri'  => 'git7site.devdrupal.org',
8   'host' => 'git7site.devdrupal.org'
9 );
```

8.2.2 Path to Drupal (local sites only)

If you'll only be running drush commands to access a site on the same machine, you can specify the path to your Drupal root:

```
1 Drupal\DrupalExtension:
2   blackbox: ~
3 drush:
4   root: /my/path/to/drupal
```

8.3 Enable the Drush driver

In the behat.yml file:

```
1 default:
2   suites:
3     default:
4       contexts:
5         - FeatureContext
6         - Drupal\DrupalExtension\Context\DrupalContext
7         - Drupal\DrupalExtension\Context\MinkContext
8   extensions:
9     Behat\MinkExtension:
10      goutte: ~
11      selenium2: ~
12      base_url: http://seven.1
13     Drupal\DrupalExtension:
14      blackbox: ~
15      api_driver: 'drush'
16      drush:
17        alias: 'local'
18      region_map:
19      footer: "#footer"
```

Note: Line 15 isn't strictly necessary for the Drush driver, which is the default for the API.

8.4 Calling the Drush driver

Untagged tests use the blackbox driver. To invoke the Drush driver, tag the scenario with @api

```
1 Feature: Drush alias
2   In order to demonstrate the Drush driver
3   As a trainer
4   I need to show how to tag scenarios
5
6   Scenario: Untagged scenario uses blackbox driver and fails
7     Given I am logged in as a user with the "authenticated user" role
8     When I click "My account"
9     Then I should see the heading "History"
10
11   @api
12   Scenario: Tagged scenario uses Drush driver and succeeds
13     Given I am logged in as a user with the "authenticated user" role
14     When I click "My account"
15     Then I should see the heading "History"
```

If you try to run a test without that tag, it will fail.

8.4.1 Example:

```

1 Feature: Drush alias
2   In order to demonstrate the Drush driver
3   As a trainer
4   I need to show how to tag scenarios
5
6 Scenario: Untagged scenario uses blackbox driver and fails
7   # features/drush.feature:6
8   Given I am logged in as a user with the "authenticated user" role
9   # FeatureContext::iAmLoggedInWithRole()
10  No ability to create users in Drupal\Driver\BlackboxDriver.
11  Put `@api` into your feature and add an api driver
12  (ex: `api_driver: drupal`) in behat.yml.
13  When I click "My account"
14  # FeatureContext::iClick()
15  Then I should see the heading "History"
16  # FeatureContext::assertHeading()
17
18 @api
19 Scenario: Tagged scenario uses Drush driver and succeeds
20   # features/drush.feature:12
21  Given I am logged in as a user with the "authenticated user" role
22  # FeatureContext::iAmLoggedInWithRole()
23  When I click "My account"
24  # FeatureContext::iClick()

```

The Drush driver gives you access to all the blackbox steps, plus those used in each of the following examples:

```

1 @api
2 Feature: Drush driver
3   In order to show functionality added by the Drush driver
4   As a trainer
5   I need to use the step definitions it supports
6
7 Scenario: Drush alias
8   Given I am logged in as a user with the "authenticated user" role
9   When I click "My account"
10  Then I should see the heading "History"
11
12 Scenario: Target links within table rows
13  Given I am logged in as a user with the "administrator" role
14  When I am at "admin/structure/types"
15  And I click "manage fields" in the "Article" row
16  Then I should be on "admin/structure/types/manage/article/fields"
17  And I should see text matching "Add new field"
18
19 Scenario: Clear cache
20  Given the cache has been cleared
21  When I am on the homepage
22  Then I should get a "200" HTTP response
23
24 Scenario: Create and log in as a user
25  Given I am logged in as a user with the "authenticated user" role
26  When I click "My account"
27  Then I should see the heading "History"
28
29 Scenario: Target links within table rows
30  Given I am logged in as a user with the "administrator" role

```

```
31 When I am at "admin/structure/types"  
32 And I click "manage fields" in the "Article" row  
33 Then I should be on "admin/structure/types/manage/article/fields"  
34 And I should see text matching "Add new field"
```

Drupal API Driver

The Drupal API Driver is the fastest and the most powerful of the three drivers. Its biggest limitation is that the tests must run on the same server as the Drupal site.

9.1 Enable the Drupal API Driver

To enable the Drupal API driver, edit the `behat.yml` file, change the `api_driver` to `drupal` and add the path to the local Drupal installation as shown below:

```
1 default:
2   suites:
3     default:
4       contexts:
5         - FeatureContext
6         - Drupal\DrupalExtension\Context\DrupalContext
7         - Drupal\DrupalExtension\Context\MinkContext
8   extensions:
9     Behat\MinkExtension:
10      goutte: ~
11      selenium2: ~
12      base_url: http://seven.1
13     Drupal\DrupalExtension:
14      blackbox: ~
15      api_driver: 'drupal'
16      drush:
17        alias: 'local'
18      drupal:
19        drupal_root: '/var/www/seven/drupal'
20      region_map:
21        footer: "#footer"
```

Note: It's fine to leave the information for the drush driver in the file. It's the `api_driver` value that declares which setting will be used for scenarios tagged `@api`.

Using this driver, you gain the ability to use all the steps in the examples below (and more).

```
1 @api
2   Scenario: Create a node
3     Given I am logged in as a user with the "administrator" role
4     When I am viewing an "article" content with the title "My article"
```

```
5     Then I should see the heading "My article"
6
7 Scenario: Run cron
8     Given I am logged in as a user with the "administrator" role
9     When I run cron
10    And am on "admin/reports/dblog"
11    Then I should see the link "Cron run completed"
12
13 Scenario: Create many nodes
14    Given "page" content:
15      | title |
16      | Page one |
17      | Page two |
18    And "article" content:
19      | title |
20      | First article |
21      | Second article |
22    And I am logged in as a user with the "administrator" role
23    When I go to "admin/content"
24    Then I should see "Page one"
25    And I should see "Page two"
26    And I should see "First article"
27    And I should see "Second article"
28
29 Scenario: Create nodes with fields
30    Given "article" content:
31      | title | promote | body |
32      | First article with fields | 1 | PLACEHOLDER BODY |
33    When I am on the homepage
34    And follow "First article with fields"
35    Then I should see the text "PLACEHOLDER BODY"
36
37 Scenario: Create and view a node with fields
38    Given I am viewing an "Article" content:
39      | title | My article with fields! |
40      | body | A placeholder |
41    Then I should see the heading "My article with fields!"
42    And I should see the text "A placeholder"
43
44 Scenario: Create users
45    Given users:
46      | name | mail | status |
47      | Joe User | joe@example.com | 1 |
48    And I am logged in as a user with the "administrator" role
49    When I visit "admin/people"
50    Then I should see the link "Joe User"
51
52 Scenario: Login as a user created during this scenario
53    Given users:
54      | name | status |
55      | Test user | 1 |
56    When I am logged in as "Test user"
57    Then I should see the link "Log out"
58
59 Scenario: Create a term
60    Given I am logged in as a user with the "administrator" role
61    When I am viewing a "tags" term with the name "My tag"
62    Then I should see the heading "My tag"
```



```

63
64 Scenario: Create many terms
65   Given "tags" terms:
66     | name |
67     | Tag one |
68     | Tag two |
69   And I am logged in as a user with the "administrator" role
70   When I go to "admin/structure/taxonomy/tags"
71   Then I should see "Tag one"
72   And I should see "Tag two"
73
74 Scenario: Create nodes with specific authorship
75   Given users:
76     | name | mail | status |
77     | Joe User | joe@example.com | 1 |
78   And "article" content:
79     | title | author | body | promote |
80     | Article by Joe | Joe User | PLACEHOLDER BODY | 1 |
81   When I am logged in as a user with the "administrator" role
82   And I am on the homepage
83   And I follow "Article by Joe"
84   Then I should see the link "Joe User"
85
86 Scenario: Create an article with multiple term references
87   Given "tags" terms:
88     | name |
89     | Tag one |
90     | Tag two |
91     | Tag three |
92     | Tag four |
93   And "article" content:
94     | title | body | promote | field_tags |

```

Contexts

Before Behat 3, each test suite was limited to a single context class. As of Behat 3, it is possible to flexibly structure your code by using multiple contexts in a single test suite.

10.1 Available Contexts

In accordance with this new capability, The Drupal Extension includes the following contexts:

RawDrupalContext A context that provides no step definitions, but all of the necessary functionality for interacting with Drupal, and with the browser via Mink sessions.

DrupalContext Provides step-definitions for creating users, terms, and nodes.

MinkContext Builds on top of the Mink Extension and adds steps specific to regions and forms.

MarkupContext Contains step definitions that deal with low-level markup (such as tags, classes, and attributes).

MessageContext Step-definitions that are specific to Drupal messages that get displayed (notice, warning, and error).

DrushContext Allows steps to directly call drush commands.

10.2 Custom Contexts

You can structure your own code with additional contexts. See Behat's [testing features](#) documentation for a detailed discussion of how contexts work.

Important: Every context you want to use in a suite must declare it in the `behat.yml` file.

10.2.1 Example

In this example, you would have access to:

- pre-written step definitions for users, terms, and nodes (from the `DrupalContext`)
- steps you've implemented in the main `features/bootstrap/FeatureContext.php` file
- steps you've implemented in the `CustomContext` class

You would not have access to the steps from the MarkupContext, MessageContext, or DrushContext, however.

```
1 default:
2   suites:
3     default:
4       contexts:
5         - Drupal\DrupalExtension\Context\DrupalContext
6         - FeatureContext
7         - CustomContext
```

10.3 Drupal Extension Hooks

In addition to the [hooks provided by Behat](#), the Drupal Extension provides three additional ways to tag the methods in your CustomContext class in order to have them fire before certain events.

1. @beforeNodeCreate
2. @beforeTermCreate
3. @beforeUserCreate

10.3.1 Example

```
1 use Drupal\DrupalExtension\Hook\Scope\EntityScope;
2 ...
3 /**
4  * Call this function before nodes are created.
5  *
6  * @beforeNodeCreate
7  */
8 public function alterNodeObject(EntityScope $scope) {
9     $node = $scope->getEntity();
10    // Alter node object as needed.
11 }
```

Contributed Module Subcontexts

Although not yet a wide-spread practice, the Drupal Extension to Behat and Mink makes it easy for maintainers to include custom step definitions in their contributed projects.

11.1 Discovering SubContexts

In order to use contributed step definitions, define the search path in the behat.yml

```
// sites/default/behat-tests/behat.yml
```

```
1 default:
2   suites:
3     default:
4       contexts:
5         - FeatureContext
6         - Drupal\DrupalExtension\Context\DrupalContext
7         - Drupal\DrupalExtension\Context\MinkContext
8   extensions:
9     Behat\MinkExtension:
10      goutte: ~
11      selenium2: ~
12      base_url: http://seven.1
13     Drupal\DrupalExtension:
14      blackbox: ~
15      api_driver: 'drupal'
16      drush:
17        alias: 'local'
18      drupal:
19        drupal_root: '/var/www/seven/drupal'
20      region_map:
21        footer: "#footer"
22      subcontexts:
23        paths:
24          - "/var/www/seven/drupal/sites/all"
```

The Drupal Extension will search recursively within the directory or directories specified to discover and load any file ending in *.behat.inc*. This system, although created with Drupal contrib projects in mind, searches where it's pointed, so you can also use it for your own subcontexts, a strategy you might employ to re-use step definitions particular to your shop or company's development patterns.

11.2 Disable autoloading

Autoloading can be disabled in the `behat.yml` file temporarily with the following:

```

1 default:
2   suites:
3     default:
4       contexts:
5         - FeatureContext
6         - Drupal\DrupalExtension\Context\DrupalContext
7         - Drupal\DrupalExtension\Context\MinkContext
8     extensions:
9       Behat\MinkExtension:
10        goutte: ~
11        selenium2: ~
12        base_url: http://seven.1
13       Drupal\DrupalExtension:
14        blackbox: ~
15        api_driver: 'drupal'
16        drush:
17          alias: 'local'
18        drupal:
19          drupal_root: '/var/www/seven/drupal'
20          region_map:
21            footer: "#footer"
22        subcontexts:
23          paths:
24            - "/var/www/seven/drupal/sites/all"
25        autoload: 0

```

11.3 For Contributors

Behat `subcontexts` are no longer supported in version 3. The Drupal Extension, however, continues to support saving module-specific contexts in a file ending with `.behat.inc`

Just like functions, preface the filename with the project's machine name to prevent namespace collisions.

```

1  <?php
2
3  /**
4   * Contains \FooFoo.
5   */
6
7  use Behat\Behat\Hook\Scope\BeforeScenarioScope;
8  use Behat\Behat\Tester\Exception\PendingException;
9  use Drupal\DrupalExtension\Context\DrupalSubContextBase;
10 use Drupal\DrupalExtension\Context\DrupalSubContextInterface;
11
12 /**
13  * Example subcontext.
14  */
15 class FooFoo extends DrupalSubContextBase implements DrupalSubContextInterface {
16
17     /**
18      * @var \Drupal\DrupalExtension\Context\DrupalContext
19     */

```

```

20  protected $drupalContext;
21
22  /**
23   * @var \Drupal\DrupalExtension\Context\MinkContext
24   */
25  protected $minkContext;
26
27  /**
28   * @BeforeScenario
29   */
30  public function gatherContexts(BeforeScenarioScope $scope) {
31      $environment = $scope->getEnvironment();
32
33      $this->drupalContext = $environment->getContext('Drupal\DrupalExtension\Context\DrupalContext');
34      $this->minkContext = $environment->getContext('Drupal\DrupalExtension\Context\MinkContext');
35  }
36
37  /**
38   * @Given I create a(an) :arg1 content type
39   */
40  public function CreateAContentType($arg1) {
41      $this->minkContext->assertAtPath("admin/structure/types/add");
42      $node = [
43          'title' => 'Test content!',
44      ];
45      $this->drupalContext->nodeCreate($node);
46  }
47
48  /**
49   * @Then /^I should have a subcontext definition$/
50   */
51  public function assertSubContextDefinition() {
52      throw new PendingException();
53  }
54
55  }

```