
Bonobo Documentation

Release 0.6.1

Romain Dorgueil

Jan 16, 2018

Contents

1	Installation	1
1.1	Create an ETL project	1
1.2	Other installation options	1
1.3	Supported platforms	3
2	First steps	5
2.1	Part 1: Let's get started!	5
2.2	Part 2: Writing ETL Jobs	9
2.3	Part 3: Working with Files	11
2.4	Part 4: Services	14
2.5	Part 5: Projects and Packaging	15
3	Guides	19
3.1	Introduction	19
3.2	Transformations	22
3.3	Graphs	27
3.4	Services and dependencies	32
3.5	Environment Variables	35
3.6	Best Practices	37
3.7	Debugging	40
3.8	Plugins	41
4	Extensions	43
4.1	Working with Django	43
4.2	Working with Docker	45
4.3	Working with Jupyter	46
4.4	Working with Selenium	46
4.5	Working with SQLAlchemy	47
5	Reference	53
5.1	Bonobo	53
5.2	Config	66
5.3	Constants	70
5.4	Execution	70
5.5	Util	73
5.6	Command-line	75
5.7	Settings & Environment	76

5.8	Examples	77
6	F.A.Q.	81
6.1	Too long; didn't read.	81
6.2	What versions of python does bonobo support? Why not more?	81
6.3	Can a graph contain another graph?	82
6.4	How would one access contextual data from a transformation? Are there parameter injections like pytest's fixtures?	82
6.5	What is a plugin? Do I need to write one?	82
6.6	Is there a difference between a transformation node and a regular python function or generator? . . .	82
6.7	Why did you include the word «marketing» in a commit message? Why is there a marketing- automation tag on the project? Isn't marketing evil?	83
6.8	Why not use <some library> instead?	83
6.9	All those references to monkeys hurt my head. Bonobos are not monkeys.	83
6.10	Who is behind this?	83
6.11	Documentation seriously lacks X, there is a problem in Y.	84
7	Contributing	85
7.1	tl;dr	85
7.2	Code-related contributions (including tests and examples)	86
7.3	Tools	86
7.4	Guidelines	86
7.5	License	86
7.6	License for non lawyers	87
8	Full Index	89
	Python Module Index	91

1.1 Create an ETL project

First, install the framework:

```
$ pip install --upgrade bonobo
```

Create a simple job:

```
$ bonobo init my-etl.py
```

And let's go for a test drive:

```
$ python my-etl.py
```

Congratulations, you ran your first Bonobo ETL job.

Now, you can head to *First steps*.

Note: It's often best to start with a single file then move it into a project (which, in python, needs to live in a package).

You can read more about this topic in the [guide/packaging](#) section, along with pointers on how to move this first file into an existing fully featured python package.

1.2 Other installation options

1.2.1 Install from PyPI

You can install it directly from the [Python Package Index](#) (like we did above).

```
$ pip install bonobo
```

To upgrade an existing installation, use `-upgrade`:

```
$ pip install --upgrade bonobo
```

1.2.2 Install from source

If you want to install an unreleased version, you can use git urls with pip. This is useful when using bonobo as a dependency of your code and you want to try a forked version of bonobo with your software. You can use a `git+http` string in your `requirements.txt` file. However, the best option for development on bonobo is an editable install (see below).

```
$ pip install git+https://github.com/python-bonobo/bonobo.git@develop#egg=bonobo
```

Note: Here, we use the `develop` branch, which is the incoming unreleased minor version. It's the way to “live on the edge”, either to test your codebase with a future release, or to test unreleased features. You can use this technique to install any branch you want, and even a branch in your own repository.

1.2.3 Editable install

If you plan on making patches to Bonobo, you should install it as an “editable” package, which is a really great pip feature. Pip will clone your repository in a source directory and create a symlink for it in the site-package directory of your python interpreter.

```
$ pip install --editable git+https://github.com/python-bonobo/bonobo.git@develop  
↪ #egg=bonobo
```

Note: You can also use `-e`, the shorthand version of `-editable`.

Note: Once again, we use `develop` here. New features should go to `develop`, while bugfixes can go to `master`.

If you can't find the “source” directory, try running this:

```
$ python -c "import bonobo; print(bonobo.__path__)"
```

1.2.4 Local clone

Another option is to have a “local” editable install, which means you create the clone by yourself and make an editable install from the local clone.

```
$ git clone git@github.com:python-bonobo/bonobo.git  
$ cd bonobo  
$ pip install --editable .
```

You can develop on this clone, but you probably want to add your own repository if you want to push code back and make pull requests. I usually name the git remote for the main bonobo repository “upstream”, and my own repository “origin”.

```
$ git remote rename origin upstream
$ git remote add origin git@github.com:hartym/bonobo.git
$ git fetch --all
```

Of course, replace my github username by the one you used to fork bonobo. You should be good to go!

1.2.5 Preview versions

Sometimes, there are pre-versions available (before a major release, for example). By default, pip does not target pre-versions to avoid accidental upgrades to a potentially instable software, but you can easily opt-in:

```
$ pip install --upgrade --pre bonobo
```

1.3 Supported platforms

1.3.1 Linux, OSX and other Unixes

Bonobo test suite runs continuously on Linux, and core developpers use both OSX and Linux machines. Also, there are jobs running on production linux machines everyday, so the support for those platforms should be quite excellent.

If you’re using some esoteric UNIX machine, there can be surprises (although we’re not aware, yet). We do not support officially those platforms, but if you can actually fix the problems on those systems, we’ll be glad to integrate your patches (as long as it is tested, for both existing linux environments and your strange systems).

1.3.2 Windows

Windows support is correct, as a few contributors helped us to test and fix the quirks.

There may still be minor issues on the windows platform, mostly due to the fact bonobo was not developed by windows users.

We’re trying to look into that but energy available to provide serious support on windows is very limited.

If you have experience in this domain and you’re willing to help, you’re more than welcome!

Bonobo is an ETL (Extract-Transform-Load) framework for python 3.5. The goal is to define data-transformations, with python code in charge of handling similar shaped independent lines of data.

Bonobo *is not* a statistical or data-science tool. If you're looking for a data-analysis tool in python, use Pandas.

Bonobo is a lean manufacturing assembly line for data that let you focus on the actual work instead of the plumbery (execution contexts, parallelism, error handling, console output, logging, ...).

Bonobo uses simple python and should be quick and easy to learn.

Tutorials

2.1 Part 1: Let's get started!

To get started with **Bonobo**, you need to install it in a working python 3.5+ environment (you should use a [virtualenv](#)).

```
$ pip install bonobo
```

Check that the installation worked, and that you're using a version that matches this tutorial (written for bonobo v.0.6.1).

```
$ bonobo version
```

See *Installation* for more options.

2.1.1 Create an ETL job

Since Bonobo 0.6, it's easy to bootstrap a simple ETL job using just one file.

We'll start here, and the later stages of the tutorial will guide you toward refactoring this to a python package.

```
$ bonobo init tutorial.py
```

This will create a simple job in a *tutorial.py* file. Let's run it:

```
$ python tutorial.py
Hello
World
- extract in=1 out=2 [done]
- transform in=2 out=2 [done]
- load in=2 [done]
```

If you have a similar result, then congratulations! You just ran your first **Bonobo** ETL job.

2.1.2 Inspect your graph

The basic building blocks of **Bonobo** are **transformations** and **graphs**.


Transformations are simple python callables (like functions) that handle a transformation step for a line of data.

Graphs are a set of transformations, with directional links between them to define the data-flow that will happen at runtime.

To inspect the graph of your first transformation (you must install graphviz first to do so), run:

```
$ bonobo inspect --graph tutorial.py | dot -Tpng -o tutorial.png
```

Open the generated *tutorial.png* file to have a quick look at the graph.



You can easily understand here the structure of your graph. For such a simple graph, it's pretty much useless, but as you'll write more complex transformations, it will be helpful.

2.1.3 Read the Code

Before we write our own job, let's look at the code we have in *tutorial.py*.

Import

```
import bonobo
```

The highest level APIs of **Bonobo** are all contained within the top level **bonobo** namespace.

If you're a beginner with the library, stick to using only those APIs (they also are the most stable APIs).

If you're an advanced user (and you'll be one quite soon), you can safely use second level APIs.

The third level APIs are considered private, and you should not use them unless you're hacking on **Bonobo** directly.

Extract

```
def extract():
    yield 'hello'
    yield 'world'
```

This is a first transformation, written as a python generator, that will send some strings, one after the other, to its output.

Transformations that take no input and yields a variable number of outputs are usually called **extractors**. You'll encounter a few different types, either purely generating the data (like here), using an external service (a database, for example) or using some filesystem (which is considered an external service too).

Extractors do not need to have its input connected to anything, and will be called exactly once when the graph is executed.

Transform

```
def transform(*args):
    yield tuple(
        map(str.title, args)
    )
```

This is a second transformation. It will get called a bunch of times, once for each input row it gets, and apply some logic on the input to generate the output.

This is the most **generic** case. For each input row, you can generate zero, one or many lines of output for each line of input.

Load

```
def load(*args):
    print(*args)
```

This is the third and last transformation in our “hello world” example. It will apply some logic to each row, and have absolutely no output.

Transformations that take input and yields nothing are also called **loaders**. Like extractors, you'll encounter different types, to work with various external systems.

Please note that as a convenience mean and because the cost is marginal, most builtin *loaders* will send their inputs to their output unmodified, so you can easily chain more than one loader, or apply more transformations after a given loader.

Graph Factory

```
def get_graph(**options):
    graph = bonobo.Graph()
    graph.add_chain(extract, transform, load)
    return graph
```

All our transformations were defined above, but nothing ties them together, for now.

This “graph factory” function is in charge of the creation and configuration of a *bonobo.Graph* instance, that will be executed later.

By no mean is **Bonobo** limited to simple graphs like this one. You can add as many chains as you want, and each chain can contain as many nodes as you want.

Services Factory

```
def get_services(**options):  
    return {}
```

This is the “services factory”, that we’ll use later to connect to external systems. Let’s skip this one, for now.

(we’ll dive into this topic in *Part 4: Services*)

Main Block

```
if __name__ == '__main__':  
    parser = bonobo.get_argument_parser()  
    with bonobo.parse_args(parser) as options:  
        bonobo.run(  
            get_graph(**options),  
            services=get_services(**options)  
        )
```

Here, the real thing happens.

Without diving into too much details for now, using the `bonobo.parse_args()` context manager will allow our job to be configurable, later, and although we don’t really need it right now, it does not harm neither.

2.1.4 Reading the output

Let’s run this job once again:

```
$ python tutorial.py  
Hello  
World  
- extract in=1 out=2 [done]  
- transform in=2 out=2 [done]  
- load in=2 [done]
```

The console output contains two things.

- First, it contains the real output of your job (what was `print()` -ed to `sys.stdout`).
- Second, it displays the execution status (on `sys.stderr`). Each line contains a “status” character, the node name, numbers and a human readable status. This status will evolve in real time, and allows to understand a job’s progress while it’s running.
 - Status character:
 - * “ ” means that the node was not yet started.
 - * “-” means that the node finished its execution.
 - * “+” means that the node is currently running.
 - * “!” means that the node had problems running.
 - Numerical statistics:

- * “`in=...`” shows the input lines count, also known as the amount of calls to your transformation.
- * “`out=...`” shows the output lines count.
- * “`read=...`” shows the count of reads applied to an external system, if the transformation supports it.
- * “`write=...`” shows the count of writes applied to an external system, if the transformation supports it.
- * “`err=...`” shows the count of exceptions that happened while running the transformation. Note that exception will abort a call, but the execution will move to the next row.

2.1.5 Wrap up

That’s all for this first step.

You now know:

- How to create a new job (using a single file).
- How to inspect the content of a job.
- What should go in a job file.
- How to execute a job file.
- How to read the console output.

It’s now time to jump to *Part 2: Writing ETL Jobs*.

2.2 Part 2: Writing ETL Jobs

In **Bonobo**, an ETL job is a graph with some logic to execute it, like the file we created in the previous section.

You can learn more about the `bonobo.Graph` data-structure and its properties in the *graphs guide*.

2.2.1 Scenario

Let’s create a sample application, which goal will be to integrate some data in various systems.

We’ll use an open-data dataset, containing all the fablabs in the world.

We will normalize this data using a few different rules, then write it somewhere.

In this step, we’ll focus on getting this data normalized and output to the console. In the next steps, we’ll extend it to other targets, like files, and databases.

2.2.2 Setup

We’ll change the `tutorial.py` file created in the last step to handle this new scenario.

First, let’s remove all boilerplate code, so it looks like this:

```
import bonobo

def get_graph(**options):
    graph = bonobo.Graph()
    return graph
```

```
def get_services(**options):
    return {}

if __name__ == '__main__':
    parser = bonobo.get_argument_parser()
    with bonobo.parse_args(parser) as options:
        bonobo.run(get_graph(**options), services=get_services(**options))
```

Your job now contains the logic for executing an empty graph, and we'll complete this with our application logic.

2.2.3 Reading the source data

Let's add a simple chain to our `get_graph(...)` function, so that it reads from the fablabs open-data api.

The source dataset we'll use can be found on [this site](#). It's licensed under *Public Domain*, which makes it just perfect for our example.

Note: There is a `bonobo.contrib.opendatasoft` module that makes reading from OpenDataSoft APIs easier, including pagination and limits, but for our tutorial, we'll avoid that and build it manually.

Let's write our extractor:

```
import requests

FABLABS_API_URL = 'https://public-us.opendatasoft.com/api/records/1.0/search/?
↳dataset=fablabs&rows=1000'

def extract_fablabs():
    yield from requests.get(FABLABS_API_URL).json().get('records')
```

This extractor will get called once, query the API url, parse it as JSON, and yield the items from the "records" list, one by one.

Note: You'll probably want to make it a bit more verbose in a real application, to handle all kind of errors that can happen here. What if the server is down? What if it returns a response which is not JSON? What if the data is not in the expected format?

For simplicity sake, we'll ignore that here but that's the kind of questions you should have in mind when writing pipelines.

To test our pipeline, let's use a `bonobo.Limit` and a `bonobo.PrettyPrinter`, and change our `get_graph(...)` function accordingly:

```
import bonobo

def get_graph(**options):
    graph = bonobo.Graph()
    graph.add_chain(
        extract_fablabs,
        bonobo.Limit(10),
        bonobo.PrettyPrinter(),
```

```
)  
return graph
```

Running this job should output a bit of data, along with some statistics.

First, let's look at the statistics:

```
- extract_fablabs in=1 out=995 [done]  
- Limit in=995 out=10 [done]  
- PrettyPrinter in=10 out=10 [done]
```

It is important to understand that we extracted everything (995 rows), before dropping 99% of the dataset.

This is OK for debugging, but not efficient.

Note: You should always try to limit the amount of data as early as possible, which often means not generating the data you won't need in the first place. Here, we could have used the `rows=` query parameter in the API URL to not request the data we would anyway drop.

2.2.4 Normalize

Warning: This section is missing. Sorry, but stay tuned! It'll be added soon.

2.2.5 Output

We used `bonobo.PrettyPrinter` to output the data.

It's a flexible transformation provided that helps you display the content of a stream, and you'll probably use it a lot for various reasons.

2.2.6 Moving forward

You now know:

- How to use a reader node.
- How to use the console output.
- How to limit the number of elements in a stream.
- How to pass data from one node to another.
- How to structure a graph using chains.

It's now time to jump to [Part 3: Working with Files](#).

2.3 Part 3: Working with Files

Writing to the console is nice, but let's be serious, real world will require us to use files or external services.

Let's see how to use a few builtin writers and both local and remote filesystems.

2.3.1 Filesystems

In **Bonobo**, files are accessed within a **filesystem** service (a `fs` `FileSystem` object).

As a default, you'll get an instance of a local filesystem mapped to the current working directory as the `fs` service. You'll learn more about services in the next step, but for now, let's just use it.

2.3.2 Writing to files

To write in a file, we'll need to have an open file handle available during the whole transformation life.

We'll use a context processor to do so. A context processor is something very much like a `contextlib.contextmanager`, that **Bonobo** will use to run a setup/teardown logic on objects that need to have the same lifecycle as a job execution.

Let's write one that just handle opening and closing the file:

```
def with_opened_file(self, context):
    with open('output.txt', 'w+') as f:
        yield f
```

Now, we need to write a *writer* transformation, and apply this context processor on it:

```
from bonobo.config import use_context_processor

@use_context_processor(with_opened_file)
def write_repr_to_file(f, *row):
    f.write(repr(row))
```

The `f` parameter will contain the value yielded by the context processors, in order of appearance (you can chain multiple context processors).

Please note that the `bonobo.config.use_context_processor()` decorator will modify the function in place, but won't modify its behaviour. If you want to call it out of the **Bonobo** job context, it's your responsibility to provide the right parameters (and here, the opened file).

2.3.3 Using the filesystem

We opened the output file using a hardcoded filename and filesystem implementation. Writing flexible jobs include the ability to change the load targets at runtime, and **Bonobo** suggest to use the `fs` service to achieve this with files.

Let's rewrite our context processor to use it.

```
def with_opened_file(self, context):
    with context.get_service('fs').open('output.txt', 'w+') as f:
        yield f
```

Interface does not change much, but this small change allows the end-user to change the filesystem implementation at runtime, which is great to handle different environments (local development, staging servers, production, ...).

Note that **Bonobo** only provide very few services with default implementation (actually, only `fs` and `http`), but you can define all the services you want, depending on your system. You'll learn more about this in the next tutorial chapter.

2.3.4 Using a different filesystem

To change the *fs* implementation, you need to provide your implementation in the dict returned by *get_services()*.

Let's write to a remote location, which will be an Amazon S3 bucket. First, we need to install the driver:

```
pip install fs-s3fs
```

Then, just provide the correct bucket to *bonobo.open_fs()*:

```
def get_services(**options):
    return {
        'fs': bonobo.open_fs('s3://bonobo-examples')
    }
```

Note: You must provide a bucket for which you have the write permission, and it's up to you to setup your amazon credentials in such a way that *boto* can access your AWS account.

2.3.5 Using builtin writers

Until then, and to have a better understanding of what happens, we implemented our writers ourselves.

Bonobo contains writers for a variety of standard file formats, and you're probably better off using builtin writers.

Let's use a *bonobo.CsvWriter* instance instead, by replacing our custom transformation in the graph factory function:

```
def get_graph(**options):
    graph = bonobo.Graph()
    graph.add_chain(
        ...
        bonobo.CsvWriter('output.csv'),
    )
    return graph
```

2.3.6 Reading from files

Reading from files is done using the same logic as writing, except that you'll probably have only one call to a reader.

Our example application does not include reading from files, but you can read the file we just wrote by using a *bonobo.CsvReader* instance.

2.3.7 Atomic writes

Warning: This section is missing. Sorry, but stay tuned! It'll be added soon.

2.3.8 Moving forward

You now know:

- How to use the filesystem (*fs*) service.

- How to read from files.
- How to write to files.
- How to substitute a service at runtime.

It's now time to jump to *Part 4: Services*.

2.4 Part 4: Services

All external dependencies (like filesystems, network clients, database connections, etc.) should be provided to transformations as a service. It allows great flexibility, including the ability to test your transformations isolated from the external world, and being friendly to the infrastructure guys (and if you're one of them, it's also nice to treat yourself well).

In the last section, we used the *fs* service to access filesystems, we'll go even further by switching our *requests* call to use the *http* service, so we can switch the *requests* session at runtime. We'll use it to add an http cache, which is a great thing to avoid hammering a remote API.

2.4.1 Default services

As a default, **Bonobo** provides only two services:

- *fs*, a `fs.osfs.OSFS` object to access files.
- *http*, a `requests.Session` object to access the Web.

2.4.2 Overriding services

You can override the default services, or define your own services, by providing a dictionary to the *services=* argument of `bonobo.run`:

```
import requests

def get_services():
    http = requests.Session()
    http.headers = {'User-Agent': 'Monkeys!'}
    return {
        'http': http
    }
```

2.4.3 Switching requests to use the service

Let's replace the `requests.get` call we used in the first steps to use the *http* service:

```
from bonobo.config import use

@use('http')
def extract_fablabs(http):
    yield from http.get(FABLABS_API_URL).json().get('records')
```

Tadaa, done! You're not anymore tied to a specific implementation, but to whatever `requests` compatible object the user want to provide.

2.4.4 Adding cache

Let's demonstrate the flexibility of this approach by adding some local cache for HTTP requests, to avoid hammering the API endpoint as we run our tests.

First, let's install *requests-cache*:

```
$ pip install requests-cache
```

Then, let's switch the implementation, conditionally.

```
def get_services(use_cache=False):
    if use_cache:
        from requests_cache import CachedSession
        http = CachedSession('http.cache')
    else:
        import requests
        http = requests.Session()

    return {
        'http': http
    }
```

Then in the main block, let's add support for a *-use-cache* argument:

```
if __name__ == '__main__':
    parser = bonobo.get_argument_parser()
    parser.add_argument('--use-cache', action='store_true', default=False)

    with bonobo.parse_args(parser) as options:
        bonobo.run(get_graph(**options), services=get_services(**options))
```

And you're done! Now, you can switch from using or not the cache using the *-use-cache* argument in command line when running your job.

2.4.5 Moving forward

You now know:

- How to use builtin service implementations
- How to override a service
- How to define your own service
- How to tune the default argument parser

It's now time to jump to *Part 5: Projects and Packaging*.

2.5 Part 5: Projects and Packaging

Until then, we worked with one file managing a job.

Real life often involves more complicated setups, with relations and imports between different files.

Data processing is something a wide variety of tools may want to include, and thus **Bonobo** does not enforce any kind of project structure, as the target structure will be dictated by the hosting project. For example, a *pipelines* sub-package

would perfectly fit a django or flask project, or even a regular package, but it's up to you to chose the structure of your project.

2.5.1 Imports mechanism

Bonobo does not enforce anything on how the python import mechanism work. Especially, it won't add anything to your *sys.path*, unlike some popular projects, because we're not sure that's something you want.

If you want to use imports, you should move your script in a python package, and it's up to you to have it setup correctly.

2.5.2 Moving into an existing project

First, and quite popular option, is to move your ETL job file into a package that already exists.

For example, it can be your existing software, eventually using some frameworks like django, flask, twisted, celery. . . Name yours!

We suggest, but nothing is compulsory, that you decide on a namespace that will hold all your ETL pipelines and move all your jobs in it. For example, it can be *mypkg.pipelines*.

2.5.3 Creating a brand new package

Because you're maybe starting a project with the data-engineering part, then you may not have a python package yet. As it can be a bit tedious to setup right, there is an helper, using [Medikit](#), that you can use to create a brand new project:

```
$ bonobo init --package pipelines
```

Answer a few questions, and you should now have a *pipelines* package, with an example transformation in it.

You can now follow the instructions on how to install it (*pip install -editable pipelines*), and the import mechanism will work "just right" in it.

2.5.4 Common stuff

Probably, you'll want to separate the *get_services()* factory from your pipelines, and just import it, as the dependencies may very well be project wide.

But hey, it's just python! You're at home, now!

2.5.5 Moving forward

That's the end of the tutorial, you should now be familiar with all the basics.

A few appendixes to the tutorial can explain how to integrate with other systems (we'll use the "fablabs" application created in this tutorial and extend it):

- [Working with Django](#)
- [Working with Docker](#)
- [Working with Jupyter](#)
- [Working with SQLAlchemy](#)

Then, you can either to jump head-first into your code, or you can have a better grasp at all concepts by *reading the full bonobo guide*.

You should also [join the slack community](#) and ask all your questions there! No need to stay alone, and the only stupid question is the one nobody asks!

Happy data flows!

What's next?

Once you're familiar with all the base concepts, you can...

- Read the *Guides* to have a deep dive in each concept.
- Explore the *Extensions* to widen the possibilities:
 - *Working with Django*
 - *Working with Docker*
 - *Working with Jupyter*
 - *Working with SQLAlchemy*
- Open the *References* and start hacking like crazy.

You're not alone!

Good documentation is not easy to write.

Although all content here should be accurate, you may feel a lack of completeness, for which we plead guilty and apologize.

If you're stuck, please come to the [Bonobo Slack Channel](#) and we'll figure it out.

If you're not stuck but had trouble understanding something, please consider contributing to the docs (using GitHub pull requests).

Warning: This section is being rewritten for **Bonobo 0.6**, and it's now in a "work in progress" state.

You can read the tutorial for the previous version (0.5). Please note that things changed a bit since then and you'll have quirks here and there.

You can also read the [migration guide from 0.5 to 0.6](#) that will give you a good overview of the changes.

Hopefully, this document will be updated soon, and please accept our apologies about this doc status until then.

This section will guide you through your journey with Bonobo ETL.

3.1 Introduction

The first thing you need to understand before you use **Bonobo**, or not, is what it does and what it does not, so you can understand if it could be a good fit for your use cases.


3.1.1 How it works?

Bonobo is an **Extract Transform Load** framework aimed at coders, hackers, or any other person who's at ease with terminals and source code files.

It is a **data streaming** solution, that treat datasets as ordered collections of independant rows, allowing to process them "first in, first out" using a set of transformations organized together in a directed graph.

Let's take a few examples.

Simplest linear graph



One of the simplest, by the book, cases, is an extractor sending to a transformation, itself sending to a loader (hence the “Extract Transform Load” name).

Note: Of course, **Bonobo** is aiming at real-world data transformations and can help you build all kinds of data-flows.

Bonobo will send an “impulsion” to all transformations linked to the *BEGIN* node (shown as a little black dot on the left).

On our example, the only node having its input linked to *BEGIN* is *A*.


A’s main topic will be to extract data from somewhere (a file, an endpoint, a database. . .) and generate some output. As soon as the first row of *A*’s output is available, **Bonobo** will start asking *B* to process it. As soon as the first row of *B*’s output is available, **Bonobo** will start asking *C* to process it.

While *B* and *C* are processing, *A* continues to generate data.

This approach can be efficient, depending on your requirements, because you may rely on a lot of services that may be long to answer or unreliable, and you don’t have to handle optimizations, parallelism or retry logic by yourself.


Note: The default execution strategy uses threads, and makes it efficient to work on *I/O* bound tasks. It’s in the plans to have other execution strategies, based on subprocesses (for *CPU*-bound tasks) or *dask.distributed* (for big data tasks that requires a cluster of computers to process in reasonable time).

Graphs with divergence points (or forks)



In this case, any output row of *A*, will be **sent to both** *B* and *C* simultaneously. Again, *A* will continue its processing while *B* and *C* are working.

Graph with convergence points (or merges)



Now, we feed *C* with both *A* and *B* output. It is not a “join”, or “cartesian product”. It is just two different pipes plugged to *C* input, and whichever yields data will see this data feeded to *C*, one row at a time.

3.1.2 What is it not?

Bonobo is not:

- A data science, or statistical analysis tool, which need to treat the dataset as a whole and not as a collection of independant rows. If this is your need, you probably want to look at [pandas](#).
- A workflow or scheduling solution for independant data-engineering tasks. If you’re looking to manage your sets of data processing tasks as a whole, you probably want to look at [airflow](#). Although there is no **Bonobo** extension yet that handles that, it does make sense to integrate **Bonobo** jobs in an airflow (or other similar tool) workflow.
- A big data solution, as [defined by wikipedia](#). We’re aiming at “small scale” data processing, which can be still quite huge for humans, but not for computers. If you don’t know whether or not this is sufficient for your needs, it probably means you’re not in the “big data” land.

3.1.3 Where to jump next?

We suggest that you go through the [tutorial](#) first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- [Introduction](#)
- [Transformations](#)
- [Graphs](#)
- [Services and dependencies](#)
- [Environment Variables](#)
- [Best Practices](#)
- [Debugging](#)
- [Plugins](#)

3.2 Transformations

Transformations are the smallest building blocks in **Bonobo**.

There is no special data-structure used to represent transformations, it's basically just a regular python callable, or even an iterable object (if it requires no input data).

Once in a graph, transformations become nodes and the data-flow between them is described using edges.

Note: In this chapter, we'll consider that anytime we need a “database”, it's something we can get from the global namespace. This practice OK-ish for small jobs, but not at scale.

You'll learn in *Services and dependencies* how to manage external dependencies the right way.

3.2.1 Transformation types


General case

The **general case** is a transformation that yields n outputs for each input.

You can implement it using a generator:

```
db = ...

def get_orders(user_id):
    for order in db.get_orders(user_id):
        yield user_id, order
```



Here, each row (containing a user id) will be transformed into a set of rows, each containing an user_id and an “order” object.

Extractor case


An **extractor** is a transformation that generates output without using any input. Usually, it does not generate this data out of nowhere, but instead connects to an external system (database, api, http, files ...) to read the data from there.

It can be implemented in two different ways.

- You can implement it using a generator, like in the general case:

```
db = ...

def extract_user_ids():
    yield from db.select_all_user_ids()
```



- You can also use an iterator directly:

```
import bonobo

db = ...

def get_graph():
    graph = bonobo.Graph()
    graph.add_chain(
        db.select_all_user_ids(),
        ...
    )
    return graph
```

It is very convenient in many cases, when your existing system already have an interface that gives you iterators.

Note: It's important to use a generative approach that yield data as it is provided and not generate everything at once before returning, so **Bonobo** can pass the data to the next nodes as soon as it starts streaming.


Loader case

A **loader** is a transformation that sends its input into an external system. To have a perfect symmetry with extractors, we'd like not to have any output but as a convenience and because it has a negligible cost in **Bonobo**, the convention is that all loaders return `bonobo.constants.NOT_MODIFIED`, meaning that all rows that streamed into this node's input will also stream into its outputs, not modified. It allows to chain transformations even after a loader happened, and avoid using shenanigans to achieve the same thing:

```
from bonobo.constants import NOT_MODIFIED
```

```
analytics_db = ...

def load_into_analytics_db(user_id, order):
    analytics_db.insert_or_update_order(user_id, order['id'], order['amount'])
    return NOT_MODIFIED
```



3.2.2 Execution Context

Transformations being regular functions, a bit of machinery is required to use them as nodes in a streaming flow.

When a *bonobo.Graph* is executed, each node is wrapped in a *bonobo.execution.contexts.NodeExecutionContext* which is responsible for keeping the state of a node, within a given execution.

3.2.3 Inputs and Outputs

When run in an execution context, transformations have inputs and outputs, which means that **Bonobo** will pass data that comes in the input queue as calls, and push returned / yielded values into the output queue.



For thread-based strategies, the underlying implementation of the input and output queues is the standard `queue.Queue`.

Inputs

Todo: proofread, check consistency and correctness

All input is retrieved via the call arguments. Each line of input means one call to the callable provided. Arguments will be, in order:

- Injected dependencies (database, http, filesystem, ...)
- Position based arguments
- Keyword based arguments

You'll see below how to pass each of those.

Output

Todo: proofread, check consistency and correctness

Each callable can return/yield different things (all examples will use yield, but if there is only one output per input line, you can also return your output row and expect the exact same behaviour).

Todo: add rules for output parsing

The logic is defined in this piece of code, documentation will be added soon:

Listing 3.1: NodeExecutionContext._cast(self, _input, _output)

```
def _cast(self, _input, _output):
    """
    Transforms a pair of input/output into the real slim output.

    :param _input: Bag
    :param _output: mixed
    :return: Bag
    """

    tokens, _output = split_token(_output)

    if NOT_MODIFIED in tokens:
        return ensure_tuple(_input, cls=(self.output_type or tuple))

    if INHERIT in tokens:
        if self._output_type is None:
            self._output_type = concat_types(self._input_type, self._input_length,
            ↪ self._output_type, len(_output))
            _output = _input + ensure_tuple(_output)

        return ensure_tuple(_output, cls=(self._output_type or tuple))
```

Basically, after checking a few flags (*NOT_MODIFIED*, then *INHERIT*), it will “cast” the data into the “output type”, which is either tuple or a kind of namedtuple.

Todo: document cast/input_type/output_type logic.

3.2.4 Class-based Transformations

For use cases that are either less simple or that requires better reusability, you may want to use classes to define some of your transformations.

Todo: narrative doc

See:

- `bonobo.config.Configurable`
- `bonobo.config.Option`
- `bonobo.config.Service`
- `bonobo.config.Method`
- `bonobo.config.ContextProcessor`

3.2.5 Naming conventions

The naming convention used is the following.

If you're naming something which is an actual transformation, that can be used directly as a graph node, then use underscores and lowercase names:

```
# instance of a class based transformation
filter = Filter(...)

# function based transformation
def uppercase(s: str) -> str:
    return s.upper()
```

If you're naming something which is configurable, that will need to be instantiated or called to obtain something that can be used as a graph node, then use camelcase names:

```
# configurable
class ChangeCase(Configurable):
    modifier = Option(default='upper')
    def __call__(self, s: str) -> str:
        return getattr(s, self.modifier)()

# transformation factory
def Apply(method):
    @functools.wraps(method)
    def apply(s: str) -> str:
        return method(s)
    return apply

# result is a graph node candidate
upper = Apply(str.upper)
```

3.2.6 Testing

As Bonobo use plain old python objects as transformations, it's very easy to unit test your transformations using your favourite testing framework. We're using pytest internally for Bonobo, but it's up to you to use the one you prefer.

If you want to test a transformation with the surrounding context provided (for example, service instances injected, and context processors applied), you can use `bonobo.execution.NodeExecutionContext` as a context processor and have bonobo send the data to your transformation.

```
from bonobo.execution import NodeExecutionContext

with NodeExecutionContext(
    JsonWriter(filename), services={'fs': ...}
) as context:
    # Write a list of rows, including BEGIN/END control messages.
    context.write_sync(
        {'foo': 'bar'},
        {'foo': 'baz'},
    )
```

3.2.7 Where to jump next?

We suggest that you go through the *tutorial* first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- *Introduction*
- *Transformations*
- *Graphs*
- *Services and dependencies*
- *Environment Variables*
- *Best Practices*
- *Debugging*
- *Plugins*

3.3 Graphs

Graphs are the glue that ties transformations together. They are the only data-structure bonobo can execute directly. Graphs must be acyclic, and can contain as many nodes as your system can handle. However, although in theory the number of nodes can be rather high, practical use cases usually do not exceed more than a few hundred nodes and only then in extreme cases.

Within a graph, each node are isolated and can only communicate using their input and output queues. For each input row, a given node will be called with the row passed as arguments. Each *return* or *yield* value will be put on the node's output queue, and the nodes connected in the graph will then be able to process it.

Bonobo is a line-by-line data stream processing solution.

Handling the data-flow this way brings the following properties:

- **First in, first out:** unless stated otherwise, each node will receive the rows from FIFO queues, and so, the order of rows will be preserved. That is true for each single node, but please note that if you define “graph bubbles” (where a graph diverge in different branches then converge again), the convergence node will receive rows FIFO from each input queue, meaning that the order existing at the divergence point wont stay true at the convergence point.

- **Parallelism:** each node run in parallel (by default, using independent threads). This is useful as you don't have to worry about blocking calls. If a thread waits for, let's say, a database, or a network service, the other nodes will continue handling data, as long as they have input rows available.
- **Independance:** the rows are independent from each other, making this way of working with data flows good for line-by-line data processing, but also not ideal for "grouped" computations (where an output depends on more than one line of input data). You can overcome this with rolling windows if the input required are adjacent rows, but if you need to work on the whole dataset at once, you should consider other software.

Graphs are defined using `bonobo.Graph` instances, as seen in the previous tutorial step.

Warning: This document is currently reviewed to check for correctness after the 0.6 release.

3.3.1 What can be a node?

TL;DR: ... anything, as long as it's callable().

Functions

```
def get_item(id):  
    return id, items.get(id)
```

Each node of a graph will be executed in isolation from the other nodes, and the data is passed from one node to the next using FIFO queues, managed by the framework. It's transparent to the end-user, though, and you'll only use function arguments (for inputs) and return/yield values (for outputs).

Each input row of a node will cause one call to this node's callable. Each output is cast internally as a tuple-like data structure (or more precisely, a namedtuple-like data structure), and for one given node, each output row must have the same structure.

If you return/yield something which is not a tuple, bonobo will create a tuple of one element.

Properties

Bonobo assists you with defining the data-flow of your data engineering process, and then streams data through your callable graphs.

- Each node call will process one row of data.
- Queues that flows the data between node are first-in, first-out (FIFO) standard python `queue.Queue`.
- Each node will run in parallel
- Default execution strategy use threading, and each node will run in a separate thread.

Fault tolerance

Node execution is fault tolerant.

If an exception is raised from a node call, then this node call will be aborted but bonobo will continue the execution with the next row (after outputting the stack trace and incrementing the "err" counter for the node context).

It allows to have ETL jobs that ignore faulty data and try their best to process the valid rows of a dataset.

Some errors are fatal, though.

If you pass a 2 elements tuple to a node that takes 3 args, **Bonobo** will raise an `bonobo.errors.UnrecoverableTypeError`, and exit the current graph execution as fast as it can (finishing the other node executions that are in progress first, but not starting new ones if there are remaining input rows).

3.3.2 Definitions

Graph

A directed acyclic graph of transformations, that Bonobo can inspect and execute.

Node

A transformation within a graph. The transformations are stateless, and have no idea whether or not they are included in a graph, multiple graph, or not at all.


3.3.3 Creating a graph

Graphs should be instances of `bonobo.Graph`. The `bonobo.Graph.add_chain()` method can take as many positional parameters as you want.

```
import bonobo

graph = bonobo.Graph()
graph.add_chain(a, b, c)
```

Resulting graph:



3.3.4 Non-linear graphs


Divergences / forks

To create two or more divergent data streams (“forks”), you should specify the `_input` kwarg to `add_chain`.

```
import bonobo

graph = bonobo.Graph()
graph.add_chain(a, b, c)
graph.add_chain(f, g, _input=b)
```

Resulting graph:



Note: Both branches will receive the same data and at the same time.

Convergence / merges

To merge two data streams, you can use the `_output` kwarg to `add_chain`, or use named nodes (see below).

```


import bonobo

graph = bonobo.Graph()

# Here we set _input to None, so normalize won't start on its own but only after it_
# receives input from the other chains.
graph.add_chain(normalize, store, _input=None)

# Add two different chains
graph.add_chain(a, b, _output=normalize)
graph.add_chain(f, g, _output=normalize)
  
```

Resulting graph:



Note: This is not a “join” or “cartesian product”. Any data that comes from `b` or `g` will go through `normalize`, one at

a time. Think of the graph edges as data flow pipes.

3.3.5 Named nodes

Using above code to create convergences often leads to code which is hard to read, because you have to define the “target” stream before the streams that logically goes to the beginning of the transformation graph. To overcome that, one can use “named” nodes:

```
graph.add_chain(x, y, z, _name='zed') graph.add_chain(f, g, h, _input='zed')
```


```
import bonobo

graph = bonobo.Graph()

# Add two different chains
graph.add_chain(a, b, _output="load")
graph.add_chain(f, g, _output="load")

# Here we mark _input to None, so normalize won't get the "begin" impulsion.
graph.add_chain(normalize, store, _input=None, _name="load")
```

Resulting graph:



3.3.6 Inspecting graphs

Bonobo is bundled with an “inspector”, that can use graphviz to let you visualize your graphs.

Read [How to inspect and visualize your graph](#).

3.3.7 Executing graphs

There are two options to execute a graph (which have a similar result, but are targeting different use cases).

- You can use the bonobo command line interface, which is the highest level interface.
- You can use the python API, which is lower level but allows to use bonobo from within your own code (for example, a django management command).

Executing a graph with the command line interface

If there is no good reason not to, you should use `bonobo run ...` to run transformation graphs found in your python source code files.

```
$ bonobo run file.py
```

You can also run a python module:

```
$ bonobo run -m my.own.etlmod
```

In each case, bonobo's CLI will look for an instance of `bonobo.Graph` in your file/module, create the plumbing needed to execute it, and run it.

If you're in an interactive terminal context, it will use `bonobo.ext.console.ConsoleOutputPlugin` for display.

If you're in a jupyter notebook context, it will (try to) use `bonobo.ext.jupyter.JupyterOutputPlugin`.

Executing a graph using the internal API

To integrate bonobo executions in any other python code, you should use `bonobo.run()`. It behaves very similar to the CLI, and reading the source you should be able to figure out its usage quite easily.

3.3.8 Where to jump next?

We suggest that you go through the *tutorial* first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- *Introduction*
- *Transformations*
- *Graphs*
- *Services and dependencies*
- *Environment Variables*
- *Best Practices*
- *Debugging*
- *Plugins*

3.4 Services and dependencies

You'll want to use external systems within your transformations, including databases, HTTP APIs, other web services, filesystems, etc.

Hardcoding those services is a good first step, but as your codebase grows, this approach will show its limits rather quickly.

- Hardcoded and tightly linked dependencies make your transformations hard to test, and hard to reuse.

- Processing data on your laptop is great, but being able to do it on different target systems (or stages), in different environments is more realistic. You'll want to configure a different database on a staging environment, pre-production environment, or production system. Maybe you have similar systems for different clients and want to select the system at runtime, etc.

Warning: This document is currently reviewed to check for correctness.

3.4.1 Definition of service dependencies

To solve this problem, we introduce a lightweight dependency injection system. It allows to define **named dependencies** in your transformations and provide an implementation at runtime.

For function-based transformations, you can use the `bonobo.config.use()` decorator to mark the dependencies. You'll still be able to call it manually, providing the implementation yourself, but in a bonobo execution context, it will be resolved and injected automatically, as long as you provided an implementation to the executor (more on that below).

```
from bonobo.config import use

@use('orders_database')
def select_all(database):
    yield from database.query('SELECT * FROM foo;')
```

For class based transformations, you can use `bonobo.config.Service`, a special descriptor (and subclass of `bonobo.config.Option`) that will hold the service names and act as a marker for runtime resolution of service instances.

```
from bonobo.config import Configurable, Service

class JoinDatabaseCategories(Configurable):
    database = Service('orders_database')

    def __call__(self, database, row):
        return {
            **row,
            'category': database.get_category_name_for_sku(row['sku'])
        }
```

Both of the above code samples tell bonobo that your transformation expects a service called “orders_database”, which will be injected to your calls under the parameter name “database”.

Providing implementations at run-time

Bonobo expects you to provide a dictionary of all service implementations required by your graph.

```
import bonobo

graph = bonobo.graph(...)

def get_services():
    return {
        'orders_database': my_database_service,
    }
```

```
if __name__ == '__main__':
    bonobo.run(graph, services=get_services())
```

Note: A dictionary, or dictionary-like, “services” named argument can be passed to the `bonobo.run()` API method. The “dictionary-like” part is the real keyword here. Bonobo is not a DIC library, and won’t become one. So the implementation provided is pretty basic and feature-less. You can use much more involved libraries instead of the provided stub and, as long as it implements a dictionary-like interface, the system will use it.

The command line interface will look for services in two different places:

- A `get_services()` function present at the same level of your graph definition.
- A `get_services()` function in a `_services.py` file in the same directory as your graph’s file, allowing to reuse the same service implementations for more than one graph.

Solving concurrency problems

If a service cannot be used by more than one thread at a time, either because it’s just not threadsafe, or because it requires to carefully order the calls made (apis that includes nonces, or work on results returned by previous calls are usually good candidates), you can use the `bonobo.config.Exclusive` context processor to lock the use of a dependency for the time of the context manager (*with* statement)

```
from bonobo.config import Exclusive

def t1(api):
    with Exclusive(api):
        api.first_call()
        api.second_call()
        # ... etc
    api.last_call()
```

3.4.2 Read more

- See https://github.com/hartym/bonobo-sqlalchemy/blob/work-in-progress/bonobo_sqlalchemy/writers.py#L19 for example usage (work in progress).

3.4.3 Where to jump next?

We suggest that you go through the *tutorial* first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- *Introduction*
- *Transformations*
- *Graphs*
- *Services and dependencies*
- *Environment Variables*
- *Best Practices*

- *Debugging*
- *Plugins*

3.5 Environment Variables

Best practice holds that variables should be passed to graphs via environment variables. Doing this is important for keeping sensitive data out of the code - such as an API token or username and password used to access a database. Not only is this approach more secure, it also makes graphs more flexible by allowing adjustments for a variety of environments and contexts. Importantly, environment variables are also the means by-which arguments can be passed to graphs.

Note: This document is about using your own settings and configuration values. If you're looking for bonobo's builtin settings, also configurable using environment variables, please check *Settings & Environment*.

3.5.1 Passing / Setting Environment Variables

Setting environment variables for your graphs to use can be done in a variety of ways and which one used can vary based-upon context. Perhaps the most immediate and simple way to set/override a variable for a given graph is simply to use the optional `--env` argument when running bonobo from the shell (bash, command prompt, etc). `--env` (or `-e` for short) should then be followed by the variable name and value using the syntax `VAR_NAME=VAR_VALUE`. Multiple environment variables can be passed by using multiple `--env` / `-e` flags (i.e. `bonobo run --env FIZZ=buzz ...` and `bonobo run --env FIZZ=buzz --env Foo=bar ...`). Additionally, in bash you can also set environment variables by listing those you wish to set before the *bonobo run* command with space separating the key-value pairs (i.e. `FIZZ=buzz bonobo run ...` or `FIZZ=buzz FOO=bar bonobo run ...`). Additionally, bonobo is able to pull environment variables from local `.env` files rather than having to pass each key-value pair individually at runtime. Importantly, a strict 'order of priority' is followed when setting environment variables so it is advisable to read and understand the order listed below to prevent

The order of priority is from lower to higher with the higher "winning" if set:

1. **default values** `os.getenv("VARNAME", default_value)` The user/writer/creator of the graph is responsible for setting these.
2. **--default-env-file values** Specify file to read default env values from. Each env var in the file is used if the var isn't already a corresponding value set at the system environment (system environment vars not overwritten).
3. **--default-env values** Works like #2 but the default `NAME=var` are passed individually, with one `key=value` pair for each `--default-env` flag rather than gathered from a specified file.
4. **system environment values** Env vars already set at the system level. It is worth noting that passed env vars via `NAME=value bonobo run ...` falls here in the order of priority.
5. **--env-file values** Env vars specified here are set like those in #2 albeit that these values have priority over those set at the system level.
6. **--env values** Env vars set using the `--env` / `-e` flag work like #3 but take priority over all other env vars.

3.5.2 Examples

The Examples below demonstrate setting one or multiple variables using both of these methods:

```

# Using one environment variable via a --env or --default-env flag:
bonobo run csvsanitizer --env SECRET_TOKEN=secret123
bonobo run csvsanitizer --default-env SECRET_TOKEN=secret123

# Using multiple environment variables via -e (env) and --default-env flags:
bonobo run csvsanitizer -e SRC_FILE=inventory.txt -e DST_FILE=inventory_processed.csv
bonobo run csvsanitizer --default-env SRC_FILE=inventory.txt --default-env DST_
↪FILE=inventory_processed.csv

# Using one environment variable inline (bash-like shells only):
SECRET_TOKEN=secret123 bonobo run csvsanitizer

# Using multiple environment variables inline (bash-like shells only):
SRC_FILE=inventory.txt DST_FILE=inventory_processed.csv bonobo run csvsanitizer

# Using an env file for default env values:
bonobo run csvsanitizer --default-env-file .env

# Using an env file for env values:
bonobo run csvsanitizer --env-file '.env.private'

```

3.5.3 ENV File Structure

The file structure for env files is incredibly simple. The only text in the file should be *NAME=value* pairs with one pair per line like the below.

```

# .env

DB_USER='bonobo'
DB_PASS='cicero'

```

3.5.4 Accessing Environment Variables from within the Graph Context

Environment variables, whether set globally or only for the scope of the graph, can be accessed using any of the normal means. It is important to note that whether set globally for the system or just for the graph context, environment variables are accessed by bonobo in the same way. In the example below the database user and password are accessed via the `os` module's `getenv` function and used to get data from the database.

```

import os

import bonobo
from bonobo.config import use

DB_USER = os.getenv('DB_USER')
DB_PASS = os.getenv('DB_PASS')

@use('database')
def extract(database):
    with database.connect(DB_USER, DB_PASS) as conn:
        yield from conn.query_all()

```



```
graph = bonobo.Graph(
    extract,
    bonobo.PrettyPrinter(),
)
```

3.5.5 Where to jump next?

We suggest that you go through the *tutorial* first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- *Introduction*
- *Transformations*
- *Graphs*
- *Services and dependencies*
- *Environment Variables*
- *Best Practices*
- *Debugging*
- *Plugins*

3.6 Best Practices

Warning: This document needs to be rewritten for 0.6.

Especially, *Bag()* was removed, and **Bonobo** either ensure your i/o rows are tuples or some kind of namedtuples.

Please be aware of that while reading, and eventually check [the migration guide to 0.6](#).

The nature of components, and how the data flow from one to another, can be a bit tricky. Hopefully, they should be very easy to write with a few hints.

3.6.1 Pure transformations

One “message” (a.k.a `bonobo.Bag` instance) may go through more than one component, and at the same time. To ensure your code is safe, one could `copy.copy()` each message on each transformation input but that’s quite expensive, especially because it may not be needed.

Instead, we chose the opposite: copies are never made, instead you should not modify in place the inputs of your component before yielding them, which that mostly means that you want to recreate dicts and lists before yielding if their values changed.

Numeric values, strings and tuples being immutable in python, modifying a variable of one of those type will already return a different instance.

Examples will be shown with *return* statements, of course you can do the same with *yield* statements in generators.

Numbers

In python, numbers are immutable. So you can't be wrong with numbers. All of the following are correct.

```
def do_your_number_thing(n):
    return n

def do_your_number_thing(n):
    return n + 1

def do_your_number_thing(n):
    # correct, but bad style
    n += 1
    return n
```

The same is true with other numeric types, so don't be shy.

Tuples

Tuples are immutable, so you risk nothing.

```
def do_your_tuple_thing(t):
    return ('foo', ) + t

def do_your_tuple_thing(t):
    return t + ('bar', )

def do_your_tuple_thing(t):
    # correct, but bad style
    t += ('baaz', )
    return t
```

Strings

You know the drill, strings are immutable, too.

```
def do_your_str_thing(t):
    return 'foo ' + t + ' bar'

def do_your_str_thing(t):
    return ' '.join(('foo', t, 'bar', ))

def do_your_str_thing(t):
    return 'foo {} bar'.format(t)
```

You can, if you're using python 3.6+, use *f-strings*, but the core bonobo libraries won't use it to stay 3.5 compatible.

Dicts

So, now it gets interesting. Dicts are mutable. It means that you can mess things up if you're not cautious.

For example, doing the following may (will) cause unexpected problems:

```
def mutate_my_dict_like_crazy(d):
    # Bad! Don't do that!
    d.update({
        'foo': compute_something()
    })
    # Still bad! Don't mutate the dict!
    d['bar'] = compute_anotherthing()
    return d
```

The problem is easy to understand: as **Bonobo** won't make copies of your dict, the same dict will be passed along the transformation graph, and mutations will be seen in components downwards the output (and also upward). Let's see a more obvious example of something you should *not* do:

```
def mutate_my_dict_and_yield() -> dict:
    d = {}
    for i in range(100):
        # Bad! Don't do that!
        d['index'] = i
        yield d
```

Here, the same dict is yielded in each iteration, and its state when the next component in chain is called is undetermined (how many mutations happened since the *yield*? Hard to tell...).

Now let's see how to do it correctly:

```
def new_dicts_like_crazy(d):
    # Creating a new dict is correct.
    return {
        **d,
        'foo': compute_something(),
        'bar': compute_anotherthing(),
    }

def new_dict_and_yield():
    d = {}
    for i in range(100):
        # Different dict each time.
        yield {
            'index': i
        }
```

I bet you think «Yeah, but if I create like millions of dicts ...».

Let's say we chose the opposite way and copied the dict outside the transformation (in fact, it's what we did in **bonobo's** ancestor). This means you will also create the same number of dicts, the difference is that you won't even notice it. Also, it means that if you want to yield the same dict 1 million times, going "pure" makes it efficient (you'll just yield the same object 1 million times) while going "copy crazy" would create 1 million identical objects.

Using dicts like this will create a lot of dicts, but also free them as soon as all the future components that take this dict as input are done. Also, one important thing to note is that most primitive data structures in python are immutable, so creating a new dict will of course create a new envelope, but the unchanged objects inside won't be duplicated.

Last thing, copies made in the "pure" approach are explicit, and usually, explicit is better than implicit.

3.6.2 Where to jump next?

We suggest that you go through the *tutorial* first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- *Introduction*
- *Transformations*
- *Graphs*
- *Services and dependencies*
- *Environment Variables*
- *Best Practices*
- *Debugging*
- *Plugins*

3.7 Debugging

Note: This document writing is in progress, but its content should be correct (but succinct).

3.7.1 Using a debugger (pdb...)

Using a debugger works (as in any python piece of code), but you must be aware that each node runs in a separate thread, which means a few things:

- If a breakpoint happens in a thread, then this thread will stop, but all other threads will continue running. This can be especially annoying if you try to use the pdb REPL for example, as your prompt will be overridden a few times/second by the current execution statistics.

To avoid that, you can run bonobo with `QUIET=1` in environment, to hide statistics.

- If your breakpoint never happens (although it's at the very beginning of your transformation), it may mean that something happens out of the transform. The `bonobo.execution.contexts.NodeExecutionContext` instance that surrounds your transformation may be stuck in its `while True: transform()` loop.

Break one level higher

3.7.2 Using printing statements

Of course, you can `print` things.

You can even add `print` statements in graphs, to `print` once per row.

A better `print` is available though, suitable for both flow-based data processing and human eyes. Check `bonobo.PrettyPrinter`.

3.7.3 Inspecting graphs

- Using the console: `bonobo inspect -graph`.
- Using Jupyter notebook: install the extension and just display a graph.

3.7.4 Where to jump next?

We suggest that you go through the *tutorial* first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- *Introduction*
- *Transformations*
- *Graphs*
- *Services and dependencies*
- *Environment Variables*
- *Best Practices*
- *Debugging*
- *Plugins*

3.8 Plugins

3.8.1 Graph level plugins

3.8.2 Node level plugins

enhancers

node

-

3.8.3 Where to jump next?

We suggest that you go through the *tutorial* first.

Then, you can read the guides, either using the order suggested or by picking the chapter that interest you the most at one given moment:

- *Introduction*
- *Transformations*
- *Graphs*
- *Services and dependencies*
- *Environment Variables*
- *Best Practices*
- *Debugging*
- *Plugins*

Extensions contains all things needed to work with a few popular third party tools.

Most of them are available as optional extra dependencies, and the maturity stage of each may vary.

4.1 Working with Django

Bonobo provides a lightweight integration with django, to allow to include ETL pipelines in your django management commands.

4.1.1 Quick start

To write a django management command that runs **Bonobo** job(s), just extend `ETLCommand` instead of `django.core.management.base.BaseCommand`, and override the `ETLCommand.get_graph()` method:

```
import bonobo
from bonobo.contrib.django import ETLCommand

class Command(ETLCommand):
    def get_graph(self, **options):
        graph = bonobo.Graph()
        graph.add_chain(...)
        return graph
```

Services

You can override `ETLCommand.get_services()` to provide your service implementations.

One common recipe to do so is to import it from somewhere else and override it as a `staticmethod`:

```
import bonobo
from bonobo.contrib.django import ETLCommand

from myproject.services import get_services

class Command(ETLCommand):
    get_services = staticmethod(get_services)

    def get_graph(...):
        ...
```

Multiple graphs

The `ETLCommand.get_graph()` method can also be implemented as a generator. In this case, each element yielded must be a graph, and each graph will be executed in order:

```
import bonobo
from bonobo.contrib.django import ETLCommand

class Command(ETLCommand):
    def get_graph(self, **options):
        yield bonobo.Graph(...)
        yield bonobo.Graph(...)
        yield bonobo.Graph(...)
```

This is especially helpful in two major cases:

- You must ensure that one job is finished before the next is run, and thus you can't add both graph's nodes in the same graph.
- You want to change which graph is run depending on command line arguments.

Command line arguments

Like with regular django management commands, you can add arguments to the argument parser by overriding `ETLCommand.add_arguments()`.

The only difference with django is that the provided argument parser will already have arguments added to handle environment.

4.1.2 Reference

`bonobo.contrib.django`

This module contains all tools for Bonobo and Django to interact nicely.

- `ETLCommand`
- `create_or_update()`

```
class ETLCommand(stdout=None, stderr=None, no_color=False)
    Bases: django.core.management.base.BaseCommand

    add_arguments(parser)
        Entry point for subclassed commands to add custom arguments.
```


static create_or_update (*model*, *, *defaults=None*, *save=True*, ***kwargs*)

Create or update a django model instance.

Parameters

- **model** –
- **defaults** –
- **kwargs** –

Returns object, created, updated

create_parser (*prog_name*, *subcommand*)

get_graph (**args*, ***options*)

get_services ()

handle (**args*, ***options*)

info (**args*, ***kwargs*)

logger

create_or_update (*model*, *, *defaults=None*, *save=True*, ***kwargs*)

Create or update a django model instance.

Parameters

- **model** –
- **defaults** –
- **kwargs** –

Returns object, created, updated

4.1.3 Source code

<https://github.com/python-bonobo/bonobo/tree/master/bonobo/contrib/django>

4.2 Working with Docker

Note: This extension is currently **BETA**.

Things will change, and although we use it on some real-world software, it may, or may not, satisfy your needs.

Read the introduction: <https://www.bonobo-project.org/with/docker>

4.2.1 Source code

<https://github.com/python-bonobo/bonobo-docker>

4.3 Working with Jupyter

Note: This extension is currently **BETA**.

Things will change, and although we use it on some real-world software, it may, or may not, satisfy your needs.

There is a builtin plugin that integrates (somewhat minimally, for now) bonobo within jupyter notebooks, so you can read the execution status of a graph within a nice (ok, not so nice) html/javascript widget.

4.3.1 Installation

Install *bonobo* with the **jupyter** extra:

```
pip install bonobo[jupyter]
```

Install the jupyter extension:

```
jupyter nbextension enable --py --sys-prefix widgetsnbextension
jupyter nbextension enable --py --sys-prefix bonobo.ext.jupyter
```

4.3.2 Development

You should favor yarn over npm to install node packages. If you prefer to use npm, it's up to you to adapt the code.

To install the widget for development, make sure you're using an editable install of bonobo (see install document):

```
jupyter nbextension install --py --symlink --sys-prefix bonobo.ext.jupyter
jupyter nbextension enable --py --sys-prefix bonobo.ext.jupyter
```

If you want to change the javascript, you should run webpack in watch mode in some terminal:

```
cd bonobo/ext/jupyter/js
yarn install
./node_modules/.bin/webpack --watch
```

To compile the widget into a distributable version (which gets packaged on PyPI when a release is made), just run webpack:

```
./node_modules/.bin/webpack
```

4.3.3 Source code

<https://github.com/python-bonobo/bonobo/tree/master/bonobo/contrib/jupyter>

4.4 Working with Selenium

Warning: This extension is currently **ALPHA**.

Things will change, break, not work as expected, and the documentation is lacking some serious work.

This section is here to give a brief overview but is neither complete nor definitive.

You've been warned.


Writing web crawlers with Bonobo and Selenium is easy.

First, install **bonobo-selenium**:

```
$ pip install bonobo-selenium
```

The idea is to have one callable crawl one thing and delegate drill downs to callables further away in the chain.

An example chain could be:



Where each step would do the following:

- *login()* is in charge to open an authenticated session in the browser.
- *paginate()* open each page of a fictive list and pass it to next.
- *list()* take every list item and yield it.
- *details()* extract the data you're interested in.
- ... and the writer saves it somewhere.

4.4.1 Installation

4.4.2 Overview

4.4.3 Details

4.5 Working with SQLAlchemy

Note: This extension is currently **BETA**.

Things will change, and although we use it on some real-world software, it may, or may not, satisfy your needs.

Read the introduction: <https://www.bonobo-project.org/with/sqlalchemy>

4.5.1 Installation

To install the extension, use the *sqlalchemy* extra:

```
$ pip install bonobo[sqlalchemy]
```

Note: You can install more than one extra at a time separating the names with commas.

4.5.2 Overview and examples

First, you'll need a database connection (`sqlalchemy.engine.Engine` instance), that must be provided as a service.

```
import sqlalchemy

def get_services():
    return {
        'sqlalchemy.engine': sqlalchemy.create_engine(...)
    }
```

The *sqlalchemy.engine* name is the default name used by the provided transformations, but you can override it (for example if you need more than one connection) and specify the service name using *engine='myengine'* while building your transformations.

There are two transformation classes provided by this extension.

One reader, one writer.

Let's select some data:

```
import bonobo
import bonobo_sqlalchemy

def get_graph():
    graph = bonobo.Graph()
    graph.add_chain(
        bonobo_sqlalchemy.Select('SELECT * FROM example', limit=100),
        bonobo.PrettyPrinter(),
    )
```

And let's insert some data:

```
import bonobo
import bonobo_sqlalchemy

def get_graph(**options):
    graph = bonobo.Graph()
    graph.add_chain(
        ...,
        bonobo_sqlalchemy.InsertOrUpdate('example')
    )

    return graph
```

4.5.3 Reference

bonobo_sqlalchemy

class `Select` (*args, **kwargs)

Bases: `bonobo.config.configurables.Configurable`

Reads data from a database using a SQL query and a limit-offset based pagination.

Example:

```
Select('SELECT * from foo;')
```

Caveats:

We're using "limit-offset" pagination, but limit-offset pagination can be inconsistent.

Suppose a user moves from page *n* to *n+1* while simultaneously a new element is inserted into page *n*. This will cause both a duplication (the previously-final element of page *n* is pushed into page *n+1*) and an omission (the new element). Alternatively consider an element removed from page *n* just as the user moves to page *n+1*. The previously initial element of page *n+1* will be shifted to page *n* and be omitted.

A better implementation could be to use database-side cursors, to have the external system mark the last row extracted and "stabilize" pagination. Here is an example of how this can be done (although it's not implemented in `bonobo-sqlalchemy`, for now).

```
-- We must be in a transaction
BEGIN;
-- Open a cursor for a query
DECLARE select_cursor CURSOR FOR SELECT * FROM foo;
-- Retrieve ten rows
FETCH 10 FROM select_cursor;
-- ...
-- Retrieve ten more from where we left off
FETCH 10 FROM select_cursor;
-- All done
COMMIT;
```

Parameters

- **query** (*str*) – The actual SQL query to run.
Default: 'SELECT 1'
- **pack_size** (*int*) – How many rows to retrieve at once.
Default: 1000
- **limit** (*int*) – Maximum rows to retrieve, in total.
- **engine** (*str*) – Database connection (an `sqlalchemy.engine`).
Default: 'sqlalchemy.engine'

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

engine

Database connection (an sqlalchemy.engine).

Default: 'sqlalchemy.engine'

limit

Maximum rows to retrieve, in total.

pack_size

How many rows to retrieve at once.

Default: 1000

query

The actual SQL query to run.

Default: 'SELECT 1'

class InsertOrUpdate (*args, **kwargs)

Bases: bonobo.config.configurables.Configurable

TODO: fields vs columns, choose a name (XXX) Maybe the obvious choice is to keep “field” for row fields, as it’s already the name used by bonobo, and call the database columns “columns”.

Parameters

- **table_name** (*str*) –
- **fetch_columns** (*tuple*) –
- **insert_only_fields** (*tuple*) –
- **discriminant** (*tuple*) –
- **created_at_field** (*str*) –
- **updated_at_field** (*str*) –
- **allowed_operations** (*tuple*) –
- **buffer_size** (*int*) –
- **engine** (*str*) –

Custom instance builder. If not all options are fulfilled, will return a PartiallyConfigured instance which is just a `functools.partial` object that behaves like a Configurable instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

add_fetch_columns (**columns, **aliased_columns*)

commit (*table, connection, buffer, force=False*)

find (*connection, table, row*)

get_columns_for (*column_names, row, dbrow=None*)
Retrieve list of table column names for which we have a value in given hash.

insert_or_update (*table, connection, row*)
Actual database load transformation logic, without the buffering / transaction logic.

allowed_operations

buffer_size

create_buffer

create_connection

create_table

created_at_field

discriminant

engine

fetch_columns

insert_only_fields

table_name

updated_at_field

4.5.4 Source code

<https://github.com/python-bonobo/bonobo-sqlalchemy>

Reference documents of all stable APIs and modules. If something is not here, please be careful about using it as it means that the api is not yet 1.0-proof.

5.1 Bonobo

Module *bonobo*

Contains all the tools you need to get started with the framework, including (but not limited to) generic transformations, readers, writers, and tools for writing and executing graphs and jobs.

All objects in this module are considered very safe to use, and backward compatibility when moving up from one version to another is maximal.

class Graph (*chain)

Bases: *object*

Represents a directed graph of nodes.

add_chain (*nodes, _input=<Begin>, _output=None, _name=None)

Add a chain in this graph.

add_node (c)

Add a node without connections in this graph and returns its index.

copy ()

outputs_of (idx, create=False)

Get a set of the outputs for a given node index.

graphviz

name = ''

topologically_sorted_indexes

Iterate in topological order, based on networkx's `topological_sort()` function.

class CsvReader (*args, **kwargs)

Bases: `bonobo.nodes.io.file.FileReader`, `bonobo.nodes.io.csv.CsvHandler`

Reads a CSV and yield the values as dicts.

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: 'n'
- **encoding** (*str*) – Encoding.
Default: 'utf-8'
- **fs** (*str*) – The filesystem instance to use.
Default: 'fs'
- **mode** (*str*) – What mode to use for open() call.
Default: 'r'
- **output_fields** (*ensure_tuple*) – Specify the field names of output lines. Mutually exclusive with “output_type”.
- **output_type** – Specify the type of output lines. Mutually exclusive with “output_fields”.
- **delimiter** (*str*) –
- **quotechar** (*str*) –
- **escapechar** (*str*) –
- **doublequote** (*str*) –
- **skipinitialspace** (*str*) –
- **lineterminator** (*str*) –
- **quoting** (*str*) –
- **headers** –
- **fields** (*ensure_tuple*) –
- **skip** (*int*) – If set and greater than zero, the reader will skip this amount of lines.
- **reader_factory** – Builds the CSV reader, a.k.a an object we can iterate, each iteration giving one line of fields, as an iterable.

Defaults to builtin `csv.reader(...)`, but can be overridden to fit your special needs.

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns `Configurable` or `PartiallyConfigured`

read (*file*, *context*, *, *fs*)

reader_factory

Builds the CSV reader, a.k.a an object we can iterate, each iteration giving one line of fields, as an iterable.

Defaults to builtin `csv.reader(...)`, but can be overridden to fit your special needs.

skip

If set and greater than zero, the reader will skip this amount of lines.

class CsvWriter (**args*, ***kwargs*)

Bases: `bonobo.nodes.io.file.FileWriter`, `bonobo.nodes.io.csv.CsvHandler`

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **writer_factory** – Builds the CSV writer, a.k.a an object we can pass a field collection to be written as one line in the target file.
Defaults to builtin `csv.writer(...).writerow`, but can be overridden to fit your special needs.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for `open()` call.
Default: ‘w+’
- **delimiter** (*str*) –
- **quotechar** (*str*) –
- **escapechar** (*str*) –
- **doublequote** (*str*) –
- **skipinitialspace** (*str*) –
- **lineterminator** (*str*) –
- **quoting** (*str*) –
- **headers** –
- **fields** (*ensure_tuple*) –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

write (*file*, *context*, **values*, *fs*)

writer_factory

Builds the CSV writer, a.k.a an object we can pass a field collection to be written as one line in the target file.

Defaults to builtin `csv.writer(...).writerow`, but can be overridden to fit your special needs.

class FileReader (**args*, ***kwargs*)

Bases: `bonobo.nodes.io.base.Reader`, `bonobo.nodes.io.base.FileHandler`

Component factory for file-like readers.

On its own, it can be used to read a file and yield one row per line, trimming the “eol” character at the end if present. Extending it is usually the right way to create more specific file readers (like json, csv, etc.)

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for open() call.
Default: ‘r’
- **output_fields** (*ensure_tuple*) – Specify the field names of output lines. Mutually exclusive with “output_type”.
- **output_type** – Specify the type of output lines. Mutually exclusive with “output_fields”.

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

read (*file*, ***, *fs*)

Write a row on the next line of given file. Prefix is used for newlines.

mode

What mode to use for open() call.

Default: ‘r’

output

output_fields

Specify the field names of output lines. Mutually exclusive with “output_type”.

output_type

Specify the type of output lines. Mutually exclusive with “output_fields”.

class FileWriter (*args, **kwargs)

Bases: `bonobo.nodes.io.base.Writer`, `bonobo.nodes.io.base.FileHandler`

Component factory for file or file-like writers.

On its own, it can be used to write in a file one line per row that comes into this component. Extending it is usually the right way to create more specific file writers (like json, csv, etc.)

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for open() call.
Default: ‘w+’

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns `Configurable` or `PartiallyConfigured`

write (*file*, *context*, *line*, *, *fs*)

Write a row on the next line of opened file in context.

mode

What mode to use for open() call.

Default: ‘w+’

class Filter (*args, **kwargs)

Bases: `bonobo.config.configurables.Configurable`

Filter out hashes from the stream depending on the `filter` callable return value, when called with the current hash as parameter.

Can be used as a decorator on a filter callable.

filter

A callable used to filter lines.

If the callable returns a true-ish value, the input will be passed unmodified to the next items.

Otherwise, it'll be burnt.

Parameters filter –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

filter

```
class FixedWindow(*args, **kwargs)
```

Bases: `bonobo.config.configurables.Configurable`

Transformation factory to create fixed windows of inputs, as lists.

For example, if the input is successively 1, 2, 3, 4, etc. and you pass it through a `FixedWindow(2)`, you'll get lists of elements 2 by 2: `[1, 2]`, `[3, 4]`, ...

Parameters length (int) –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

buffer**length**

```
class JsonReader(*args, **kwargs)
```

Bases: `bonobo.nodes.io.json.JsonHandler`, `bonobo.nodes.io.file.FileReader`

Parameters

- **path (str)** – Path to use within the provided filesystem.

- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for open() call.
Default: ‘r’
- **output_fields** (*ensure_tuple*) – Specify the field names of output lines. Mutually exclusive with “output_type”.
- **output_type** – Specify the type of output lines. Mutually exclusive with “output_fields”.
- **loader** –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns `Configurable` or `PartiallyConfigured`

read (*file*, *, *fs*)

loader

class `JsonWriter` (**args*, ***kwargs*)

Bases: `bonobo.nodes.io.json.JsonHandler`, `bonobo.nodes.io.file.FileWriter`

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for open() call.
Default: ‘w+’

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

write (*file, context, *args, fs*)

Write a json row on the next line of file pointed by ctx.file.

Parameters

- **ctx** –
- **row** –

envelope

class LdjsonReader (**args, **kwargs*)

Bases: `bonobo.nodes.io.json.LdjsonHandler`, `bonobo.nodes.io.json.JsonReader`

Read a stream of line-delimited JSON objects (one object per line).

Not to be mistaken with JSON-LD (where LD stands for linked data).

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for open() call.
Default: ‘r’
- **output_fields** (*ensure_tuple*) – Specify the field names of output lines. Mutually exclusive with “output_type”.
- **output_type** – Specify the type of output lines. Mutually exclusive with “output_fields”.
- **loader** –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –

- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

read (*file*, *, *fs*)

class LdjsonWriter (*args, **kwargs)

Bases: bonobo.nodes.io.json.LdjsonHandler, bonobo.nodes.io.json.JsonWriter

Write a stream of Line-delimited JSON objects (one object per line).

Not to be mistaken with JSON-LD (where LD stands for linked data).

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for open() call.
Default: ‘w+’

Custom instance builder. If not all options are fulfilled, will return a PartiallyConfigured instance which is just a `functools.partial` object that behaves like a Configurable instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

class Limit (*args, **kwargs)

Bases: bonobo.config.configurables.Configurable

Creates a Limit() node, that will only let go through the first n rows (defined by the *limit* option), unmodified.

limit

Number of rows to let go through.

TODO: simplify into a closure building factory?

Parameters limit –

Custom instance builder. If not all options are fulfilled, will return a PartiallyConfigured instance which is just a `functools.partial` object that behaves like a Configurable instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

counter

limit

class PickleReader (*args, **kwargs)

Bases: `bonobo.nodes.io.file.FileReader`, `bonobo.nodes.io.pickle.PickleHandler`

Reads a Python pickle object and yields the items in dicts.

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **output_fields** (*ensure_tuple*) – Specify the field names of output lines. Mutually exclusive with “output_type”.
- **output_type** – Specify the type of output lines. Mutually exclusive with “output_fields”.
- **fields** (*tuple*) –
- **mode** (*str*) –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

read (*file*, *context*, *, *fs*)

mode

class PickleWriter (*args, **kwargs)

Bases: `bonobo.nodes.io.file.FileWriter`, `bonobo.nodes.io.pickle.PickleHandler`

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **fields** (*tuple*) –
- **mode** (*str*) –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns `Configurable` or `PartiallyConfigured`

write (*file, context, item, *, fs*)

Write a pickled item to the opened file.

mode

class PrettyPrinter (**args, **kwargs*)

Bases: `bonobo.config.configurables.Configurable`

Parameters

- **filter** – A filter that determine what to print.
Default is to ignore any key starting with an underscore and none values.
- **max_width** (*int*) – If set, truncates the output values longer than this to this width.
Default: 80

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns `Configurable` or `PartiallyConfigured`

format_console (*index, key, value, *, fields=None*)

format_quiet (*index, key, value, *, fields=None*)

print_console (*context, *args, **kwargs*)

print_jupyter (*context, *args*)

print_quiet (*context, *args, **kwargs*)

context

filter

A filter that determine what to print.

Default is to ignore any key starting with an underscore and none values.

max_width

If set, truncates the output values longer than this to this width.

Default: 80

class RateLimited (**args, **kwargs*)

Bases: `bonobo.config.configurables.Configurable`

Parameters

- **handler** –
- **initial** (*int*) –
- **period** (*int*) –
- **amount** (*int*) –

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns `Configurable` or `PartiallyConfigured`

amount

bucket

handler

initial

period

run (*graph, *, plugins=None, services=None, strategy=None*)

Main entry point of bonobo. It takes a graph and creates all the necessary plumbing around to execute it.

The only necessary argument is a `Graph` instance, containing the logic you actually want to execute.

By default, this graph will be executed using the “threadpool” strategy: each graph node will be wrapped in a thread, and executed in a loop until there is no more input to this node.

You can provide plugins factory objects in the plugins list, this function will add the necessary plugins for interactive console execution and jupyter notebook execution if it detects correctly that it runs in this context.

You'll probably want to provide a services dictionary mapping service names to service instances.

Parameters

- **graph** (*Graph*) – The *Graph* to execute.
- **strategy** (*str*) – The `bonobo.execution.strategies.base.Strategy` to use.
- **plugins** (*list*) – The list of plugins to enhance execution.
- **services** (*dict*) – The implementations of services this graph will use.

Return `bonobo.execution.graph.GraphExecutionContext`

inspect (*graph*, *, *plugins=None*, *services=None*, *strategy=None*, *format*)

create_strategy (*name=None*)

Create a strategy, or just returns it if it's already one.

Parameters *name* –

Returns *Strategy*

open_fs (*fs_url=None*, **args*, ***kwargs*)

Wraps `fs.opener.registry.Registry.open_fs`, with default to local current working directory and expanding `~` in path.

Parameters

- **fs_url** (*str*) – A filesystem URL
- **parse_result** (*ParseResult*) – A parsed filesystem URL.
- **writeable** (*bool*) – True if the filesystem must be writeable.
- **create** (*bool*) – True if the filesystem should be created if it does not exist.
- **cwd** (*str*) – The current working directory (generally only relevant for OS filesystems).
- **default_protocol** (*str*) – The protocol to use if one is not supplied in the FS URL (defaults to "osfs").

Returns `fs.base.FS` object

Format (***formats*)

OrderFields (*fields*)

Transformation factory to reorder fields in a data stream.

Parameters *fields* –

Returns callable

Rename (***translations*)

SetFields (*fields*)

Transformation factory that sets the field names on first iteration, without touching the values.

Parameters *fields* –

Returns callable

Tee (*f*)

UnpackItems (*items, fields=None, defaults=None)

```
>>> UnpackItems(0)
```

Parameters

- **items** –
- **fields** –
- **defaults** –

Returns callable

count (counter)

identity (x)

noop (*args, **kwargs)

get_examples_path (*pathsegments)

open_examples_fs (*pathsegments)

get_argument_parser (parser=None)

Creates an argument parser with arguments to override the system environment.

Api bonobo.get_argument_parser

Parameters **_parser** –

Returns

parse_args (mixed=None)

Context manager to extract and apply environment related options from the provided argparser result.

A dictionary with unknown options will be yielded, so the remaining options can be used by the caller.

Api bonobo.patch_environ

Parameters **mixed** – ArgumentParser instance, Namespace, or dict.

Returns

5.2 Config

Module *bonobo.config*

The Config API, located under the *bonobo.config* namespace, contains all the tools you need to create configurable transformations, either class-based or function-based.

class Configurable (*args, **kwargs)

Bases: *object*

Generic class for configurable objects. Configurable objects have a dictionary of “options” descriptors that defines the configuration schema of the type.

Custom instance builder. If not all options are fulfilled, will return a *PartiallyConfigured* instance which is just a *functools.partial* object that behaves like a *Configurable* instance.

The special *_final* argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns Configurable or PartiallyConfigured

class Container

Bases: `dict`

get (*name, default=None*)

kwargs_for (*mixed*)

class ContextProcessor (*func*)

Bases: `bonobo.config.options.Option`

A ContextProcessor is a kind of transformation decorator that can setup and teardown a transformation and runtime related dependencies, at the execution level.

It works like a yielding context manager, and is the recommended way to setup and teardown objects you'll need in the context of one execution. It's the way to overcome the stateless nature of transformations.

The yielded values will be passed as positional arguments to the next context processors (order does matter), and finally to the `__call__` method of the transformation.

Warning: this may change for a similar but simpler implementation, don't rely too much on it (yet).

Example:

```
>>> from bonobo.config import Configurable
>>> from bonobo.util import ValueHolder
```

```
>>> class Counter(Configurable):
...     @ContextProcessor
...     def counter(self, context):
...         yield ValueHolder(0)
...
...     def __call__(self, counter, *args, **kwargs):
...         counter += 1
...         yield counter.get()
```

class Exclusive (*wrapped*)

Bases: `contextlib.ContextDecorator`

Decorator and context manager used to require exclusive usage of an object, most probably a service. It's useful for example if call order matters on a service implementation (think of an http api that requires a nonce or version parameter ...).

Usage:

```
>>> def handler(some_service):
...     with Exclusive(some_service):
...         some_service.call_1()
...         some_service.call_2()
...         some_service.call_3()
```

This will ensure that nobody else is using the same service while in the "with" block, using a lock primitive to ensure that.

`get_lock()`

class Method(*, default=None, required=True, positional=True, __doc__=None)

Bases: `bonobo.config.options.Option`

A Method is a special callable-valued option, that can be used in three different ways (but for same purpose).

- Like a normal option, the value can be provided to the Configurable constructor.

```
>>> from bonobo.config import Configurable, Method
```

```
>>> class MethodExample(Configurable):
...     handler = Method()
```

```
>>> example1 = MethodExample(handler=str.upper)
```

- It can be used by a child class that overrides the Method with a normal method.

```
>>> class ChildMethodExample(MethodExample):
...     def handler(self, s: str):
...         return s.upper()
```

```
>>> example2 = ChildMethodExample()
```

- Finally, it also enables the class to be used as a decorator, to generate a subclass providing the Method a value.

```
>>> @MethodExample
... def OtherChildMethodExample(s):
...     return s.upper()
```

```
>>> example3 = OtherChildMethodExample()
```

It's possible to pass a default implementation to a Method by calling it, making it suitable to use as a decorator.

```
>>> class MethodExampleWithDefault(Configurable):
...     @Method()
...     def handler(self):
...         pass
```

`get_default()`

class Option(type=None, *, required=True, positional=False, default=None, __doc__=None)

Bases: `object`

An Option is a descriptor for Configurable's parameters.

type

Option type allows to provide a callable used to cast, clean or validate the option value. If not provided, or None, the option's value will be the exact value user provided.

(default: None)

required

If an option is required, an error will be raised if no value is provided (at runtime). If it is not, option will have the default value if user does not override it at runtime.

Ignored if a default is provided, meaning that the option cannot be required.

(default: True)

positional

If this is true, it'll be possible to provide the option value as a positional argument. Otherwise, it must be provided as a keyword argument.

(default: False)

default

Default value for non-required options.

(default: None)

Example:

```
from bonobo.config import Configurable, Option

class Example(Configurable):
    title = Option(str, required=True, positional=True)
    keyword = Option(str, default='foo')

    def __call__(self, s):
        return self.title + ': ' + s + ' (' + self.keyword + ')'

example = Example('hello', keyword='bar')
```

clean (*value*)

get_default ()

class Service (*name*, *__doc__=None*)

Bases: `bonobo.config.options.Option`

A Service is a special kind of option defining a dependency to something that will be resolved at runtime, using an identifier. For example, you can create a Configurable that has a “database” Service in its attribute, meaning that you'll define which database to use, by name, when creating the instance of this class, then provide an implementation when running the graph using a strategy.

Example:

```
import bonobo

class QueryExtractor(bonobo.Configurable):
    database = bonobo.Service(default='sqlalchemy.engine.default')

graph = bonobo.Graph(
    QueryExtractor(database='sqlalchemy.engine.secondary'),
    *more_transformations,
)

if __name__ == '__main__':
    engine = create_engine('... dsn ...')
    bonobo.run(graph, services={
        'sqlalchemy.engine.secondary': engine
    })
```

The main goal is not to tie transformations to actual dependencies, so the same can be run in different contexts (stages like preprod, prod, or tenants like client1, client2, or anything you want).

name

Service name will be used to retrieve the implementation at runtime.

resolve (*inst*, *services*)

create_container (*services=None, factory=<class 'bonobo.config.services.Container'>*)

Create a container with reasonable default service implementations for commonly use, standard-named, services.

Services: - *fs* defaults to a *fs2* instance based on current working directory - '*http*' defaults to requests

Parameters *services* –

Returns

requires (**service_names*)

transformation_factory (*f*)

use (**service_names*)

use_context (*f*)

use_context_processor (*context_processor*)

use_no_input (*f*)

use_raw_input (*f*)

5.3 Constants

Module *bonobo.constants*

BEGIN

BEGIN token marks the entrypoint of graphs, and all extractors will be connected to this node.

Without this, it would be impossible for an execution to actually start anything, as it's the marker that tells **Bonobo** which node to actually call when the execution starts.

NOT_MODIFIED

NOT_MODIFIED is a special value you can return or yield from a transformation to tell bonobo to reuse the input data as output.

As a convention, all loaders should return this, so loaders can be chained.

EMPTY

Shortcut for “empty tuple”. It's often much more clear to write (especially in a test) *write(EMPTY)* than *write(())*, although strictly equivalent.

5.4 Execution

Module *bonobo.execution*

5.4.1 Execution Contexts

Module *bonobo.execution.contexts*

Execution Contexts are objects that wraps the stateless data-structures (graphs and nodes) during a job execution to keep an eye on their context/state (from the simplest things like i/o statistics to lifecycle and custom userland state).

class GraphExecutionContext (*graph, plugins=None, services=None, dispatcher=None*)

Bases: *object*

NodeExecutionContextTypealias of *NodeExecutionContext***PluginExecutionContextType**alias of *PluginExecutionContext***create_node_execution_context_for** (*node*)**create_plugin_execution_context_for** (*plugin*)**dispatch** (*name*)**kill** ()**register_plugins** ()**start** (*starter=None*)**stop** (*stopper=None*)**tick** (*pause=True*)**unregister_plugins** ()**write** (**messages*)

Push a list of messages in the inputs of this graph's inputs, matching the output of special node "BEGIN" in our graph.

TICK_PERIOD = 0.25**alive****started****stopped****class NodeExecutionContext** (*wrapped, *, parent=None, services=None, _input=None, _outputs=None*)Bases: *bonobo.execution.contexts.base.BaseContext, bonobo.util.statistics.WithStatistics*

Node execution context has the responsibility fo storing the state of a transformation during its execution.

Parameters

- **wrapped** – wrapped transformation
- **parent** – parent context, most probably a graph context
- **services** – dict-like collection of services
- **_input** – input queue (optional)
- **_outputs** – output queues (optional)

error (*exc_info, *, level=40*)**fatal** (*exc_info, *, level=50*)**get_input_fields** ()**get_output_fields** ()**get_service** (*name*)**loop** ()

The actual infinite loop for this transformation.

send (**_output, _input=None*)

set_input_fields (*fields*, *typename='Bag'*)

set_input_type (*input_type*)

set_output_fields (*fields*, *typename='Bag'*)

set_output_type (*output_type*)

setdefault (*attr*, *value*)

start ()

Starts this context, a.k.a the phase where you setup everything which will be necessary during the whole lifetime of a transformation.

The “ContextCurrier” is in charge of setting up a decorating stack, that includes both services and context processors, and will call the actual node callable with additional parameters.

step ()

A single step in the loop.

Basically gets an input bag, send it to the node, interpret the results.

stop ()

Cleanup the context, after the loop ended.

write (**messages*)

Push a message list to this context’s input queue.

Parameters value (*mixed*) – message

write_sync (**messages*)

input_type

output_type

class PluginExecutionContext (*wrapped*, ***, *parent=None*)

Bases: `bonobo.execution.contexts.base.BaseContext`

register ()

unregister ()

dispatcher

5.4.2 Execution Events

Module `bonobo.execution.events`

START

Event dispatched before execution starts.

STARTED

Event dispatched after execution starts.

TICK

Event dispatched while execution runs, on a regular basis (on each “tick”).

STOP

Event dispatched before execution stops.

STOPPED

Event dispatched after execution stops.

KILL

Event dispatched when execution is killed.

```
class ExecutionEvent (context)
    Bases: whistle.event.Event
```

5.4.3 Execution Strategies

Module `bonobo.execution.strategies`

Execution strategies define how an actual job execution will happen. Default and recommended strategy is “thread-pool”, for now, which leverage a `concurrent.futures.ThreadPoolExecutor` to run each node in a separate thread.

In the future, the two strategies that would really benefit bonobo are subprocess and dask/dask.distributed. Please be at home if you want to give it a shot.

```
create_strategy (name=None)
    Create a strategy, or just returns it if it’s already one.
```

Parameters `name` –

Returns Strategy

Execution logic, surrounding contexts for nodes and graphs and events.

This module is considered **internal**.

5.5 Util

Module `bonobo.util`

The Util API, located under the `bonobo.util` namespace, contains helpers functions and decorators to work with and inspect transformations, graphs, and nodes.

```
class ValueHolder (value)
    Bases: object
```

Decorator holding a value in a given memory adress, effectively allowing to “hold” even an immutable typed value as the state of a node, allowing different actors to mutate it durably.

For the sake of consistency, all operator methods have been implemented (see <https://docs.python.org/3/reference/datamodel.html>) or at least all in a certain category, but it feels like a more correct method should exist, like with a `getattr-something` on the value. Let’s see later.

```
get ()
```

```
set (new_value)
```

```
value
```

```
class sortedlist
    Bases: list
```

```
insort (x)
```

```
cast (type_)
```

```
deprecated (func)
```

This is a decorator which can be used to mark functions as deprecated. It will result in a warning being emitted when the function is used.

deprecated_alias (*alias, func*)

ensure_tuple (*tuple_or_mixed, *, cls=<class 'tuple'>*)

If it's not a tuple, let's make a tuple of one item. Otherwise, not changed.

Parameters *tuple_or_mixed* –

Returns tuple

get_attribute_or_create (*obj, attr, default*)

get_name (*mixed*)

inspect_node (*mixed, *, _partial=None*)

If the given argument is somehow a *bonobo.config.Configurable* object (either a subclass, an instance, or a partially configured instance), then it will return a *ConfigurableInspection* namedtuple, used to inspect the configurable metadata (options). If you want to get the option values, you don't need this, it is only useful to perform introspection on a configurable.

If it's not looking like a configurable, it will raise a *TypeError*.

Parameters *mixed* –

Returns *ConfigurableInspection*

Raise *TypeError*

isconfigurable (*mixed*)

Check if the given argument is an instance of *bonobo.config.Configurable*.

Parameters *mixed* –

Returns bool

isconfigurabletype (*mixed, *, strict=False*)

Check if the given argument is an instance of *bonobo.config.ConfigurableMeta*, meaning it has all the plumbing necessary to build *bonobo.config.Configurable*-like instances.

Parameters

- **mixed** –

- **strict** – should we consider partially configured objects?

Returns bool

iscontextprocessor (*x*)

Check if the given argument is an instance of *bonobo.config.ContextProcessor*.

Parameters *mixed* –

Returns bool

isdict (*mixed*)

Check if the given argument is a dict.

Parameters *mixed* –

Returns bool

ismethod (*mixed*)

Check if the given argument is an instance of *bonobo.config.Method*.

Parameters *mixed* –

Returns bool

isoption (*mixed*)

Check if the given argument is an instance of `bonobo.config.Option`.

Parameters mixed –

Returns bool

istype (*mixed*)

Check if the given argument is a type object.

Parameters mixed –

Returns bool

tupleize (*f*)

Decorates a generator and make it a tuple-returning function. As a side effect, it can also decorate any iterator-returning function to force return value to be a tuple.

```
>>> tupleized_lambda = tupleize(lambda: [1, 2, 3])
>>> tupleized_lambda()
(1, 2, 3)
```

```
>>> @tupleize
... def my_generator():
...     yield 1
...     yield 2
...     yield 3
...
>>> my_generator()
(1, 2, 3)
```

5.6 Command-line

5.6.1 Bonobo Convert

Build a simple bonobo graph with one reader and one writer, then execute it, allowing to use bonobo in “no code” mode for simple file format conversions.

Syntax: `bonobo convert [-r reader] input_filename [-w writer] output_filename`

Todo: add a way to override default options of reader/writers, add a way to add “filters”, for example this could be used to read from csv and write to csv too (or other format) but adding a geocoder filter that would add some fields.

5.6.2 Bonobo Inspect

Inspects a bonobo graph source files. For now, only support graphviz output.

Syntax: `bonobo inspect [-graph|-g] filename`

Requires graphviz if you want to generate an actual graph picture, although the command itself depends on nothing.

5.6.3 Bonobo Run

Run a transformation graph.

Syntax: `bonobo run [-c cmd | -m mod | file | -] [arg]`

Todo: implement -m, check if -c is of any use and if yes, implement it too. Implement args, too.

5.6.4 Bonobo RunC

Run a transformation graph in a docker container.

Syntax: `bonobo runc [-c cmd | -m mod | file | -] [arg]`

Todo: implement -m, check if -c is of any use and if yes, implement it too. Implement args, too.

Requires `bonobo-docker`, install with `docker` extra: `pip install bonobo[docker]`.

5.7 Settings & Environment

All settings that you can find in the `bonobo.settings` module. You can override those settings using environment variables. For you own settings and configuration values, see the [Environment Variables](#) guide.

5.7.1 Debug

Purpose Sets the debug mode, which is more verbose. Loglevel will be lowered to DEBUG instead of INFO.

Environment `DEBUG`

Setting `bonobo.settings.DEBUG`

Default `False`

5.7.2 Profile

Purpose Sets profiling, which adds memory/cpu usage output. Not yet fully implemented. It is expected that setting this to true will have a non-negligible performance impact.

Environment `PROFILE`

Setting `bonobo.settings.PROFILE`

Default `False`

5.7.3 Quiet

Purpose Sets the quiet mode, which ask any output to be computer parsable. Formating will be removed, but it will allow to use unix pipes, etc. Not yet fully implemented, few transformations already use it. Probably, it should be the default on non-interactive terminals.

Environment *QUIET*

Setting *bonobo.settings.QUIET*

Default *False*

5.7.4 Logging Level

Purpose Sets the python minimum logging level.

Environment *LOGGING_LEVEL*

Setting *bonobo.settings.LOGGING_LEVEL*

Default *DEBUG* if *DEBUG* is *False*, otherwise *INFO*

Values *CRITICAL, FATAL, ERROR, WARNING, INFO, DEBUG, NOTSET*

5.7.5 I/O Format

Purpose Sets default input/output format for builtin transformations. It can be overridden on each node. The *kwargs* value means that each node will try to read its input from keywords arguments (and write similar formatted output), while *arg0* means it will try to read its input from the first positional argument (and write similar formatted output).

Environment *IOFORMAT*

Setting *bonobo.settings.IOFORMAT*

Default *kwargs*

Values *kwargs, arg0*

5.8 Examples

There are a few examples bundled with **bonobo**.

You'll find them under the `bonobo.examples` package, and you can run them directly as modules:

```
$ bonobo run -m bonobo.examples... module
```

5.8.1 Examples from the tutorial

Examples from /tutorial/tut01

Example 1

```
extract ()
```

```
load (x)
```

```
transform (x)
```

Example 2

Examples from /tutorial/tut02

Example 1: Read

```
get_services()
```

Example 2: Write

```
get_services()
```

```
split_one(line)
```

Example 3: Write as map

```
class MyJsonWriter(*args, **kwargs)
    Bases: bonobo.nodes.io.json.JsonWriter
```

Parameters

- **path** (*str*) – Path to use within the provided filesystem.
- **eol** (*str*) – Character to use as line separator.
Default: ‘n’
- **encoding** (*str*) – Encoding.
Default: ‘utf-8’
- **fs** (*str*) – The filesystem instance to use.
Default: ‘fs’
- **mode** (*str*) – What mode to use for open() call.
Default: ‘w+’

Custom instance builder. If not all options are fulfilled, will return a `PartiallyConfigured` instance which is just a `functools.partial` object that behaves like a `Configurable` instance.

The special `_final` argument can be used to force final instance to be created, or an error raised if options are missing.

Parameters

- **args** –
- **_final** – bool
- **kwargs** –

Returns `Configurable` or `PartiallyConfigured`

```
write(fs, file, lineno, **row)
```

```
prefix = '{'
```

```
suffix = '}'
```

```
get_services()
```

```
split_one_to_map(line)
```

5.8.2 Datasets


The `bonobo.examples.datasets` package contains examples that generates datasets locally for other examples to use. As of today, we commit the content of those datasets to git, even if that may be a bad idea, so all the examples are easily runnable. Later, we'll see if we favor a "missing dependency exception" approach.

Coffeeshops

```
get_graph(graph=None, *, _limit=(), _print=())
```

Fablabs

Extracts a list of fablabs in the world, restrict to the ones in france, then format it both for a nice console output and a flat txt file.



```
get_graph(graph=None, *, _limit=(), _print=())
```

```
normalize(row)
```

5.8.3 Types

Strings

Example on how to use simple python strings to communicate between transformations.



```
extract()
```

```
get_graph()
```

`load(s)`

`transform(s)`

Dicts

Bags

5.8.4 Utils

Count

List of questions that went up about the project, in no particular order.

6.1 Too long; didn't read.

Bonobo is an extract-transform-load toolkit for python 3.5+, that use regular python functions, generators and iterators as input.

By default, it uses a thread pool to execute all functions in parallel, and handle the movement of data rows in the directed graph using simple fifo queues.

It allows the user to focus on the content of the transformations, rather than worrying about optimized blocking, long operations, threads, or subprocesses.

It's lean manufacturing for data.

Note: This is NOT a «big data» tool. Neither a «data analysis» tool. We process around 5 millions database lines in around 1 hour with rdc.etl, bonobo ancestor (algorithms are the same, we still need to run a bit of benchmarks).

6.2 What versions of python does bonobo support? Why not more?

Bonobo is battle-tested against the latest python 3.5 and python 3.6. It may work well using other patch releases of those versions, but we cannot guarantee it.

The main reasons about why 3.5+:

- Creating a tool that works well under both python 2 and 3 is a lot more work.
- Python 3 is nearly 10 years old. Consider moving on.
- Python 3.5+ contains syntactic sugar that makes working with data a lot more convenient (and fun).

6.3 Can a graph contain another graph?

No, not for now. There are no tools today in bonobo to insert a graph as a subgraph.

It would be great to allow it, but there is a few design questions behind this, like what node you use as input and output of the subgraph, etc.

On another hand, if you don't consider a graph as the container but by the nodes and edges it contains, its pretty easy to add a set of nodes and edge to a subgraph, and thus simulate it. But there will be more threads, more copies of the same nodes, so it's not really an acceptable answer for big graphs. If it was possible to use a Graph as a node, then the problem would be correctly solved.

It is something to be seriously considered post 1.0 (probably way post 1.0).

6.4 How would one access contextual data from a transformation? Are there parameter injections like pytest's fixtures?

There are indeed parameter injections that work much like pytest's fixtures, and it's the way to go for transformation context.

The API may evolve a bit though, because I feel it's a bit hackish, as it is. The concept will stay the same, but we need to find a better way to apply it.

To understand how it works today, look at <https://github.com/python-bonobo/bonobo/blob/master/bonobo/nodes/io/csv.py#L31> and class hierarchy.

6.5 What is a plugin? Do I need to write one?

Plugins are special classes added to an execution context, used to enhance or change the actual behavior of an execution in a generic way. You don't need to write plugins to code transformation graphs.

6.6 Is there a difference between a transformation node and a regular python function or generator?

Short answer: no.

Transformation callables are just regular callables, and there is nothing that differentiate it from regular python callables. You can even use some callables both in an imperative programming context and in a transformation graph, no problem.

Longer answer: yes, sometimes, but you should not care. The function-based transformations are plain old python callable. The class-based transformations can be plain-old-python-objects, but can also subclass Configurable which brings a lot of fancy features, like options, service injections, class factories as decorators. . .

6.7 Why did you include the word «marketing» in a commit message? Why is there a marketing-automation tag on the project? Isn't marketing evil?

I do use bonobo for marketing automation tasks. Also, half the job of coding something is explaining the world what you're actually doing, how to get more informations, and how to use it and that's what I call "marketing" in some commits. Even documentation is somehow marketing, because it allows a market of potential users to actually understand your product. Whether the product is open-source, a box of chips or a complex commercial software does not change a thing.

Marketing may be good or evil, and honestly, it's out of this project topic and I don't care. What I care about is that there are marketing tasks to automate, and there are some of those cases I can solve with bonobo.

6.8 Why not use <some library> instead?

I did not find the tasks I had easy to do with the libraries I tried. That may or may not apply for your cases, and that may or not include some lack of knowledge about some library from me. There is a plan to include comparisons with major libraries in this documentation, and help from experts of other libraries (python or not) would be very welcome.

See <https://github.com/python-bonobo/bonobo/issues/1>

Bonobo is not a replacement for pandas, nor dask, nor luigi, nor airflow... It may be a replacement for Pentaho, Talend or other data integration suites but targets people more comfortable with code as an interface.

6.9 All those references to monkeys hurt my head. Bonobos are not monkeys.

Sorry, my bad. I'll work on this point in the near future, but as an apology, we only have one word that means both «ape» and «monkey» in french, and I never realised that there was an actual difference. As one question out of two I got about the project is somehow related to primates taxonomy, I'll make a special effort as soon as I can on this topic.

Or maybe, I can use one of the comments from reddit as an answer: «Python not only has duck typing; it has the little known primate typing feature.»

See <https://github.com/python-bonobo/bonobo/issues/24>

6.10 Who is behind this?

Me (as an individual), and the growing number of contributors that give of their time to move the project forward.

Bonobo is not commercially endorsed, or supported. If your company wants to sponsor parts of **Bonobo** development effort, let's talk.

The code, documentation, and surrounding material is created using spare time and may lack a bit velocity. Feel free to jump in so we can go faster!

6.11 Documentation seriously lacks X, there is a problem in Y...

Yes, and sorry about that. An amazing way to make it better would be to submit a pull request about it. You can read a bit about how to contribute on page *Contributing*.

There's a lot of different ways you can contribute, and not all of them includes coding. Do not think that the codeless contributions have less value, all contributions are very important.

- You can contribute to the documentation.
- You can help reproducing errors and giving more infos in the issues.
- You can open issues with problems you're facing.
- You can help creating better presentation material.
- You can talk about it in your local python user group.
- You can enhance examples.
- You can enhance tests.
- etc.

7.1 tl;dr

1. Fork the github repository

```
$ git clone https://github.com/python-bonobo/bonobo.git # change this to use your_
↪fork.
$ cd bonobo
$ git remote add upstream https://github.com/python-bonobo/bonobo.git
$ git fetch upstream
$ git checkout upstream/develop -b feature/my_awesome_feature
$ # code, code, code, test, doc, code, test ...
$ git commit -m '[topic] .... blaaaah ....'
$ git push origin feature/my_awesome_feature
```

2. Open pull request
3. Rince, repeat

7.2 Code-related contributions (including tests and examples)

Contributing to bonobo is usually done this way:

- Discuss ideas in the [issue tracker](#) or on [Slack](#).
- Fork the [repository](#).
- Think about what happens for existing userland code if your patch is applied.
- Open pull request early with your code to continue the discussion as you're writing code.
- Try to write simple tests, and a few lines of documentation.

Although we don't have a complete guide on this topic for now, the best way is to fork the github repository and send pull requests.

7.3 Tools

Issues: <https://github.com/python-bonobo/bonobo/issues>

Roadmap: <https://www.bonobo-project.org/roadmap>

Slack: <https://bonobo-slack.herokuapp.com/>

7.4 Guidelines

- We tend to use [semantic versioning](#). This should be 100% true once we reach 1.0, but until then we will fail and learn. Anyway, the user effort for each BC-break is a real pain, and we want to keep that in mind.
- The 1.0 milestone has one goal: create a solid foundation we can rely on, in term of API. To reach that, we want to keep it as minimalist as possible, considering only a few userland tools as the public API.
- Said simpler, the core should stay as light as possible.
- Let's not fight over coding standards. We enforce it using [yapf](#), and a *make format* call should reformat the whole codebase for you. We encourage you to run it before making a pull request, and it will be run before each release anyway, so we can focus on things that have value instead of details.
- Tests are important. One obvious reason is that we want to have a stable and working system, but one less obvious reason is that it forces better design, making sure responsibilities are well separated and scope of each function is clear. More often than not, the "one and only obvious way to do it" will be obvious once you write the tests.
- Documentation is important. It's the only way people can actually understand what the system do, and useless software is pointless. One book I read a long time ago said that half the energy spent building something should be devoted to explaining what and why you're doing something, and that's probably one of the best advice I read about (although, as every good piece of advice, it's more easy to repeat than to apply).

7.5 License

Bonobo is released under the [apache license](#).

7.6 License for non lawyers

Use it, change it, hack it, brew it, eat it.

For pleasure, non-profit, profit or basically anything else, except stealing credit.

Provided without any warranty.

CHAPTER 8

Full Index

b

- bonobo, 53
- bonobo.config, 66
- bonobo.constants, 70
- bonobo.contrib.django, 44
- bonobo.examples.datasets, 79
- bonobo.examples.datasets.coffeeshops, 79
- bonobo.examples.datasets.fablabs, 79
- bonobo.examples.tutorials.tut01e01, 77
- bonobo.examples.tutorials.tut01e02, 78
- bonobo.examples.tutorials.tut02e01_read, 78
- bonobo.examples.tutorials.tut02e02_write, 78
- bonobo.examples.tutorials.tut02e03_writeasmap, 78
- bonobo.examples.types.strings, 79
- bonobo.execution, 73
- bonobo.execution.contexts, 70
- bonobo.execution.events, 72
- bonobo.execution.strategies, 73
- bonobo.settings, 76
- bonobo.util, 73
- bonobo_sqlalchemy, 49

A

add_arguments() (ETLCommand method), 44
 add_chain() (Graph method), 53
 add_fetch_columns() (InsertOrUpdate method), 50
 add_node() (Graph method), 53
 alive (GraphExecutionContext attribute), 71
 allowed_operations (InsertOrUpdate attribute), 51
 amount (RateLimited attribute), 64

B

BEGIN (in module bonobo.constants), 70
 bonobo (module), 53
 bonobo.config (module), 66
 bonobo.constants (module), 70
 bonobo.contrib.django (module), 44
 bonobo.examples.datasets (module), 79
 bonobo.examples.datasets.coffeeshops (module), 79
 bonobo.examples.datasets.fablabs (module), 79
 bonobo.examples.tutorials.tut01e01 (module), 77
 bonobo.examples.tutorials.tut01e02 (module), 78
 bonobo.examples.tutorials.tut02e01_read (module), 78
 bonobo.examples.tutorials.tut02e02_write (module), 78
 bonobo.examples.tutorials.tut02e03_writesmap (module), 78
 bonobo.examples.types.strings (module), 79
 bonobo.execution (module), 73
 bonobo.execution.contexts (module), 70
 bonobo.execution.events (module), 72
 bonobo.execution.strategies (module), 73
 bonobo.settings (module), 76
 bonobo.util (module), 73
 bonobo_sqlalchemy (module), 49
 bucket (RateLimited attribute), 64
 buffer (FixedWindow attribute), 58
 buffer_size (InsertOrUpdate attribute), 51

C

cast() (in module bonobo.util), 73
 clean() (Option method), 69

commit() (InsertOrUpdate method), 51
 Configurable (class in bonobo.config), 66
 Container (class in bonobo.config), 67
 context (PrettyPrinter attribute), 64
 ContextProcessor (class in bonobo.config), 67
 copy() (Graph method), 53
 count() (in module bonobo), 66
 counter (Limit attribute), 62
 create_buffer (InsertOrUpdate attribute), 51
 create_connection (InsertOrUpdate attribute), 51
 create_container() (in module bonobo.config), 69
 create_node_execution_context_for() (GraphExecutionContext method), 71
 create_or_update() (ETLCommand static method), 44
 create_or_update() (in module bonobo.contrib.django), 45
 create_parser() (ETLCommand method), 45
 create_plugin_execution_context_for() (GraphExecutionContext method), 71
 create_strategy() (in module bonobo), 65
 create_strategy() (in module bonobo.execution.strategies), 73
 create_table (InsertOrUpdate attribute), 51
 created_at_field (InsertOrUpdate attribute), 51
 CsvReader (class in bonobo), 53
 CsvWriter (class in bonobo), 55

D

default (Option attribute), 69
 deprecated() (in module bonobo.util), 73
 deprecated_alias() (in module bonobo.util), 73
 discriminant (InsertOrUpdate attribute), 51
 dispatch() (GraphExecutionContext method), 71
 dispatcher (PluginExecutionContext attribute), 72

E

EMPTY (in module bonobo.constants), 70
 engine (InsertOrUpdate attribute), 51
 engine (Select attribute), 50

ensure_tuple() (in module bonobo.util), 74
 envelope (JsonWriter attribute), 60
 error() (NodeExecutionContext method), 71
 ETLCommand (class in bonobo.contrib.django), 44
 Exclusive (class in bonobo.config), 67
 ExecutionEvent (class in bonobo.execution.events), 73
 extract() (in module bonobo.examples.tutorials.tut01e01), 77
 extract() (in module bonobo.examples.types.strings), 79

F

fatal() (NodeExecutionContext method), 71
 fetch_columns (InsertOrUpdate attribute), 51
 FileReader (class in bonobo), 56
 FileWriter (class in bonobo), 57
 Filter (class in bonobo), 57
 filter (Filter attribute), 57, 58
 filter (PrettyPrinter attribute), 64
 find() (InsertOrUpdate method), 51
 FixedWindow (class in bonobo), 58
 Format() (in module bonobo), 65
 format_console() (PrettyPrinter method), 63
 format_quiet() (PrettyPrinter method), 64

G

get() (Container method), 67
 get() (ValueHolder method), 73
 get_argument_parser() (in module bonobo), 66
 get_attribute_or_create() (in module bonobo.util), 74
 get_columns_for() (InsertOrUpdate method), 51
 get_default() (Method method), 68
 get_default() (Option method), 69
 get_examples_path() (in module bonobo), 66
 get_graph() (ETLCommand method), 45
 get_graph() (in module bonobo.examples.datasets.coffeeshops), 79
 get_graph() (in module bonobo.examples.datasets.fablabs), 79
 get_graph() (in module bonobo.examples.types.strings), 79
 get_input_fields() (NodeExecutionContext method), 71
 get_lock() (Exclusive method), 67
 get_name() (in module bonobo.util), 74
 get_output_fields() (NodeExecutionContext method), 71
 get_service() (NodeExecutionContext method), 71
 get_services() (ETLCommand method), 45
 get_services() (in module bonobo.examples.tutorials.tut02e01_read), 78
 get_services() (in module bonobo.examples.tutorials.tut02e02_write), 78

get_services() (in module bonobo.examples.tutorials.tut02e03_writeasmap), 78
 Graph (class in bonobo), 53
 GraphExecutionContext (class in module bonobo.execution.contexts), 70
 graphviz (Graph attribute), 53

H

handle() (ETLCommand method), 45
 handler (RateLimited attribute), 64

I

identity() (in module bonobo), 66
 info() (ETLCommand method), 45
 initial (RateLimited attribute), 64
 input_type (NodeExecutionContext attribute), 72
 insert_only_fields (InsertOrUpdate attribute), 51
 insert_or_update() (InsertOrUpdate method), 51
 InsertOrUpdate (class in bonobo.sqlalchemy), 50
 insort() (sortedlist method), 73
 inspect() (in module bonobo), 65
 inspect_node() (in module bonobo.util), 74
 isconfigurable() (in module bonobo.util), 74
 isconfigurabletype() (in module bonobo.util), 74
 iscontextprocessor() (in module bonobo.util), 74
 isdict() (in module bonobo.util), 74
 ismethod() (in module bonobo.util), 74
 isoption() (in module bonobo.util), 74
 istype() (in module bonobo.util), 75

J

JsonReader (class in bonobo), 58
 JsonWriter (class in bonobo), 59

K

KILL (in module bonobo.execution.events), 72
 kill() (GraphExecutionContext method), 71
 kwargs_for() (Container method), 67

L

LdjsonReader (class in bonobo), 60
 LdjsonWriter (class in bonobo), 61
 length (FixedWindow attribute), 58
 Limit (class in bonobo), 61
 limit (Limit attribute), 61, 62
 limit (Select attribute), 50
 load() (in module bonobo.examples.tutorials.tut01e01), 77
 load() (in module bonobo.examples.types.strings), 79
 loader (JsonReader attribute), 59
 logger (ETLCommand attribute), 45
 loop() (NodeExecutionContext method), 71

M

max_width (PrettyPrinter attribute), 64

Method (class in bonobo.config), 68

mode (FileReader attribute), 56

mode (FileWriter attribute), 57

mode (PickleReader attribute), 62

mode (PickleWriter attribute), 63

MyJsonWriter (class in bonobo.examples.tutorials.tut02e03_writeasmap), 78

N

name (Graph attribute), 53

name (Service attribute), 69

NodeExecutionContext (class in bonobo.execution.contexts), 71

NodeExecutionContextType (GraphExecutionContext attribute), 70

noop() (in module bonobo), 66

normalize() (in module bonobo.examples.datasets.fablab), 79

NOT_MODIFIED (in module bonobo.constants), 70

O

open_examples_fs() (in module bonobo), 66

open_fs() (in module bonobo), 65

Option (class in bonobo.config), 68

OrderFields() (in module bonobo), 65

output (FileReader attribute), 56

output_fields (FileReader attribute), 57

output_type (FileReader attribute), 57

output_type (NodeExecutionContext attribute), 72

outputs_of() (Graph method), 53

P

pack_size (Select attribute), 50

parse_args() (in module bonobo), 66

period (RateLimited attribute), 64

PickleReader (class in bonobo), 62

PickleWriter (class in bonobo), 62

PluginExecutionContext (class in bonobo.execution.contexts), 72

PluginExecutionContextType (GraphExecutionContext attribute), 71

positional (Option attribute), 68

prefix (MyJsonWriter attribute), 78

PrettyPrinter (class in bonobo), 63

print_console() (PrettyPrinter method), 64

print_jupyter() (PrettyPrinter method), 64

print_quiet() (PrettyPrinter method), 64

Q

query (Select attribute), 50

R

RateLimited (class in bonobo), 64

read() (CsvReader method), 54

read() (FileReader method), 56

read() (JsonReader method), 59

read() (LdjsonReader method), 61

read() (PickleReader method), 62

reader_factory (CsvReader attribute), 55

register() (PluginExecutionContext method), 72

register_plugins() (GraphExecutionContext method), 71

Rename() (in module bonobo), 65

required (Option attribute), 68

requires() (in module bonobo.config), 70

resolve() (Service method), 69

run() (in module bonobo), 64

S

Select (class in bonobo_sqlalchemy), 49

send() (NodeExecutionContext method), 71

Service (class in bonobo.config), 69

set() (ValueHolder method), 73

set_input_fields() (NodeExecutionContext method), 71

set_input_type() (NodeExecutionContext method), 72

set_output_fields() (NodeExecutionContext method), 72

set_output_type() (NodeExecutionContext method), 72

setdefault() (NodeExecutionContext method), 72

SetFields() (in module bonobo), 65

skip (CsvReader attribute), 55

sortedlist (class in bonobo.util), 73

split_one() (in module bonobo.examples.tutorials.tut02e02_write), 78

split_one_to_map() (in module bonobo.examples.tutorials.tut02e03_writeasmap), 78

START (in module bonobo.execution.events), 72

start() (GraphExecutionContext method), 71

start() (NodeExecutionContext method), 72

started (GraphExecutionContext attribute), 71

STARTED (in module bonobo.execution.events), 72

step() (NodeExecutionContext method), 72

STOP (in module bonobo.execution.events), 72

stop() (GraphExecutionContext method), 71

stop() (NodeExecutionContext method), 72

stopped (GraphExecutionContext attribute), 71

STOPPED (in module bonobo.execution.events), 72

suffix (MyJsonWriter attribute), 78

T

table_name (InsertOrUpdate attribute), 51

Tee() (in module bonobo), 65

TICK (in module bonobo.execution.events), 72

tick() (GraphExecutionContext method), 71

TICK_PERIOD (GraphExecutionContext attribute), 71
topologically_sorted_indexes (Graph attribute), 53
transform() (in module bonobo.examples.tutorials.tut01e01), 77
transform() (in module bonobo.examples.types.strings), 80
transformation_factory() (in module bonobo.config), 70
tuplize() (in module bonobo.util), 75
type (Option attribute), 68

U

UnpackItems() (in module bonobo), 65
unregister() (PluginExecutionContext method), 72
unregister_plugins() (GraphExecutionContext method), 71
updated_at_field (InsertOrUpdate attribute), 51
use() (in module bonobo.config), 70
use_context() (in module bonobo.config), 70
use_context_processor() (in module bonobo.config), 70
use_no_input() (in module bonobo.config), 70
use_raw_input() (in module bonobo.config), 70

V

value (ValueHolder attribute), 73
ValueHolder (class in bonobo.util), 73

W

write() (CsvWriter method), 56
write() (FileWriter method), 57
write() (GraphExecutionContext method), 71
write() (JsonWriter method), 60
write() (MyJsonWriter method), 78
write() (NodeExecutionContext method), 72
write() (PickleWriter method), 63
write_sync() (NodeExecutionContext method), 72
writer_factory (CsvWriter attribute), 56