
djangocms-cascade Documentation

Release 1.1.9

Jacob Rief

Dec 16, 2019

1	Project's home	1
2	Project's goals	3
3	Contents:	5
3.1	For the Impatient	5
3.2	Introduction	6
3.3	Installation	7
3.4	Link Plugin	13
3.5	Plugins for Bootstrap-3	18
3.6	Using Fonts with Icons	35
3.7	Map Plugin using the Leaflet frontend	37
3.8	Handling the client side	40
3.9	Section Bookmarks	41
3.10	Segmentation of the DOM	43
3.11	Working with sharable fields	45
3.12	Customize CSS classes and inline styles	46
3.13	Choose an alternative rendering template	49
3.14	Conditionally hide some plugin	50
3.15	The CMS Clipboard	51
3.16	Use Cascade outside of the CMS	53
3.17	Integrate Sphinx Documentation	54
3.18	Extending Cascade	56
3.19	Generic Plugins	61
3.20	Release History	62
4	Indices and tables	79

CHAPTER 1

Project's home

Check for the latest release of this project on [GitHub](#).

Please report bugs or ask questions using the [Issue Tracker](#).

Project's goals

1. Create a modular system, which allows programmers to add simple widget code, without having to implement an extra `djangoCMS` plugins for each of them.
2. Make available a meaningful subset of widgets as available for the most common CSS frameworks, such as `Twitter Bootstrap`. With these special plugins, in many configurations, `djangoCMS` can be operated using one single template, containing one generic placeholder.
3. Extend this `djangoCMS` plugin, to be used with other CSS frameworks such as `Foundation 5`, `Unsemantic` and others.
4. Use the base functionality of `djangoCMS-Cascade` to easily add special plugins. For instance, `djangoSHOP` implements all its cart and checkout specific forms this way.

3.1 For the Impatient

This HowTo gives you a quick instruction on how to get a demo of **djangocms-cascade** up and running. It also is a good starting point to ask questions or report bugs, since its backend is used as a fully functional reference implementation, used by the unit tests of project.

3.1.1 Create a Python Virtual Environment

To keep environments separate, create a virtual environment and install external dependencies. Missing packages with JavaScript files and Style Sheets, which are not available via pip must be installed via npm: Dependency packaging to made easy with Pipenv or Poetry.


```
$ git clone --depth=1 https://github.com/jrief/djangocms-cascade.git
$ cd djangocms-cascade/examples/
$ python -m venv .venv
$ poetry shell
$ poetry update
```

Initialize the database, create a superuser and start the development server:

```
$ cd examples
$ npm install
$ ./manage.py migrate
$ ./manage.py createsuperuser
$ ./manage.py runserver
```

Point a browser to <http://localhost:8000/?edit> and log in as the super user you just created. Hit “next” and fill out the form to create your first page. Afterwards, click **Structure** on the top of the page. A heading named **Main Content** appears, it symbolizes our main **django-CMS** Placeholder.

Locate the plus sign right to the heading and click on it. From its context menu select **Container** located in the section **Bootstrap**:



This brings you into the editor mode for a Bootstrap container. To this container you may add one or more Bootstrap **Rows**. Inside these rows you may organize the layout using some Bootstrap **Columns**.

Please proceed with the detailed explanation on how to use the *Bootstrap's grid* system within **djangocms-cascade**.

3.2 Introduction

DjangoCMS-Cascade is a collection of plugins for [Django-CMS >=3.3](#) to add various HTML elements from CSS frameworks, such as [Twitter Bootstrap](#) to the Django [templatetag placeholder](#). This Django App makes it very easy to add other CSS frameworks, or to extend an existing collection with additional elements.

DjangoCMS-Cascade allows web editors to layout their pages, without having to create different [Django templates](#) for each layout modification. In most cases, one template with one single placeholder is enough. The editor then can subdivide that placeholder into rows and columns, and add additional [DOM](#) elements such as buttons, rulers, or even the Bootstrap Carousel. Some basic understanding on how the DOM works is required though.

Twitter Bootstrap is a well documented CSS framework which gives web designers lots of possibilities to add a consistent structure to their pages. This collection of [Django-CMS plugins](#) offers a subset of these predefined elements to web designers.

3.2.1 Extensibility

This module requires one database table with one column to store all data in a JSON object. All **DjangoCMS-Cascade** plugins share this same model, therefore they can be easily extended, because new data structures are added to that JSON object without requiring a database migration.

Another three database tables are required for additional optional features.

Naming Conflicts

Some **djangoCMS** plugins may use the same name as plugins from **djangocms-cascade**. To prevent confusion, since version 0.7.2, all Cascade plugins are prefixed with a (koppa) symbol. This can be deactivated or changed by setting `CMSPLUGIN_CASCADE['plugin_prefix']` to `False` or any other symbol.

3.3 Installation

Install the latest stable release

```
$ pip install djangocms-cascade
```

or the current development release from github

```
$ pip install -e git+https://github.com/jrief/djangocms-cascade.git#egg=djangocms-  
↪cascade
```

3.3.1 Python Package Dependencies

Due to some incompatibilities in the API of Django, django-CMS and djangocms-text-ckeditor, please only use these combinations of Python package dependencies:

djangocms-cascade-0.11.x

- Django `>=1.8, <=1.9`
- Django-CMS `>=3.2, <=3.3`
- djangocms-text-ckeditor `== 3.0`

djangocms-cascade-0.12.x

- Django `>=1.9, <1.11`
- Django-CMS `>=3.4.3`
- djangocms-text-ckeditor `>= 3.3`

djangocms-cascade-0.13.x

- Django `>=1.9, <1.11`
- Django-CMS `>=3.4.3`

- `djangoCMS-text-ckeditor` ≥ 3.4

djangoCMS-cascade-0.14.x

- Django $\geq 1.9, < 1.11$
- Django-CMS $\geq 3.4.4$
- `djangoCMS-text-ckeditor` ≥ 3.4
- `django-filer` $\geq 1.2.8$

djangoCMS-cascade-0.17.x - 0.19.x

- Django $\geq 1.10, < 2.0$
- Django-CMS $\geq 3.4.4, \leq 3.6$
- `djangoCMS-text-ckeditor` ≥ 3.4

djangoCMS-cascade-1.0.x

- Django $\geq 1.11, \leq 2.1$
- Django-CMS $\geq 3.5.3, \leq 3.6.x$
- `djangoCMS-text-ckeditor` ≥ 3.7

other combinations might work, but have not been tested.

Optional packages

If you intend to use Image, Picture, Jumbotron, or FontIcons you will have to install `django-filer` in addition:

```
$ pip install django-filer
```

For a full list of working requirements see the [requirements](#) folder in the sources.

3.3.2 Create a database schema

```
./manage.py migrate cmsplugin_cascade
```

3.3.3 Install Dependencies not handled by PIP

Since the Bootstrap CSS and other JavaScript files are part of their own repositories, they are not shipped within this package. Furthermore, as they are not part of the PyPI network, they have to be installed through the [Node Package Manager](#), `npm`.

In your Django projects it is good practice to keep a reference onto external node modules using the file `package.json` added to its own version control repository, rather than adding the complete node package.

```
cd my-project-dir
npm init
npm install bootstrap@3 bootstrap-sass@3 jquery@3 leaflet@1 leaflet-easybutton@2.2_
↪picturefill select2@4 --save
```

If the Django project contains already a file named `package.json`, then skip the `npm init` in the above command.

The node packages `leaflet` and `leaflet-easybutton` are only required if the Leaflet plugin is activated.

The node packages `picturefill` is a shim to support the `srcset` and `sizes` attributes on `` elements. Please check [browser support](#) if that feature is required in your project.

The node packages `select2` is required for autofilling the select box in Link plugins. It is optional, but strongly suggested.

Remember to commit the changes in `package.json` into the projects version control repository.

Since these Javascript and Stylesheet files are located outside of the project's `static` folder, we must add them explicitly to our lookup path, using `STATICFILES_DIRS` in `settings.py`:

```
STATICFILES_DIRS = [
    ...
    ('node_modules', os.path.join(MY_PROJECT_DIR, 'node_modules')),
]
```

Using AngularJS instead of jQuery

If you prefer AngularJS over jQuery, then replace the above install command with:

```
npm install bootstrap@3 bootstrap-sass@3 angular@1.5 angular-animate@1.5 angular-
↪sanitize@1.5 angular-ui-bootstrap@0.14 leaflet@1 leaflet-easybutton@2.2 picturefill_
↪select2@4 --save
```

Remember to point to the prepared AngularJS templates using this setting:

```
CMSPLUGIN_CASCADE = {
    ...
    'bootstrap3': {
        'template_basedir': 'angular-ui',
    },
    ...
}
```

3.3.4 Configuration

Add `'cmsplugin_cascade'` to the list of `INSTALLED_APPS` in the project's `settings.py` file. Optionally add `'cmsplugin_cascade.extra_fields'` and/or `'cmsplugin_cascade.sharable'` to the list of `INSTALLED_APPS`. Make sure that these entries are located before the entry `cms`.

Configure the CMS plugin

```
INSTALLED_APPS = (
    ...
    'cmsplugin_cascade',
```

(continues on next page)

(continued from previous page)

```
'cmsplugin_cascade.clipboard', # optional
'cmsplugin_cascade.extra_fields', # optional
'cmsplugin_cascade.sharable', # optional
'cmsplugin_cascade.segmentation', # optional
'cms',
...
)
```

Activate the plugins

By default, no **djangoCMS-cascade** plugins is activated. Activate them in the project's `settings.py` with the directive `CMSPLUGIN_CASCADE_PLUGINS`.

To activate all available Bootstrap plugins, use:

```
CMSPLUGIN_CASCADE_PLUGINS = ['cmsplugin_cascade.bootstrap3']
```

If for some reason, only a subset of the available Bootstrap plugins shall be activated, name each of them. If for example, only the grid system shall be used but no other Bootstrap plugins, then configure:

```
CMSPLUGIN_CASCADE_PLUGINS = ['cmsplugin_cascade.bootstrap3.container']
```

A very useful plugin is the **LinkPlugin**. It supersedes the `djangoCMS-link-plugin`, normally used together with the CMS.

```
CMSPLUGIN_CASCADE_PLUGINS.append('cmsplugin_cascade.link')
```

If this plugin is enabled ensure, that the node package `select2` has been installed and findable by the static files finder using these directives in `settings.py`:

```
SELECT2_CSS = 'node_modules/select2/dist/css/select2.min.css'
SELECT2_JS = 'node_modules/select2/dist/js/select2.min.js'
```

generic-plugins which are not opinionated towards a specific CSS framework, are kept in a separate folder. It is strongly suggested to always activate them:

```
CMSPLUGIN_CASCADE_PLUGINS.append('cmsplugin_cascade.generic')
```

Sometimes it is useful to do a segmentation. Activate this by adding its plugin:

```
CMSPLUGIN_CASCADE_PLUGINS.append('cmsplugin_cascade.segmentation')
```

When icon-fonts: on your site, add `'cmsplugin_cascade.icon'` to `INSTALLED_APPS` and add it to the configured Cascade plugins:

```
CMSPLUGIN_CASCADE_PLUGINS.append('cmsplugin_cascade.icon')
```

Special settings when using the TextPlugin

Since it is possible to add plugins from the Cascade ecosystem as children to the `djangoCMS-text-ckeditor`, we must add a special configuration:

```

from django.core.urlresolvers import reverse_lazy
from django.utils.text import format_lazy

CKEDITOR_SETTINGS = {
    'language': '{{ language }}',
    'skin': 'moono-lisa',
    'toolbar': 'CMS',
    'stylesSet': format_lazy('default:{{}}', reverse_lazy('admin:cascade_texteditor_
↪config')),
}

```

The last line in this configuration invokes a special function, which adds special configuration settings to the CKTextEditor plugin.

Note: The skin `moono-lisa` has been introduced in Django CKEditor version 3.5, so if you upgrade from an earlier version, please adopt this in your settings.

Restrict plugins to a particular placeholder

Warning: You **must** set `parent_classes` for your placeholder, else you won't be able to add a container to your placeholder. This means that as an absolute minimum, you must add this to your settings:

```

CMS_PLACEHOLDER_CONF = {
    ...
    'content': {
        'parent_classes': {'BootstrapContainerPlugin': None},
    },
    ...
}

```

Unfortunately **django-CMS** does not allow to declare dynamically which plugins are eligible to be added as children of other plugins. This is determined while bootstrapping the Django project and thus remains static. We therefore must somehow trick the CMS to behave as we want.

Say, our Placeholder named “Main Content” shall accept the **BootstrapContainerPlugin** as its only child, we then must use this CMS settings directive:

```

CMS_PLACEHOLDER_CONF = {
    ...
    'Main Content Placeholder': {
        'plugins': ['BootstrapContainerPlugin'],
        'text_only_plugins': ['TextLinkPlugin'],
        'parent_classes': {'BootstrapContainerPlugin': None},
        'glossary': {
            'breakpoints': ['xs', 'sm', 'md', 'lg'],
            'container_max_widths': {'xs': 750, 'sm': 750, 'md': 970, 'lg': 1170},
            'fluid': False,
            'media_queries': {
                'xs': ['(max-width: 768px)'],
                'sm': ['(min-width: 768px)', '(max-width: 992px)'],
                'md': ['(min-width: 992px)', '(max-width: 1200px)'],
                'lg': ['(min-width: 1200px)'],
            }
        }
    }
}

```

(continues on next page)

(continued from previous page)

```

        },
    },
    ...
}

```

Here we add the **BootstrapContainerPlugin** to `plugins` and `parent_classes`. This is because the Container plugin normally is the root plugin in a placeholder. If this plugin would not restrict its parent plugin classes, we would be allowed to use it as a child of any plugin. This could destroy the page's grid.

Furthermore, in the above example we must add the **TextLinkPlugin** to `text_only_plugins`. This is because the **TextPlugin** is not part of the Cascade ecosystem and hence does not know which plugins are allowed as its children.

The dictionary named `glossary` sets the initial parameters of the *Bootstrap 3 Grid system*.

Define the leaf plugins

Leaf plugins are those, which contain real data, say text or images. Hence the default setting is to allow the **TextPlugin** and the **FileImagePlugin** as leaves. This can be overridden using the configuration directive

```

CMSPLUGIN_CASCADE = {
    ...
    'alien_plugins': ['TextPlugin', 'FileImagePlugin', 'OtherLeafPlugin'],
    ...
}

```

Bootstrap 3 with AngularJS

Some Bootstrap3 plugins can be rendered using templates which are suitable for the very popular [Angular UI Bootstrap](#) framework. This can be done during runtime; when editing the plugin a select box appears which allows to choose an alternative template for rendering.

3.3.5 Template Customization

Make sure that the style sheets are referenced correctly by the used templates. **Django-CMS** requires [django-sekizai](#) to organize these includes, so a strong recommendation is to use that Django app.

The templates used for a **django-CMS** project shall include a header, footer, the menu bar and optionally a breadcrumb, but should leave out an empty working area. When using HTML5, wrap this area into an `<article>` or `<section>` element or just use it unwrapped.

This placeholder then shall be named using a generic identifier, for instance "Main Content" or similar:

```

{% load cms_tags sekizai_tags %}
<head>
    ...
    {% render_block "css" postprocessor "cmsplugin_cascade.sekizai_processors.compress" %}
</head>

<body>
    ...
    <!-- wrapping element (optional) -->

```

(continues on next page)

(continued from previous page)

```

    {% placeholder "Main Content" %}
    <!-- /wrapping element -->
    {% render_block "js" postprocessor "cmsplugin_cascade.sekizai_processors.compress
    ↪" %}
</body>

```

From now on, the page layout can be adopted inside this placeholder, without having to fiddle with template coding anymore.

Note the two templatetags `render_block`. The upper one collects all the CSS files referenced by `{% addtoblock "css" ... %}`. The lower one collects all the JS files referenced by `{% addtoblock "js" ... %}`. They then are rendered altogether instead of being distributed all across the page. If `django-compressor` is installed and enabled, then add the special compressor `"cmsplugin_cascade.sekizai_processors.compress"` to the templatetag. It can handle files outside the `"STATIC_ROOT"` directory.

3.4 Link Plugin

djangocms-cascade ships with its own link plugin. This is because other plugins from the Cascade eco-system, such as the **BootstrapButtonPlugin**, the **BootstrapImagePlugin** or the **BootstrapPicturePlugin** also require a functionality in order to set links to internal- and external URLs. Since we do not want to duplicate the linking functionality for each of those plugins, it has been moved into its own mixin-classes. Therefore we will use the terminology **TextLinkPlugin** when referring to text-based links.

The de-facto plugin for links, `djangocms-link` can't be used as a base class for these plugins, hence an alternative implementation has been created within the Cascade framework. The link related data is stored in a various fields in our main JSON field (named `glossary`).

3.4.1 Prerequisites

Before using this plugin, assure that `'cmsplugin_cascade.link'` is member of the list or tuple `CMSPLUGIN_CASCADE_PLUGINS` in the project's `settings.py`.

The behavior of this Plugin is what you expect from a Link editor. The field **Link Content** is the text displayed between the opening and closing `<a>` tag. If used in combination with `djangocms-text-ckeditor` the field automatically is filled out.

By changing the **Link type**, the user can choose between different types of Links:

- Internal Links pointing to another page inside the CMS.
- External Links pointing to a valid Internet URL.
- Files from **django-filer** to download.
- Links pointing to a valid e-mail address.
- Optionally any other linkable object, if another Django application extends the Link-Plugin (see below for details).

The optional field **Title** can be used to add a `title="some value"` attribute to the `<a ...>` element.

With **Link Target**, the user can specify, whether the linked content shall open in the current window or if the browser shall open a new window.

3.4.2 Link Plugin with Sharable Fields

If your web-site contains many links pointing onto a few external URLs, you might want to refer to them by a symbolic name, rather than having to reenter the URL repeatedly. With **djangocms-cascade** this can be achieved easily by declaring some of the plugin's fields as *sharable*.

Assure that `INSTALLED_APPS` contains `'cmsplugin_cascade.sharable'`, then redefine the **TextLinkPlugin** to have sharable fields in `settings.py`:

```
CMSPLUGIN_CASCADE = {
    ...
    'plugins_with_sharables':
```

(continues on next page)


(continued from previous page)

```

...
    'TextLinkPlugin': ['link_type', 'ext_url'],
...
},
...
}

```

This will change the Link Plugin’s editor slightly. Note the extra field added to the bottom of the form.



The URL for this link entity now is stored in a central entity. This feature is useful, if for instance the URL of an external web page may change in the future. Then the administrator can change that link in the administration area once, rather than having to go through all the pages and check if that link was used.

To retain the Link settings, click onto the checkbox *Remember these settings as: ...* and give it a name of your choice. The next time you create a Shared Link element, you may select a previously named settings from the select field *Shared Settings*. Since these settings can be shared among other plugins, these input fields are disabled and can't be changed anymore.

Changing shared settings

The settings of a shared plugin can be changed globally, for all plugins using them. To edit such a shared setting, in the Django Admin, go into the list view for **Home > django CMS Cascade > Shared between Plugins** and choose the named shared settings.

Please note, that each plugin type can specify which fields shall be sharable between plugins of the same type. In this example, only the Link itself is shared, but one could configure **django-cascade** to also share the link's `title`, the `target`, and other tags.

Then only these fields are editable in the detail view **Shared between Plugins**. The interface for other shared plugin may vary substantially, depending of their type definition.

3.4.3 Extending the Link Plugin

While programming third party modules for Django, one might have to access a model instance through a URL and thus add the method `get_absolute_url` to that Django model. Since such a URL is neither a CMS page, nor a URL to an external web page, it would be convenient to access that model using a special Link type.

For example, in `django-shop` we can allow to link directly to a product, sold by the shop. This is achieved by reconfiguring the Link Plugin inside Cascade with:

```
CMSPPLUGIN_CASCADE = {
    ...
    'link_plugin_classes': (
        'shop.cascade.plugin_base.CatalogLinkPluginBase',
        'shop.cascade.plugin_base.CatalogLinkForm',
    ),
    ...
}
```

The tuple specified through `link_plugin_classes` replaces the base class for the **LinkPlugin** class and the form class used by its editor.

Here we replace the two built-in classes `cmsplugin_cascade.link.plugin_base.DefaultLinkPluginBase` and `cmsplugin_cascade.link.forms.LinkForm` by alternative implementations.

Listing 1: `shop/cascade/plugin_base.py`

```
from entangled.forms import get_related_object
from cmsplugin_cascade.link.plugin_base import LinkPluginBase

class CatalogLinkPluginBase(LinkPluginBase):
    @classmethod
    def get_link(cls, obj):
        link_type = obj.glossary.get('link_type')
        if link_type == 'product':
            relobj = get_related_object(obj.glossary, 'product')
            if relobj:
                return relobj.get_absolute_url()
        else:
            return super().get_link(obj) or link_type
```

This class handles links of type “Product” and creates a URL pointing onto a Django model implementing the method `get_absolute_url`.

Additionally, we have to override the form class used by the Link plugin editor:

Listing 2: `shop/cascade/plugin_base.py`

```
from cms.plugin_pool import plugin_pool
from django.forms import models
```

(continues on next page)

(continued from previous page)

```

from shop.models.product import ProductModel

class CatalogLinkForm(LinkForm):
    LINK_TYPE_CHOICES = [
        ('cmspage', _("CMS Page")),
        ('product', _("Product")),
        ('download', _("Download File")),
        ('exturl', _("External URL")),
        ('email', _("Mail To")),
    ]

    product = models.ModelChoiceField(
        label=_("Product"),
        queryset=ProductModel.objects.all(),
        required=False,
        help_text=_("An internal link onto a product from the catalog"),
    )

    class Meta:
        entangled_fields = {'glossary': ['product']}

```

Now the select box for **Link type** will offer one additional option named “Product”. When this is selected, the page administrator can select one product in the shop and the link will point onto its proper detail page.

3.4.4 Using Links in your own Plugins

Many HTML components allow to link onto other resources, for instance images, the button element, icons, etc. Since we don’t want to reimplement the linking functionality for each of them, **djangocms-cascade** offers a few base classes, which can be used by those plugin. As an example, let’s implement a simple button plugin.

Listing 3: myproject/cascade/button.py

```

from django.forms import models
from cms.plugin_pool import plugin_pool
from cmsplugin_cascade.link.config import LinkPluginBase, LinkFormMixin
from cmsplugin_cascade.link.plugin_base import LinkElementMixin

class ButtonForm(LinkFormMixin):
    require_link = False

    button_content = models.CharField(
        label=_("Button Content"),
    )

    class Meta:
        entangled_fields = {'glossary': ['link_content']}

class ButtonPlugin(LinkPluginBase):
    name = _("Button")
    model_mixins = (LinkElementMixin,)
    form = ButtonForm
    render_template = 'myproject/button.html'
    allow_children = False

plugin_pool.register_plugin(ButtonPlugin)

```

What we see here is, that our `ButtonForm`, which is used by our `ButtonPlugin` inherits from a base form offering all the fields required to link somewhere. Since the button may just display some content, but without linking anywhere, we make that optional by setting `require_link` to `False`. The box for selecting the “Link Type” then adds “No Link” to its set of options.

We don’t even have to bother, whether our custom button can point onto links types specified by yet another third party app, and not handled by **djangoCMS-cascade** – All these additional link types are handled automatically by the configuration setting `CMSPLUGIN_CASCADE['link_plugin_classes']` as explained in the previous section.

3.5 Plugins for Bootstrap-3

This is a collection of plugins to be used with the Bootstrap-3 CSS framework:

3.5.1 Gallery

A gallery is a collection of images displayed as a group. Since it normally consists of many similar images, **djangoCMS-cascade** does not require to use child plugins for each image. Instead they can be added directly to the **Bootstrap Gallery Plugin**. Here, **djangoCMS-cascade** uses a special model, named `cmsplugin_cascade.models.InlineCascadeElement` which also uses a JSON field to store its payload. It thus can be configured to accept any kind of data, just as its counterpart `cmsplugin_cascade.models.CascadeElement` does.

Since plugin editors are based on Django’s admin backend, the Gallery Plugin uses the Stacked Inline formset to manage its children. If **django-admin-sortable2** is installed, the entries in the plugin can even be sorted using drag and drop.


3.5.2 Bootstrap 3 Grid system

In order to take full advantage of **djangoCMS-cascade**, you should be familiar with the concepts of the [Bootstrap Grid System](#), since all other Bootstrap components depend upon.

Bootstrap Container

A **Container** is the outermost component the Bootstrap framework knows of. Here the designer can specify the breakpoints of a web page. By default, Bootstrap offers 4 breakpoints: “large”, “medium”, “small” and “tiny”. These determine for which kind of screen widths, the grid system may switch the layout.

The editor window for a Container element offers the possibility to deactivate certain breakpoints. While this might make sense under certain conditions, it is safe to always keep all four breakpoints active, since this gives the designer of the web page the maximum flexibility.



Small devices exclusively

If the web page shall be optimized just for small but not for large devices, then disable the breakpoints for **Large** and/or **Medium**. In the project's style-sheets, the maximum width of the container element then must be reduced to that chosen breakpoint:

```
@media (min-width: 1200px) {
  .container {
    max-width: 970px;
  }
}
```

or, if you prefer the SASS syntax:

```
@media (min-width: $screen-lg) {
  .container {
    max-width: $container-desktop;
  }
}
```

Large devices exclusively

If the web page shall be optimized just for large but not for small devices, then disable the breakpoints for **Tiny** and/or **Small**.

Changing the style-sheets then is not required for this configuration setting.

Fluid Container

A variant of the normal Bootstrap Container is the Fluid Container. It can be enabled by a checkbox in the editors window. Fluid Containers have no hard breakpoints, they adopt their width to whatever the browser pretends and are slightly larger than their non-fluid counterpart.

A fluid container makes it impossible to determine the maximum width of responsive images for the *large media breakpoint*, because it is applied whenever the browser width extends 1200 pixels, but there is no upper limit. For


responsive images in the smaller breakpoints (“tiny”, “small” and “medium”) we use the width of the next larger breakpoint, but for images in the “large” media breakpoints we somehow must specify an arbitrary maximum width. The default width is set to 1980 pixels, but can be changed, to say 2500 pixels, using the following configuration in your `settings.py`:

```
CMSPLUGIN_CASCADE = {
    ...
    'bootstrap3': (
        ('xs', (768, 'mobile', _("mobile phones"), 750, 768)),
        ('sm', (768, 'tablet', _("tablets"), 750, 992)),
        ('md', (992, 'laptop', _("laptops"), 970, 1200)),
        ('lg', (1200, 'desktop', _("large desktops"), 1170, 2500)),
    ),
}
```

Note: Fluid container are specially useful for Hero images, full-width Carousels and the Jumbotron plugin. When required, add a free standing fluid container to the placeholder and as it’s only child, use the picture or carousel plugin. Its content then is stretched to the browser’s full width.


Bootstrap Row

Each Bootstrap Container may contain one or more Bootstrap Rows. A row does not accept any configuration setting. However, while editing, one can specify the number of columns. When adding or changing a row, then this number of columns are added if its value exceeds the current number of columns. Reducing the number of columns does not delete any of them; they must explicitly be chosen from the context menu in structure view.



Horizontal Rule

A horizontal rule is used to separate rows optically from each other.



Column

In the column editor, one can specify the width, the offset and the visibility of each column. These values can be set for each of the four breakpoints (*tiny*, *small*, *medium* and *large*), as specified by the Container plugin.

At the beginning this may feel rather complicate, but consider that **Bootstrap 3 is mobile first**, therefore all column settings, *first* are applied to the narrow breakpoints, which *later* can be overridden for larger breakpoints at a later stage. This is the reason why this editor starts with the *column widths* and *column offsets* for tiny rather than for large displays.

Column
- □ ×

Default column width

4 units ⬇

Number of column units for devices narrower than 768 pixels.

Responsive utilities for mobile phones

Default
 Visible
 Hidden

Utility classes for showing and hiding content by devices narrower than 768 pixels.

Column width for tablets

Inherit from above ⬇

Override column units for devices narrower than 992 pixels.

Offset for tablets

No offset ⬇

Number of offset units for devices narrower than 992 pixels.

Responsive utilities for tablets

Default
 Visible
 Hidden

Utility classes for showing and hiding content by devices narrower than 992 pixels.

Column width for laptops

Inherit from above ⬇

Override column units for devices narrower than 1200 pixels.

Offset for laptops

No offset ⬇

Number of offset units for devices narrower than 1200 pixels.

Responsive utilities for laptops

Default
 Visible
 Hidden

Utility classes for showing and hiding content by devices narrower than 1200 pixels.

Column width for large desktops

Inherit from above ⬇

Override column units for devices wider than 1200 pixels.

Offset for large desktops

No offset ⬇

Number of offset units for devices wider than 1200 pixels.

Note: If the current column is member of a container which disables some of its breakpoints (*large, medium, small* or *tiny*), then that column editor shows up only with the input fields for the enabled breakpoints.

Complete DOM Structure

After having added a container with different rows and columns, you may add the leaf plugins. These hold the actual content, such as text and images.



By pressing the button **Publish changes**, the single blocks are regrouped and displayed using the Bootstrap's grid system.

Adding Plugins into a hard coded grid

Sometimes the given Django template already defines a Bootstrap Container, or Row inside a Container element. Example:

```
<div class="container">
  {% placeholder "Row Content" %}
</div>
```

or

```
<div class="container">
  <div class="row">
    {% placeholder "Column Content" %}
  </div>
</div>
```

Here the Django templatetag `{% placeholder "Row Content" %}` requires a Row- rather than a Container-plugin; and the templatetag `{% placeholder "Column Content" %}` requires a Column-plugin. Hence we must tell **djangocms-cascade** which breakpoints shall be allowed and what the containers extensions shall be. This must be hard-coded inside your `setting.py`:

```
CMS_PLACEHOLDER_CONF = {
    # for a row-like placeholder configuration ...
    'Row Content': {
        'plugins': ['BootstrapRowPlugin'],
        'parent_classes': {'BootstrapRowPlugin': []},
        'require_parent': False,
        'glossary': {
            'breakpoints': ['xs', 'sm', 'md', 'lg'],
            'container_max_widths': {'xs': 750, 'sm': 750, 'md': 970, 'lg': 1170},
            'fluid': False,
            'media_queries': {
                'xs': ['(max-width: 768px)'],
                'sm': ['(min-width: 768px)', '(max-width: 992px)'],
                'md': ['(min-width: 992px)', '(max-width: 1200px)'],
                'lg': ['(min-width: 1200px)'],
            },
        },
    },
    # or, for a column-like placeholder configuration ...
    'Column Content': {
        'plugins': ['BootstrapColumnPlugin'],
        'parent_classes': {'BootstrapColumnPlugin': []},
        'require_parent': False,
        'glossary': {
            'breakpoints': ['xs', 'sm', 'md', 'lg'],
            'container_max_widths': {'xs': 750, 'sm': 750, 'md': 970, 'lg': 1170},
            'fluid': False,
            'media_queries': {
                'xs': ['(max-width: 768px)'],
                'sm': ['(min-width: 768px)', '(max-width: 992px)'],
                'md': ['(min-width: 992px)', '(max-width: 1200px)'],
                'lg': ['(min-width: 1200px)'],
            },
        },
    },
},
}
```

Please refer to the [DjangoCMS documentation](#) for details about these settings with the exception of the dictionary `glossary`. This latter setting is special to **djangocms-cascade**: It gives the placeholder the ability to behave like a plugin for the Cascade app. Remember, each **djangocms-cascade** plugin stores all of its settings inside a Python dictionary which is serialized into a single database field. By having a placeholder behaving like a plugin, here this so named *glossary* is emulated using an additional entry inside the setting `CMS_PLACEHOLDER_CONF`, and it should:

- include all the settings a child plugin would expect from a real container plugin
- reflect how hard coded container was defined (e.g. whether it is fluid or not)

Nested Columns and Rows

One of the great features of Bootstrap is the ability to nest Rows inside Columns. These nested Rows then can contain Columns of 2nd level order. A quick example:

```
<div class="container">
  <div class="row">
    <div class="col-md-3">
      Left column
```

(continues on next page)

(continued from previous page)

```

</div>
<div class="col-md-9">
  <div class="row">
    <div class="col-md-6">
      Left nested column
    </div>
    <div class="col-md-6">
      Right nested column
    </div>
  </div>
</div>
</div>
</div>

```

rendered, it would look like:



If a responsive image shall be placed inside a column, we must estimate the width of this image, so that when rendered, it fits exactly into that column. We want *easy-thumbnails* to resize our images to the columns width and not having the browser to up- or down-scale them.

Therefore **djangocms-cascade** keeps track of all the breakpoints and the chosen column widths. For simplicity, this example only uses the breakpoint “medium”. The default Bootstrap settings for this width is 992 pixels. Doing simple math, the outer left column widths gives $3 / 12 * 992 = 248$ pixels. Hence, adding a responsive image to that column means, that **easy-thumbnails** automatically resizes it to a width of 248 pixels.

To calculate the width of the nested columns, first evaluate the width of the outer right column, which is $9 / 12 * 992 = 744$ pixels. Then this width is subdivided again, using the width of the nested columns, which is $6 / 12 * 744 = 372$ pixels.

These calculations are always performed recursively for all nested column and for all available breakpoints.

Warning: As the name implies, a container marked as *fluid*, does not specify a fixed width. Hence instead of the inner width, the container’s outer width is used as its maximum. For the large media query (with a browser width of 1200 pixels or more), the maximum width is limited to 1980 pixels.

3.5.3 HTML5 <picture> and the new elements

Bootstrap’s responsive grid system, helps developers to adapt their site layout to a wide range of devices, from smart-phones to large displays. This works fine as long as the content can adopt to the different widths. Adding the CSS class `img-responsive` to an `` tag, resizes that image to fit into the surrounding column. However, since images are delivered by the server in one specific size, they either are too small and must be upscaled, resulting in a grainy image, or are too big, resulting in a waste of bandwidth and slowing down the user experience, when surfing over slow networks.

Adaptive resizing the images

An obvious idea would be to let the server decide, which image resolution fits best to the browsing device. This however is bad practice. Images typically are served upon a GET-request pointing onto a specific URL. GET-requests shall be idempotent and thus are predestined to be cached by proxies on the way to the client. Therefore it is a very bad idea to let the client transmit its screen width via a cookie, and deliver different images depending on this value.

Since the sever side approach doesn't work, it is the browsers responsibility to select the appropriate image size. An ideal adaptive image strategy should do the following:

- Images should fit the screen, regardless of their size. An adaptive strategy needs to resize the image, so that it can resize into the current column width.
- Downloading images shall minimize the required bandwidth. Large images are enjoying greater popularity with the advent of Retina displays, but those devices normally are connected to the Internet using DSL rather than mobiles, which run on 3G.
- Not all images look good when squeezed onto a small display, particularly images with a lot of detail. When displaying an image on a mobile device, you might want to crop only the interesting part of it.

As these criteria can't be fulfilled using the well known `` element, **djangocms-cascade** offers two responsive variants recently added to the HTML5 standard:

One is the `` tag, but with the additional attributes `sizes` and `srcset`. This element can be used as a direct replacement for ``.

The other is a new element named `<picture>`. Use this element, if the image's shape or details shall adopt their shape and/or details to the displaying media device. The correct terminology for this kind of behavior is *art direction*.



But in the majority of use cases, the **Bootstrap Image Plugin** will work for you. Use the **Bootstrap Picture Plugin** only in those few cases, where in addition to the image width, you also want to change the aspect ratio and/or zoom factor, depending on the display's sizes.

Using these new elements, the browser always fetches the image which best fits the current layout. Additionally, if the browser runs on a high resolution (Retina) display, an image with double resolution is downloaded. This results in much sharper images.


Browser support

Since Chrome 38, the `` element fully supports `srcset` and `sizes`. It also supports the `<picture>` element right out of the box. Here is a list of native browser support for the `picture` and the image element with attribute `srcset`.

For legacy browsers, there is a JavaScript library named `picturefill.js`, which emulates the built in behavior of these new features. But even without that library, **djangocms-cascade** renders these HTML elements in a way to fall back on a sensible default image.

Image Plugin Reference

In edit mode, double clicking on an image, opens the **Image Plugin** editor. This editor offers the following fields in order to adapt an image to the current layout.



Image

Clicking on the magnifying glass opens a pop-up window from [django-filer](#) where you can choose the appropriate image.

Image Title

This optional field shall be used to set the `` tag inside this HTML element.

Alternative Description

This field shall be used to set the `alt` tag inside the `<picture>` or `` element. While the editor does require this field to be filled, it is strongly recommended to add some basic information about that picture.

Link type

Using this select box, one can choose to add an internal, or external link to the image. Please check the appropriate section for details.

Image Shapes

These checkboxes control the four CSS classes from the Bootstrap3 framework: `img-responsive`, `img-rounded`, `img-circle` and `img-thumbnail`. While rendering HTML, they will be added to the `` element.

Here the option *Responsive* has a special meaning. The problem with responsive images is, that their size depends on the media width of the device displaying the image. Therefore we can not use the well known `` element with a fixed `width=".."` and `height=".."`. Instead, when rendering responsive images, the additional attributes `srcset` and `sizes` are added to the element. The attribute `srcset` contains the URLs, of up to four differently scaled images. The width of these images is determined by the maximum width of the wrapping container `<div>`, normally a Bootstrap column.

Responsive Image Width

This field is only available for *responsive* images. If set to 100% (the default), the image will spawn the whole column width. By setting this to a smaller value, one may group more than one image side by side into one column.

Fixed Image Width

This field is only available for *non-responsive* images. Here an image size must be specified in pixels. The image then will be rendered with a fixed width, independently of the current screen width. Images rendered with a fixed width do not neither contain the attributes `srcset` nor `sizes`.

Adapt Image Height

Leaving this empty (the default), keeps the natural aspect ratio of an image. By setting this to a percentage value, the image's height is resized to its current used width, hence setting this to 100% reshapes the image into a square. Note

that this normally requires to *crop* the image, see *Resize Options* below. Setting this value in pixels, set the image to a fixed height.

Resize Options

- **Upscale image:** If the original image is smaller than the desired drawing area, then the image is upscaled. This in general leads to blurry images and should be avoided.
- **Crop image:** If the aspect ratio of the image and the desired drawing area do not correlate, then the image is cropped to fit, rather than leaving white space around it.
- **With subject location:** When cropping, use the red circle to locate the most important part of the image. This is a feature of Django's Filer.
- **Optimized for Retina:** Currently only available for images marked as *responsive*, this option adds an images variant suitable for Retina displays.

Picture Plugin Reference

A picture is another wording for image. It offers some rarely required options when working with images using *art direction*. By double-clicking onto a picture, its editor pops up.

The screenshot shows a 'Picture' configuration window. At the top, there's an 'Image:' section with a thumbnail of a dog and the text 'Bo the dog' with search and delete icons. Below this is the 'Image Title' section with a text input field containing 'Bo White House' and a note: 'Caption text added to the 'title' attribute of the element.' The 'Alternative Description' section has an empty text input field and a note: 'Textual description of the image added to the 'alt' tag of the element.' The 'Link type' section has a dropdown menu set to 'No Link'. The 'Adapt Picture Heights' section has four input fields for breakpoints: xs (400%), sm (100%), md (200%), and lg (100%), with a note: 'Heights of picture in percent or pixels for distinct Bootstrap's breakpoints.' The 'Adapt Picture Zoom' section has four input fields: xs (400%), sm (200%), md (100%), and lg (0%), with a note: 'Magnification of picture in percent for distinct Bootstrap's breakpoints.' The 'Resize Options' section has four checkboxes: 'Upscale image' (checked), 'Crop image' (checked), 'With subject location' (checked), and 'Optimized for Retina' (unchecked), with a note: 'Options to use when resizing the image.' At the bottom, there's a breadcrumb trail: 'Container > Row > Column > Picture', and 'Cancel' and 'Save' buttons.

The field **Image**, **Image Title**, **Alternative Description**, **Link type** and **Resize Options** behave exactly the same as for the **Image Plugin**.

Beware that *Pictures* always are considered as responsive, and they always spawn to the whole width of the wrapping element, using the CSS style `width: 100%`. They make the most sense for large images extending over a large area. Therefore it is not possible to specify a width for a picture.

Adapt Picture Heights

Depending on the current screen's width, one may set different heights for an image. This is useful in order to adopt the aspect ratio of an image, when switching from desktops to mobile devices. Normally, one should use a fixed height

in pixels here, but when specifying the heights in percent, these heights are considered relative to the current image height.

Adapt Picture Zoom

Depending on the current screen's width, one may set different zoom levels for an image. This is useful for keeping the level of detail constant, at the cost of cropping more of the image's margins.

3.5.4 Template tag for the Bootstrap3 Navbar

Warning: This template tag is now deprecated. It's functionality has been split off into a new project that can be found here: [Django CMS Bootstrap 3](#).

Although it's not derived from the `CascadeElement` class, this Django app is shipped with a template tag to render the main menu inside a [Bootstrap Navbar](#). This tag is named `main_menu` and shall be used instead of `show_menu`, as shipped with the DjangoCMS menu app.

Render a Navbar according to the [Bootstrap3 guide](#):

```
{% load bootstrap3_tags %}
...
<div class="navbar navbar-default navbar-fixed-top" role="navigation">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-target=
      → ".navbar-collapse">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="/">Project name</a>
    </div>
    <div class="collapse navbar-collapse">
      <ul class="nav navbar-nav">{% main_menu %}</ul>
    </div>
  </div>
</div>
```

Assume, the page hierarchy in DjangoCMS is set up like this:

django **CMS** example.com Page History Language

Home > Cms > Pages

Select page to change Add page

Filter: off

		EN-US	Menu	Actions	Info
Home					
About					
Contact					
Dropdown					
Action					
Something					


then in the front-end, the navigation bar will be rendered as

Project name
HOME
About
Contact

Dropdown ▾

Dropdown
Action
Something

on computer displays, and as



on mobile devices.

Note: Bootstrap3 does not support “hover”, since this event can’t be handled by touch screens. Therefore the client has to click on the menu item, rather than moving the mouse cursor over it. In order to make CMS pages with children selectable, those menu items are duplicated. For instance, clicking on **Dropdown** in the Navbar, just opens the pull-down menu. Here the menu item for the page named “Dropdown” is rendered again. Clicking on this item, finally loads that page from the CMS.

Note: Bootstrap3 does not support nested menus, because they wouldn’t be usable on mobile devices. Therefore the template tag `main_menu` renders only one level of children, no matter how deep the page hierarchy is in DjangoCMS.

3.5.5 Panel element

Bootstrap is shipped with CSS helpers to facilitate the creation of **Panels**. In **djangocms-cascade** these panels can be added to any placeholder. In the context menu of a placeholder, select **Panel** below the section **Bootstrap** and chose the style. The panel heading and footer are optional. As body, the panel element accepts other plugins, normally this is a Text plugin.

3.5.6 Jumbotron

Bootstrap is shipped with CSS helpers to facilitate the creation of a **Jumbotron**, sometimes also named “Hero” element. In **djangocms-cascade**, such a Jumbotron plugin can be added anywhere, even as the root element of a placeholder, in other words, even outside of a Bootstrap Container plugin. The latter configuration is specially useful for images, which shall extend over the full width of the web page.

If used outside a Bootstrap Container, we first must configure the allowed breakpoints. This is the same behaviour as for the Container plugin. Then we optionally can chose an image or a background color, it’s size, attachment, position and repetitions. For more details read [this article](#) on how to configure background images using pure CSS.

A Jumbotron without any content has a default height of 96 pixels, which is 48 pixels for the top- and bottom paddings, each. These values are given by the Bootstrap 3 framework.

To increase the height of a Jumbotron you have two choices. The simpler one is to add some content to the Jumbotron plugin which then increases it’s height. Another, is to explicitly to set other padding of the Jumbotron plugin.

3.5.7 Tab Sets

Bootstrap is shipped with CSS helpers to facilitate the creation of **Tabs**. In **djangocms-cascade**, such a Tab plugin can be added anywhere inside columns or rows.

In the context menu of a placeholder, select **Tab Set**. Depending on the chosen number of children, it will add as many **Tab Pane**s. Each **Tab Pane** has a Title field, its content is displayed in the tab. Below a **Tab Pane** you are free to add whatever you want.

3.5.8 Secondary menu

Warning: This plugin is experimental. It may disappear or be replaced. Use it at your own risk!

Often there is a need to add secondary menus at arbitrary locations. The **Secondary menu** plugin can be used in any placeholder to display links onto child pages of a CMS page. Currently only pages marked as **Soft Root** with a defined **Page Id** are allowed as parent of such a secondary menu.

Note: This plugins requires the template tag `main_menu_below_id` which is shipped with `djangocms-bootstrap3`

3.6 Using Fonts with Icons

3.6.1 Introduction

Sometimes we want to enrich our web pages with vectorized symbols. A lot of them can be found in various font libraries, such as [Font Awesome](#), [Material Icons](#), [Streamline Icons](#) and many more. A typical approach would be to upload the chosen SVG symbol, and use it as image. This process however is time consuming and error-prone to organize. Therefore, **djangocms-cascade** offers an optional submodule, so that we can work with externally packed icon fonts.

In order to use such a font, currently we must use [Fontello](#), an external service for icon font packaging. In the future, this service might be integrated into **djangocms-cascade** itself.

This submodule, if enabled adds three additional plugins: **Icon with frame**, **Simple icon** and **Icon in text**. Additionally it allows to decorate buttons with an icon on the left or right side of its main content.

Configuration

To enable this service in **djangocms-cascade**, in `settings.py` add:

```
INSTALLED_APPS = [
    ...
    'cmsplugin_cascade',
    'cmsplugin_cascade.icon',
    ...
]

CMSPLUGIN_CASCADE_PLUGINS = [
    ...
    'cmsplugin_cascade.icon',
```

(continues on next page)

(continued from previous page)

```
    ...  
]
```

This submodule, can of course be combined with all other submodules available for the Cascade ecosystem.

If `CMS_PLACEHOLDER_CONF` is used to configure available plugins for each placeholder, assure that the `TextIconPlugin` is added to the list of `text_only_plugins`.

Since the CKEditor widget must load the font stylesheets for it's own WYSIWIG mode, we have to add this special setting to our configuration:

```
from django.core.urlresolvers import reverse_lazy  
from django.utils.text import format_lazy  
  
CKEDITOR_SETTINGS = {  
    ...  
    'stylesSet': format_lazy(reverse_lazy('admin:cascade_texteditor_config')),  
}
```

3.6.2 Uploading the Font

In order to start with an external font icon, choose one or more icons and/or whole font families from the [Fontello](#) website and download the generated webfont zip-file to a local folder on your computer.

In Django's admin backend, change into `Start > django CMS Cascade > Uploaded Icon Fonts` and add an Icon Font object. Choose an appropriate name and upload the just downloaded webfont file, without unzipping it. After the upload completed, all the imported icons appear grouped by their font family name. They now are ready for being used by the Icon plugin.

Attention: The icon fonts generated by [Fontello](#), offer a generated `...css` file containing a mapping of private UTF-8 characters onto their font symbol. This means that the generated font files may have an overlapping encoding. Therefore each uploaded font requires a unique CSS prefix, otherwise it wouldn't be possible to use more than one icon font per page. This prefix must be set under Fontello's settings, located left of the **Download webfont** button.

Attempting to upload an icon fonts with a CSS prefix, which is already used, will be rejected.

Warning: Depending on your settings, Safari auto-unzips that file and hence makes it unusable for re-upload. Either change your settings in Safari (Preferences > General > Open "safe" files), or use another browser.

Note: During the 0.17-series of **djangocms-cascade**, an icon font had to be selected per page, rather than per element. This feature turned out to be impractical and has been reverted to the pre-0.17 behaviour.

3.6.3 Using the Icon Plugin

In **djangocms-cascade**, currently four plugins make use of the icon font sublibrary. These are the **Simple Icon**, the **Icon with frame**, the **Button** and the **Icon in Text** plugin. The latter is available only as subplugin of the **Text Editor** plugin.

In their respective editors, the user may select one of the uploaded icon fonts. Each time one of them is selected, the table of symbols is rerendered. Use the search field on the top of the table to restrict the list of icons, in case there are too many.

Choose the desired symbol, its size and color. Optionally choose a background color, a border with width, color and style, and the relative position in respect of its wrapping element. After saving the form, that element should appear inside the chosen container.

Shared Settings

By default, the **IconPlugin** is configured to allow to share the following styling attributes:

- Icon size
- Icon color
- Background color, or without background
- Text alignment
- Border width, color and style
- Border radius

By storing these attributes under a common name, one can reuse them across various icons, without having to set them for each one, separately. Additionally, each of the shared styling attributes can be changed globally in Django's admin backend at [Start > django CMS Cascade > Shared between Plugins](#). For details please refer to the section about *Working with sharable fields*.

3.6.4 Using the Icon Plugin in plain text

If **django-CMS** is configured to use the [CKEditor for django-CMS](#), then you may use the **Icon Plugin** inside plain text. Place the cursor at the desired location in text and select **Icon** from the pull down menu **CMS Plugins**. This opens a popup where you may select the font family and the symbol. All other attributes described above, are not available with this type of plugin.

3.7 Map Plugin using the Leaflet frontend

If you want to add a interactive maps to a **Django-CMS** placeholder, the **Cascade Leaflet Map Plugin** may be your best choice. It is not activated by default, because it requires a special JavaScript library, an active Internet connection (in order to load the map tiles), and a license key (this depends on the chosen tiles layer). By default the **Cascade Leaflet Map Plugin** uses the [Open Street Map](#) tile layer, but this can be changed to [Mapbox](#), [Google Maps](#) or another provider.

This plugin uses third party packages, based on the [Leaflet JavaScript](#) library for mobile-friendly interactive maps.

3.7.1 Installation

The required JavaScript dependencies are not shipped with **djangoCMS-cascade**. They must be installed separately from the [Node JS repository](#).

```
npm install leaflet
npm install leaflet-easybutton
```

Note: Leaflet Easybutton is only required for the administration backend.

3.7.2 Configuration

The default Cascade settings must be active in order to use the **Leaflet Map Plugin**. Additionally add to the project's settings:

```
CMSPLUGIN_CASCADE_PLUGINS = [  
    ...  
    'cmsplugin_cascade.leaflet',  
    ...  
]
```

By modifying the dictionary `CMSPLUGIN_CASCADE['leaflet']` you may override Leaflet specific settings. Change `CMSPLUGIN_CASCADE['leaflet']['tilesURL']` to the `titles` layer of your choice.

All other attributes of that dictionary are passed as options to the Leaflet `tileLayer` constructor. For details, please refer to the Leaflet specific documentation.

3.7.3 Usage

Add a **Map Plugin** to any **django-CMS** placeholder. Here you may adjust the width and height of the map.

The map can be repositioned at any time. Use the *Center* button on the top left corner to reset the position to the coordinates and zoom level, it was saved the last time.

Adding a marker to the map

First click on *Add another Marker* and enter a title of your choice. Afterwards go to the map and place the marker. After saving the map, this new marker will be persisted.

Additionally, one may choose a customized marker icon: Click on *Use customized marker icon* and choose an image from your media files. It is recommended to use PNG images with a transparent layer as marker icons.

Adjust the icon's size by setting the marker width. The height is computed in order to keep the same aspect ratio.

Note: Customized marker icons are only displayed in the frontend. The backend always uses the default pin symbol.

By settings the marker's anchor, the icon can be positioned exactly.

Markers can be repositioned at any time and the new coordinates are saved together with the map.

3.7.4 Alternative Tiles

By default, **django-cascade** is shipped using tiles from the [Open Street Map](#) project. This is mainly because these tiles can be used without requiring a license key. However, they load slowly and their appearance might not be what your customers expect.

Mapbox

A good alternative are tiles from [Mapbox](#). Please refer to their terms and conditions for details. There you can also apply for an access token, they offer free plans for low traffic sites.

Then add to the project's `settings.py`:

```
CMSPLUGIN_CASCADE = {
    ...
    'leaflet': {
        'tilesURL': 'https://api.tiles.mapbox.com/v4/{id}/{z}/{x}/{y}.png?access_
↵token={accessToken}',
        'accessToken': YOUR-MAPBOX-ACCESS-TOKEN,
        ...
    }
    ...
}
```

Google Maps

The problem with Google is that its Terms of Use forbid any means of tile access other than through the Google Maps API. Therefore in the frontend, Google Maps are rendered using a different template, which is not based on the LeafletJS library. This means that you must edit your maps using Mapbox or OpenStreetMap titles, whereas Google Maps is only rendered in the frontend.

To start with, apply for a [Google Maps API key](#) and add it to the project's `settings.py`:

```
CMSPLUGIN_CASCADE = {
    ...
    'leaflet': {
        ...
        'apiKey': YOUR-GOOGLE-MAPS-API-KEY,
        ...
    }
    ...
}
```

When editing a **Map** plugin, choose *Google Map* from the select field named *Render template*.

If want to render Google Maps exclusively in the frontend, change this in your project's `settings.py`:

```
CMSPLUGIN_CASCADE = {
    ...
    'plugins_with_extra_render_templates': {
        'LeafletPlugin': [
            ('cascade/plugins/googlemap.html', "Google Map"),
        ],
    }
    ...
}
```

3.7.5 Default Starting Position

Depending of the region you normally create maps, you can specify the default starting position. If for instance your main area of interest is Germany, than these coordinates are a good setting:

```

CMSPLUGIN_CASCADE = {
    ...
    'leaflet': {
        'default_position': {'lat': 50.0, 'lng': 12.0, 'zoom': 6},
    }
    ...
}

```

3.8 Handling the client side

DjangoCMS-Cascade is shipped with a lot of plugins, all having their own inheritance hierarchy. Due to the flexibility of Cascade, this inheritance hierarchy can be extended though some configuration settings, while bootstrapping the runtime environment. Some plugins for instance, can be configured to store some settings in a common data store. This in the admin backend requires a special Javascript plugin, from which the client side must inherit as well.

Hence on the client side, we would like to describe the same inheritance hierarchy using Javascript. Therefore Cascade is equipped with a small, but very powerful library named `ring.js`. It makes Javascript behave almost like Python. If a Cascade plugin provides a Javascript counterpart, then other Cascade plugins inheriting from the former one, map their inheritance hierarchy in Javascript exactly as provided by the plugins written in Python.

3.8.1 Implementing the client

Say, we want to add some client side code to a Cascade plugin. We first must import that Javascript file through Django's `static asset definitions` using the `Media` class, or if you prefer in a dynamic property method `media()`.

At some point during the initialization, Cascade must call the constructor of the Javascript plugin we just added. Therefore Cascade plugins provide an extra attribute named `ring_plugin`, which is required to name the Javascript's counterpart of our Python class. You can use any name you want, but it is good practice to use the same name as the plugin.

The Python class of our custom Cascade plugin then might look like:

```

from cmsplugin_cascade.plugin_base import CascadePluginBase

class MyCustomPlugin(CascadePluginBase):
    name = "Custom Plugin"
    ... other class attributes
    ring_plugin = 'MyCustomPlugin'

    class Media:
        js = ['mycustomproject/js/admin/mycustomplugin.js']

```

whereas it's Javascript counterpart might look like:

Listing 4: `mycustomproject/js/admin/mycustomplugin.js`

```

django.jQuery(function($) {
    'use strict';

    django.cascade.MyCustomPlugin = ring.create({
        constructor: function() {
            // initialization code
        },
        custom_func: function() {

```

(continues on next page)

(continued from previous page)

```

        // custom functionality
    }
    });
});

```

After yours, and all other Cascade plugins have been initialized in the browser, the Cascade framework invokes `new django.cascade.MyCustomPlugin()`; to call the constructor function.

3.8.2 Plugin Inheritance

If for instance, our `MyCustomPlugin` requires functionality to set a link, then instead of replication the code required to handle the link input fields, we can rewrite our plugin as:

```

from cmsplugin_cascade.link.config import LinkPluginBase

class MyCustomPlugin(LinkPluginBase):
    ... class attributes as in the previous example

```

Since `LinkPluginBase` provides it's own `ring_plugin` attribute, the corresponding Javascript code *also must inherit* from that base class. Cascade handles this for you automatically, if the Javascript code of the plugin is structured as:

Listing 5: `mycustomproject/js/admin/mycustomplugin.js`

```

django.jQuery(function($) {
    'use strict';

    var plugin_bases = eval(django.cascade.ring_plugin_bases.MyCustomPlugin);

    django.cascade.MyCustomPlugin = ring.create(plugin_bases, {
        constructor: function() {
            this.$super();
            // initialization code
        },
        ...
    });
});

```

The important parts here is the call to `eval(django.cascade.ring_plugin_bases.MyCustomPlugin)`, which resolves the Javascript functions our custom plugin inherits from.

Note: In case you forgot to add a missing JavaScript requirement, then `ring.js` complains with the error message `Uncaught TypeError: Cannot read property '__classId__' of undefined`. If you run into this problem, recheck that all Javascript files have been loaded and initialized in the correct order.

3.9 Section Bookmarks

If you have a long page, and you want to allow the visitors of your site to quickly navigate to different sections, then you can use bookmarks and create links to the different sections of any HTML page.

When a user clicks on a bookmark link, then that page will load as usual but will scroll down immediately, so that the bookmark is at the very top of the page. Bookmarks are also known as anchors. They can be added to any HTML element using the attribute `id`. For example:

```
<section id="unique-identifier-for-that-page">
```

For obvious reasons, this identifier must be unambiguous, otherwise the browser does not know where to jump to. Therefore **djangoCMS-cascade** enforces the uniqueness of all bookmarks used on each CMS page.

3.9.1 Configuration

The HTML standard allows the usage of the `id` attribute on any element, but in practice it only makes sense on `<section>`, `<article>` and the heading elements `<h1>...<h6>`. Cascade by default is configured to allow bookmarks on the **SimpleWrapperPlugin** and the **HeadingPlugin**. This can be overridden in the project's configuration settings using:

```
CMSPLUGIN_CASCADE = {
    ...
    'plugins_with_bookmark': [list-of-plugins],
    ...
}
```

Hashbang Mode

Links onto bookmarks do not work properly in hashbang mode. Depending on the HTML settings, you may have to prefix them with `/` or `!`. Therefore **djangoCMS-cascade** offers a configuration directive:

```
CMSPLUGIN_CASCADE = {
    ...
    'bookmark_prefix': '/',
    ...
}
```

which automatically prefixes the used bookmark.

3.9.2 Usage

When editing a plugin that is eligible for adding a bookmark, an extra input field is shown:

Element ID

A unique identifier for this element.

You may add any identifier to this field, as long as it is unique on that page. Otherwise the plugin's editor will be reject the given inputs, while saving.

3.9.3 Hyperlinking to a Bookmark

When editing a **TextLink**, **BootstrapButton** or the link fields inside the **Image** or **Picture** plugins, the user gets an additional drop-down menu to choose one of the bookmarks for the given page. This additional drop-down is only available if the **Link** is of type *CMS page*.

If no bookmarks have been associated with the chosen CMS page, the drop-down menu displays only *Page root*, which is the default.

3.10 Segmentation of the DOM

The **SegmentationPlugin** allows to personalize the DOM structure, depending on the context used to render the corresponding page. Since **djangoCMS** always uses a **RequestContext** while rendering its pages, we always have access onto the request object. Some use cases are:

- Depending on the user, show a different portion of the DOM, if he is a certain user or not logged in at all.
- Show different parts of the DOM, depending on the browsers estimated geolocation. Useful to render different content depending on the visitors country.
- Show different parts of the DOM, depending on the supplied marketing channel.
- Show different parts of the DOM, depending on the content in the session objects from previous visits of the users.
- Segment visitors into different groups used for A/B-testing.

3.10.1 Configuration

The **SegmentationPlugin** must be activated separately on top of other **djangoCMS-cascade** plugins. In `settings.py`, add to

```
INSTALLED_APPS = (
    ...
    'cmsplugin_cascade',
    'cmsplugin_cascade.segmentation',
    ...
)
```

Then, depending on what kind of data shall be emulated, add a list of two-tuples to the configuration settings `CMSPLUGIN_CASCADE['segmentation_mixins']`. The first entry of each two-tuple specifies the mixin class added the the proxy model for the **SegmentationPlugin**. The second entry specifies the mixin class added the model admin class for the **SegmentationPlugin**.

```
# this entry is optional:
CMSPLUGIN_CASCADE = {
    ...
    'segmentation_mixins': (
        ('cmsplugin_cascade.segmentation.mixins.EmulateUserModelMixin', 'cmsplugin_
↪ cascade.segmentation.mixins.EmulateUserAdminMixin'), # the default
        # other segmentation plugin classes
    ),
    ...
}
```

3.10.2 Usage

When editing **djangoCMS** plugins in **Structure** mode, below the section **Generic** a new plugin type appears, named **Segment**.

This plugin now behaves as an `if` block, which is rendered only, if the specified condition evaluates to true. The syntax used to specify the condition, is the same as used in the Django template language. Therefore it is possible to evaluate against more than one condition and combine them with `and`, `or` and `not` as described in [boolean operators](#) in the Django docs

Immediately below a segmentation block using the condition tag `if`, it is possible to use the tags `elif` or `else`. This kind of conditional blocks is well known to Python programmers.

Note, that when rendering pages in **djangoCMS**, a `RequestContext`- rather than a `Context`-object is used. This `RequestContext` is populated by the `user` object if `'django.contrib.auth.context_processors.auth'` is added to your `settings.py` `TEMPLATE_CONTEXT_PROCESSORS`. This therefore is a prerequisite when the Segmentation plugin evaluates conditions such as `user.username == "john"`.

3.10.3 Emulating Users

As of version 0.5.0, in **djangocms-cascade** a staff user or administrator can emulate the currently logged in user. If this plugin is activated, in the CMS toolbar a new menu tag appears named “Segmentation”. Here a staff user can select another user. All evaluation conditions then evaluate against this selected user, instead of the currently logged in user.

It is quite simple to add other overriding emulations. Have a look at the class `cmsplugin_cascade.segmentation.mixins.EmulateUserMixin`. This class then has to be added to your configuration settings `CMSPLUGIN_CASCADE_SEGMENTATION_MIXINS`. It then overrides the evaluation conditions and the toolbar menu.

3.11 Working with sharable fields

Sometime you'd want to remember sizes, links or any other options for rendering a plugin instance across the project. In order to not have to do this job for each managed entity, you can remember these settings using a name of your choice, controllable in a special section of the administration backend.

Now, whenever someone adds a new instance using this plugin, a select box with these remembered settings appears. He then can choose from one of the remembered settings, which frees him to reenter all the values.

3.11.1 Configure a Cascade Plugins to optionally share some fields

Configuring a plugin to share specific fields with other plugins of the same type is very easy. In the projects `settings.py`, assure that `'cmsplugin_cascade.sharable'` is part of your `INSTALLED_APPS`.

Then add a dictionary of Cascade plugins, with a list of fields which shall be sharable. For example, with this settings, the image plugin can be configured to share its sizes and rendering options among each other.

```
CMSPLUGIN_CASCADE = {
    ...
    'plugins_with_sharables': {
        'BootstrapImagePlugin': ('image-shapes', 'image-width-responsive', 'image-
↔width-fixed', 'image-height', 'resize-options',),
    },
    ...
}
```

3.11.2 Control some named settings

Whenever a plugin is configured to allow to share fields, at the bottom of the plugin editor a special field appears:

Remember these settings as:

By activating the checkbox, adding an arbitrary name next to it and saving the plugin, an entity of sharable fields is saved in the database. Now, whenever someone starts to edit a plugin of this type, a select box appears on the top of the editor:

Shared Settings: Use individual settings ↕
 Use settings shared with other plugins of this type

By choosing a previously named shared settings, the configured fields are disabled for input and replaced by their shared field's counterparts.

In order to edit these shared fields in the administration backend, one must access **Home > Cmsplugin_cascade > Shared between Plugins**. By choosing a named shared setting, one can enter into the shared field's editor. This editor auto adopts to the fields declared as shared, hence will change from entity to entity. For the above example, it may look like this:

Django administration Welcome, **admin**. [Change password](#) / [Log out](#)

[Home](#) > [Cmsplugin_cascade](#) > [Shared between Plugins](#) > [imgsava](#)

Change BootstrapImagePlugin

Identifier:

Shared Fields

Image Shapes

Responsive
 Rounded
 Circle
 Thumbnail

Responsive Image Width

Set the image width in percent relative to containing element.

Adapt Image Height

Set a fixed height in pixels, or percent relative to the image width.

Resize Options

Upscale image
 Crop image
 With subject location
 Optimized for Retina

Options to use when resizing the image.

[Save](#)

In this editor one can change these shared settings globally, for all plugin instances where this named shared settings have been applied to.

3.12 Customize CSS classes and inline styles

Plugins shipped with **django-cascade** offer a basic set of CSS classes as declared by the chosen CSS framework. These offered classes normally do not fulfill the requirements for real world sites. This is specially true, if you extend

your site with one of the many available [Bootstrap themes](#).

While **django-cascade** is easily expendable, it would be overkill to re-implement the available plugins, just to add an extra field for a customized CSS class or an extra inline style. For that purpose, one can add a set of potential CSS classes and potential CSS inline styles for Cascade plugins, enabled for this feature. Moreover, this feature can be adopted individually on a per-site base.

3.12.1 Configure a Cascade plugins to accept extra fields

It is possible to configure each plugin to accept an additional ID tag, one ore more CSS classes or some inline styles. By default the plugins: `BootstrapButtonPlugin`, `BootstrapRowPlugin`, `BootstrapJumbotronPlugin` and the `SimpleWrapperPlugin` are eligible for accepting extra styles. Additionally, by default the user can override the margins of the `HeadingPlugin` and the `HorizontalRulePlugin`.

To override these defaults, first assure that `'cmsplugin_cascade.extra_fields'` is part of your `INSTALLED_APPS`. Then add a dictionary of Cascade plugins, which shall be extendible to the project's `settings.py`, for instance:

```

CMSPLUGIN_CASCADE = {
    ...
    'plugins_with_extra_fields': {
        'BootstrapButtonPlugin': PluginExtraFieldsConfig(),
        'BootstrapRowPlugin': PluginExtraFieldsConfig(),
        'BootstrapJumbotronPlugin': PluginExtraFieldsConfig(inline_styles={
            'extra_fields:Padding': ['padding-top', 'padding-bottom'],
            'extra_units:Padding': 'px,em'}),
        'SimpleWrapperPlugin': PluginExtraFieldsConfig(),
        'HeadingPlugin': PluginExtraFieldsConfig(inline_styles={
            'extra_fields:Padding': ['margin-top', 'margin-right', 'margin-bottom',
↵ 'margin-left'],
            'extra_units:Padding': 'px,em'}, allow_override=False),
        'HorizontalRulePlugin': PluginExtraFieldsConfig(inline_styles={
            'extra_fields:Padding': ['margin-top', 'margin-bottom'],
            'extra_units:Padding': 'px,em'}, allow_override=False),
    },
    ...
}

```

Here the class `PluginExtraFieldsConfig` is used to fine-tune which extra fields can be set while editing the plugin. Assigning that class without arguments to a plugin, allows us to specify the extra fields using the Django administration backend at:

Home > django CMS Cascade > Custom CSS classes and styles

Here the site administrator can specify for each concrete plugin, which extra CSS classes, ID tags and extra inline styles shall be used.

If we use `PluginExtraFieldsConfig(allow_override=False)`, then the site administrator *can not* override the configuration using the backend. Then every extra field must be specified by the configuration directive:

3.12.2 Enable extra fields through the administration backend

To enable this feature, in the administration backend navigate to

Home > django CMS Cascade > Custom CSS classes and styles and click onto the button named **Add Custom CSS classes styles**.

From the field named “Plugin Name”, select one of the available plugins, for example **Bootstrap Simple Wrapper**. Then, from the field named “Site”, select the site where those extra styles shall be applied.

The screenshot shows the Django administration interface for editing a plugin's custom CSS classes and styles. The page title is "Change Custom CSS classes and styles" and it includes a "History" button. The form is for the "Plugin Name" "Bootstrap Simple Wrapper" and "Site" "example.com".

Plugin Name: Bootstrap Simple Wrapper

Site: example.com

Allow id tag

CSS class names: thumbnail, jumbotron Allow multiple

Freely selectable CSS classnames for this Plugin, separated by commas.

Customized Margins Fields: margin-top margin-right margin-bottom margin-left **Units for Margins Fields:** px, em and %

Customized Paddings Fields: padding-top padding-right padding-bottom padding-left **Units for Paddings Fields:** px, em and %

Customized Widths Fields: min-width width max-width **Units for Widths Fields:** px, em and %

Customized Heights Fields: min-height height max-height **Units for Heights Fields:** px and em

Customized Colors Fields: color background-color

Customized Overflow Fields: overflow overflow-x overflow-y

Buttons: Delete, Save and add another, Save and continue editing, Save

Allow ID

With “Allow id tag” enabled, an extra field will appear on the named plugin editor. There a user can add any arbitrary name which will be rendered as `id="any_name"` for the corresponding plugin instance.

Allowing ID's is specially useful for the **Heading Plugin**, so the Links can point directly to that ID (bookmark linking).

CSS classes

In the field named “CSS class names”, the administrator may specify arbitrary CSS classes separated by commas. One of these CSS classes then can be added to the corresponding Cascade plugin. If more than one CSS class shall be addable concurrently, activate the checkbox named “Allow multiple”.

CSS inline styles

The administrator may activate all kinds of CSS inline styles by clicking on the named checkbox. For settings describing distances, additionally specify the allowed units to be used.

If a user opens the corresponding plugin inside the **Structure View**, he will see an extra select field to choose the CSS class and some input fields to enter say, extra margins, heights or whatever has been activated.

Use it rarely, use it wise

Adding too many styling fields to a plugin can mess up any web project. Therefore be advised to use this feature rarely and wise. If many people have write access to plugins, set extra permissions on this table, in order to not mess things up. For instance, it rarely makes sense to activate `min-width`, `width` and `max-width`.

3.12.3 Dynamically add styles to the Text-Editor

In Cascade it is also possible to dynamically add styles to the CKTextEditor. Ensure that in your `settings.py` the following is active:

Then in the Django-Admin, by adding entries in *Start > django CMS Cascade > Text Editor Configs* it is possible to use these special styles inside the text editor.

3.13 Choose an alternative rendering template

Sometimes you must render a plugin with a slightly different template, other than the given default. A possible solution is to create a new plugin, inheriting from the given one and overriding the `render_template` attribute with a customized template. This however adds another plugin to the list of registered CMS plugins.

A simpler solution to solve this problem, is to allow a plugin to be rendered with a customized template out of a set of alternatives.

3.13.1 Change the path for template lookups

Some Bootstrap Plugins are shipped with templates, which are optimized to be rendered by [Angular-UI](#) rather than the default jQuery. These alternative templates are located in the folder `cascade/bootstrap3/angular-ui`. If your project uses AngularJS instead of jQuery, then configure the lookup path in `settings.py` with

```
CMSPLUGIN_CASCADE = {
    ...
    'bootstrap3': {
        ...
        'template_basedir': 'angular-ui',
    },
}
```

This lookup path is applied only to the Plugin's field `render_template` prepared for it. Such a template contains the placeholder `{}`, which is expanded to the configured `template_basedir`.

For instance, the **CarouselPlugin** defines its `render_template` such as:

```
class CarouselPlugin(BootstrapPluginBase):
    ...
    render_template = 'cascade/bootstrap3/{}/carousel.html'
    ...
```

3.13.2 Configure Cascade Plugins to be rendered using alternative templates

All plugins which offer more than one rendering template, shall be added in the projects `settings.py` to the dictionary `CMSPLUGIN_CASCADE['plugins_with_extra_render_templates']`. Each item in this dictionary consists of a key, naming the plugin, and a value containing a list of two-tuples. The first element of this two-tuple must be the templates filename, while the second element shall contain an arbitrary name to identify that template.

Example:

```
CMSPLUGIN_CASCADE = {
    ...
    'plugins_with_extra_render_templates': {
        'TextLinkPlugin': (
            ('cascade/link/text-link.html', _("default")),
            ('cascade/link/text-link-linebreak.html', _("with linebreak")),
        )
    },
    ...
}
```

Usage

When editing a **djangoCMS** plugins with alternative rendering templates, the plugin editor adds a select box containing choices for alternative rendering templates. Choose one other than the default, and the plugin will be rendered using that template.

3.14 Conditionally hide some plugin

Sometimes a placeholder contains some plugins, which temporarily should not show up while rendering. If this feature is enabled, then instead of deleting them, it is possible to hide them.

3.14.1 Enable the mechanism

In the projects `settings.py`, add:

```
CMSPLUGIN_CASCADE = {
    ...
    'allow_plugin_hiding': True,
    ...
}
```

By default, this feature is disabled. If enabled, **djangoCMS-cascade** adds a checkbox to every plugin editor. This checkbox is labeled *Hide plugin*. If checked, the plugin and all of its children are not rendered in the current tree. To easily distinguish hidden plugins in structure mode, they are rendered using a shaded background.

3.15 The CMS Clipboard

DjangoCMS offers a Clipboard where one can copy or cut and add a subtree of plugins to the DOM. This Clipboard is very handy when copying plugins from one placeholder to another one, or to another CMS page. In version 0.7.2 **djangoCMS-cascade** extended the functionality of this clipboard, so that the content of the CMS clipboard can be persisted to – and restored from the database. This allows the site-administrator to prepare a toolset of plugin-trees, which can be inserted anywhere at any time.

3.15.1 Persisting the Clipboard

In the context menu of a CMS plugin, use **Cut** or **Copy** to move a plugin together with its children to the CMS clipboard. In **Edit Mode** this clipboard is available from the primary menu item within the CMS toolbar. From this clipboard, the copy plugins can be dragged and dropped to any CMS placeholder which is allowed to accept the root node.

Since the content of the clipboard is overridden by every operation which cuts or copies a tree of plugins, **djangoCMS-cascade** offers some functionality to persist the clipboard's content. To do this, locate **Persisted Clipboard Content** in Django's administration backend.

Change Persisted Clipboard Content

History

Identifier:

From CMS Clipboard: Save

To CMS Clipboard: Restore

Data:

```
{
  "plugins": [
    {
      "plugin": "RestoredPlugin"
    }
  ]
}
```

Enter valid JSON

Delete

Save and add another

Save and continue editing

Save

The **Identifier** field is used to give a unique name to the persisted clipboard entity.

The **Save** button fetches the content from the CMS clipboard and persists it.

The **Restore** button replaces the content of the CMS clipboard with the current persisted entity. This is the opposite operation of **Save**.

Since the clipboard content is serialized using JSON, the site administrator can grab and paste it into another site using **djangoCMS-cascade**, if persisting clipboards are enabled.

Configuration

Persisting the clipboards content must be configured in the projects `settings.py`:

```
INSTALLED_APPS = (
    ...
    'cmsplugin_cascade',
    'cmsplugin_cascade.clipboard',
```

(continues on next page)

(continued from previous page)

```

)
    ...
)

```

Caveats

Only CMS plugins from the Cascade eco-system are eligible to be used for persisting. This is because they already use a JSON representation of their content. The only exception is the **TextPlugin**, since **djangocms-cascade** added some serialization code.

3.16 Use Cascade outside of the CMS

One of the most legitimate points **djangocms-cascade** can be criticised for, is the lack of static content rendering. Specially in projects, where we want to work with static pages instead of CMS pages, one might fall back to handcrafting HTML, giving up all the benefits of rapid prototyping as provided by the Cascade plugin system.

Since version 0.14 of **djangocms-cascade**, one can prototype the page content and export it as JSON file using *The CMS Clipboard*. Later on, one can reuse that persisted data and create the same content outside of a CMS page. This is specially useful, if you must persist the page content in the project's version control system.

3.16.1 Usage

After the placeholder of a CMS page, is filled up with plugins from **djangocms-cascade**, switch into *Structure Mode*, go to the context menu of that placeholder and click *Copy all*.

Next, inside Django's administration backend, go to

Home > Django CMS Cascade > Persisted Clipboard Content

and click onto *Add Persisted Clipboard Content*. The *Data* field will now be filled with a cascade of plugins serialized as JSON data. Copy that data and paste it into a file locatable by Django's static file finders, for example `myproject/static/myapp/cascades/slug.json`.

3.16.2 In Templates

Create a Django template, where instead of adding a Django-CMS placeholder, use the `templatetag render_cascade`. Example:

```

{% load cascade_tags %}

{% render_cascade "myapp/cascades/slug.json" %}

```

This templatetag now renders the content just as if it would be rendered by the CMS. This means that changing the template of a **djangocms-cascade** plugin, immediately has effect on the rendered output. This is so to say **Model View Control**, where the Model is the content persisted as JSON, and the View is the template provided by the plugin. It separates the composition of HTML components from their actual representation, allowing a much better division of work during the page creation.

3.16.3 Caveats when creating your own Plugins

When developing your own plugins, consider the following precautions:

Invoking `super`

Instead of invoking `super(MyPlugin, self).some_method()` use `self.super(MyPlugin, self).some_method()`. This is required because **djangocms-cascade** creates a list of “shadow” plugins, which do not inherit from `CMSPluginBase`.

Templatetag `render_plugin`

Django-CMS provides a templatetag `render_plugin`. Don't use it in templates provided by **djangocms-cascade** plugins. Instead use the templatetag named `render_plugin` from Cascade. Example:

```
{% load cascade_tags %}
<div class="some-css-class">
{% for plugin in instance.child_plugin_instances %}
    {% render_plugin plugin %}
{% endfor %}
</div>
```

3.16.4 Caching

Even though rendering using this templatetag is slightly faster than the classic `placeholder` tag provided by the CMS (because we don't hit the database for each plugin instance), combining each plugin template with its context also takes its time. Therefore plugins rendered by `render_cascade`, by default are cached as well, just as their CMS counterparts.

This caching is disabled for plugins containing the attribute `cache = False`. It can be turned off globally using the directive `CMSPLUGIN_CASCADE['cache_strides'] = True` in the project's `settings.py`.

3.17 Integrate Sphinx Documentation

Restructured Text (ReST) is the de facto standard for documenting Python projects and is even widely used outside of this realm, by applications written in other languages. [Sphinx](#) is a compiler to generate HTML, Latex, PDF, e-books, etc. out of sources written in ReST.

HTML rendered by Sphinx, typically is rendered as static content by the web server. This makes it difficult to serve documentation, side by side with content from **django-CMS**, because these are completely different technologies. Furthermore, since Sphinx uses Jinja2 templates, but **django-CMS**'s internal templatetags are not available for Jinja2, template sharing is not possible.

Therefore **djangocms-cascade** offers an integration service, which makes it possible to integrate documentation generated by Sphinx, unintrusively inside the menu tree of **django-CMS**.

3.17.1 Configuration

To the project's `settings.py`, add these options to the configuration directives:

```
INSTALLED_APPS = [
    ...
    'cmsplugin_cascade',
    'cmsplugin_cascade.sphinx',
    ...
]
```

(continues on next page)

(continued from previous page)

```

]

CMS_TEMPLATES = [
    ...,
    ('path/to/documentation.html', "Documentation Page"),
    ...
]

SPHINX_DOCS_ROOT = '/path/to/docs/_build/fragments'

```

Replace `'path/to/documentation.html'` with a filename pointing to your documentation root template (see below).

Point `SPHINX_DOCS_ROOT` onto the directory, into which the HTML page fragments are generated.

Configure Sphinx Builder

Locate the file `Makefile` inside the `docs` folder and add another target to it:

```

fragments:
    $(SPHINXBUILD) -b fragments $(ALLSPHINXOPTS) $(BUILDDIR)/fragments
    @echo
    @echo "Build finished. The HTML fragments are in $(BUILDDIR)/fragments."

```

Locate the file `conf.py` and add:

```

extensions = [
    ...
    'cmsplugin_cascade.sphinx.fragmentsbuilder',
]

```

By invoking `make fragments`, Sphinx generates a HTML fragment for each page inside the documentation folder, typically into `docs/_build/fragments`. Later we use these fragments and include them using a normal Django view.

3.17.2 Integration with the CMS

In Django's admin backend, add a page as the starting point for the documentation inside the CMS menu tree. Typically, one would name that page "*Documentation*" using `docs` or `documentation` as its slug.

In the *Advanced Settings* tab, choose **Documentation Page** as the template. This settings has been configured using the directive `CMS_TEMPLATES`, as shown above.

As *Application*, select **Sphinx Documentation** from the pull down menu. This attaches the complete documentation tree just below the chosen slug.

Optionally select **Documentation Menu** from the pull down menu as the *Attached menu*. It adds a submenu for each main chapter of the documentation. If omitted, only **Documentation** is added the the CMS menu tree.

The Documentation Template

You must provide a template to be used by the documentation view. This template typically extends a base CMS page template, providing a header, the navigation bar and the footer. In the block, responsible for rendering the main content, add this template code:

```
{% extends "path/to/base.html" %}
{% load static cascade_tags %}
...
{% block head %}
{{ block.super }}
<link href="{% static 'cascade/sphinx/css/bootstrap-sphinx.css' %}" rel="stylesheet"
↳type="text/css" />
{% endblock %}
...
{% block main-content %}
  {% if page_content %}
    {{ page_content }}
  {% else %}
    {% sphinx_docs_include "index.html" %}
  {% endif %}
{% endblock %}
```

This Django template now includes the HTML fragments compiled by Sphinx. This allows us to use **django-CMS** and combine it with Sphinx. In the URL, the part behind the documentation's slug corresponds 1:1 to the name of the ReST document.

In this example we add a stylesheet to adopt the output to the **Bootstrap theme** for Sphinx. Depending on your template layout, the way you import this may vary.

Linking onto Documentation Pages

By overriding the *Link Plugin* with a special target named **Documentation**, we can even add links onto our documentation pages symbolically. This means, that whenever we open the **LinkPlugin** editor, an additional target is added. It offers a select box showing all pages from our documentation tree. This prevents us, having to hard code the URL pointing onto the documentation.

This feature has to be configured in the project's `settings.py`, by replacing the `LinkPlugin` with a modified version of itself:

```
CMSPLUGIN_CASCADE = {
  ...
  'link_plugin_classes': [
    'cmsplugin_cascade.sphinx.link_plugin.SphinxDocsLinkPlugin',
    'cmsplugin_cascade.link.plugin_base.LinkElementMixin',
    'cmsplugin_cascade.sphinx.link_plugin.SphinxDocsLinkForm',
  ],
  ...
}
```

3.18 Extending Cascade

All Cascade plugins are derived from the same base class `cmsplugin_cascade.plugin_base.CascadeModelBase`, which stores all its model fields inside a dictionary, serialized as JSON string in the database. This makes it much easier to extend the Cascade eco-system, since no database migration¹ is required when adding a new, or extending plugins from this project.

¹ After having created a customized plugin, it must be registered in Django's permission system, otherwise only administrators, but no staff users, are allowed to add, change or delete them.

The database model `CascadeModelBase` stores all the plugin settings in a single JSON field named `glossary`. This in practice behaves like a Django context, but in order to avoid confusion with the latter, it has been named “glossary”.

Note: Custom Cascade plugins should set the `app_label` attribute (see below). This is important so migrations for the proxy models generated by Cascade are created in the correct app.

If this attribute is not set, Cascade will default to the left-most part of the plugin’s module path. So if your plugin lives in `myapp.cascadeplugins`, Cascade will use `myapp` as the app label. We recommend that you always set `app_label` explicitly.

3.18.1 Simple Example

This plugin is very simple and just renders static content which has been declared in the template.

```
from cms.plugin_pool import plugin_pool
from cmsplugin_cascade.plugin_base import CascadePluginBase

class StylishPlugin(CascadePluginBase):
    name = 'Stylish Element'
    render_template = 'myapp/cascade/stylish-element.html'

plugin_pool.register_plugin(StylishPlugin)
```

If the editor form pops up for this plugin, a dumb message appears: “There are no further settings for this plugin”. This is because no editable fields have been added to that plugin yet.

3.18.2 Customize the Plugin Editor

In order to make the plugin remember its settings and other optional data, we must specify a Django form to be used by the plugin. Since its payload data is stored in a JSON field, we use `django-entangled`, to map the form fields.

Each of those form fields handles a special field value, or in some cases, a list of field values. They all require one or more Django form fields, which are rendered by the plugins popup editor.

Let’s add a simple selector to choose between a red and a green color. Do this by adding `form` to the plugin class.

```
from django.forms import ChoiceField
from entangled.forms import EntangledModelFormMixin
from cmsplugin_cascade.plugin_base import CascadePluginBase

class StylishFormMixin(EntangledModelFormMixin):
    color = ChoiceField(
        choices=[('red', 'Red'), ('green', 'Green')],
        label="Element's Color",
        initial='red',
        help_text="Specify the color of the DOM element."
    )

    class Meta:
        entangled_fields = {'glossary': ['color']}

class StylishPlugin(CascadePluginBase):
```

(continues on next page)

(continued from previous page)

```
...
form = StylishFormMixin
```

In the plugin’s editor, the form now pops up with a single select box, where the user can choose between a *red* and a *green* element.

The form `StylishFormMixin` inherits from `EntangledModelFormMixin` available through the separate Django app `django-entangled`. This app allows to edit JSON-Model fields using a standard Django form. Since **djangocms-cascade** may extend this form with additional fields, here we use a special mixin class, rather than a `DjangoModelForm`. Remember to add class `Meta` to this form, in order to specify the mapping of form fields inside the JSON field named `glossary`.

3.18.3 Special Form Field for Plugin Editors

For single text fields or select boxes, Django’s built-in fields, such as `CharField` or `ChoiceField` can be used. Sometimes these simple fields are not enough, therefore **djangocms-cascade** additionally provides special form fields, which makes it easier to create editors specialized for styling CSS. These special fields are all part of the module `cmsplugin_cascade.fields`.

SizeField When entering measurements, such as margins, paddings, widths, heights, etc, one may choose between different units, such as `px`, `em`, `rem` or `%`. This fields validates its input by checking if a unit is specified.

MultiSizeField Use this field to group a list of size input fields together. This for instance is used, to encapsulate all margins into one list inside the JSON object.

ColorField Use this field when the user shall enter a color value. Since the color picker widget built into the browser often is inconvenient, the special picker `a-color-picker` can be used instead. This external library even supports alpha channels. Simply install it into the directory of the Django project and add `node_modules` to the list of `STATICFILES_DIRS`. Since we can not leave the color field empty, this field adds a checkbox to inform the plugin editor, if no color is desired. The latter means, that the color is inherited by an upper DOM element.

BorderChoiceField Use this field to style borders. It adds three input fields, one to set the border width, one for the border style and one for the border color. The latter uses the special picker `a-color-picker`, if installed. Otherwise it falls back to the built-in color widget.

3.18.4 Overriding the Model

Since all **djangocms-cascade** plugins store their data in a JSON-serializable field, there rarely is a need to add another database field to the common models `CascadeElement` and/or `SharableCascadeElement` and thus no need for database migrations.

However, quite often there is a need to add or override the methods for these models. Therefore each Cascade plugin creates its own `proxy model` on the fly. These models inherit from `CascadeElement` and/or `SharableCascadeElement` and named like the plugin class, with the suffix `Model`. By default, their behavior is the same as for their parent model classes.

To extend this behavior, the author of a plugin may declare a tuple of mixin classes, which are injected during the creation of the proxy model. Example:

```
class MySpecialPropertyMixin(object):
    def processed_value(self):
        value = self.glossary.get('field_name')
```

(continues on next page)

(continued from previous page)

```

    # process value
    return value

class MySpecialPlugin(LinkPluginBase):
    module = 'My Module'
    name = 'My special Plugin'
    model_mixins = (MySpecialPropertyMixin,)
    render_template = 'my_module/my_special_plugin.html'
    ...

```

The proxy model created for this plugin class, now contains the extra method `processed_value()`, which for instance may be accessed during template rendering.

templates/my_module/my_special_plugin.html:

```

<div>{{ instance.processed_value }}</div>

```

Needless to say, that you can't add any extra database fields to the class named `MySpecialPropertyMixin`, since the corresponding model class is marked as proxy.

JavaScript

In case your customized plugin requires some Javascript code to improve the editor's experience, please refer to the section client-side.

Adding extra fields to the model

In rare situations, we might want to add extra fields to the model, which inherit from `django.db.models.fields.Field` rather than using `django-entangled` to emulate this behavior, by mapping Django form fields to a JSON model field (`glossary`). In other words: We want a *real* database field.

This can be achieved by creating a Django model inheriting from `cmsplugin_cascade.models_base.CascadeModelBase` and referring to it, such as:

```

class MyPluginModel(CascadeModelBase):
    class Meta:
        db_table = 'shop_cart_cascadeelement'
        verbose_name = _("Cart Element")

        byte_val = models.PositiveSmallIntegerField("Byte Value")

class MySpecialPlugin(LinkPluginBase):
    module = 'My Module'
    name = 'My special Plugin'
    model = MyModel

```

3.18.5 Transparent Plugins

Some of the plugins in Cascade's ecosystem are considered as *transparent*. This means that they logically don't fit into the given grid-system, but should rather be considered as wrappers of other HTML elements.

For example, the `Bootstrap Panel` can be added as child of a `Column`. However, it may contain exactly the same plugins, as the `Column` does. Now, instead of adding the `PanelPlugin` as a possible parent to all of our existing

Bootstrap plugins, we simply declare the Panel as “transparent”. It then behaves as it’s own parent, allowing all plugins as children, which themselves are permitted to be added to that column.

Transparent plugins can be stacked. For example, the [Bootstrap Accordion](#) consists of one or more Accordion Panels. Both of them are considered as *transparent*, which means that we can add all plugins to an Accordion Panels, which we also could add to a Column.

3.18.6 Plugin Attribute Reference

CascadePluginBase is derived from CMSPluginBase, so all [CMSPluginBase attributes](#) can also be overridden by plugins derived from CascadePluginBase. Please refer to their documentation for details.

Additionally BootstrapPluginBase allows the following attributes:

name This name is shown in the pull down menu in structure view. There is not default value.

app_label The app_label to use on generated proxy models. This should usually be the same as the app_label of the app that defines the plugin.

tag_type A HTML element into which this plugin is wrapped. Generic templates can render their content into any tag_type. Specialized rendering templates usually have a hard coded tag type, then this attribute can be omitted.

require_parent Default: True. This differs from CMSPluginBase.

Is it required that this plugin is a child of another plugin? Otherwise the plugin can be added to any placeholder.

parent_classes Default: None.

A list of Plugin Class Names. If this is set, the plugin may only be added to plugins listed here.

allow_children Default: True. This differs from CMSPluginBase.

Can this plugin have child plugins? Or can other plugins be placed inside this plugin?

child_classes Default: A list of plugins, which are allowed as children of this plugin. This differs from CMSPluginBase, where this attribute is None.

Do not override this attribute. **DjangoCMS-Cascade** automatically generates a list of allowed children plugins, by evaluating the list parent_classes from the other plugins in the pool.

Plugins, which are part of the plugin pool, but which do not specify their parents using the list parent_classes, may be added as children to the current plugin by adding them to the attribute generic_child_classes.

generic_child_classes Default: None.

A list of plugins which shall be added as children to a plugin, but which themselves do not declare this plugin in their parent_classes.

default_css_class Default: None.

A CSS class which is always added to the wrapping DOM element.

default_inline_styles Default: None.

A dictionary of inline styles, which is always added to the wrapping DOM element.

get_identifier This is a classmethod, which can be added to a plugin to give it a meaningful name.

Its signature is:

```
@classmethod
def get_identifier(cls, obj):
    return 'A plugin name'
```

This method shall be used to name the plugin in structured view.

form Override the form used by the plugin editor. This must be a class inheriting from `entangled.forms.EntangledModelFormMixin`. Remember to list all form fields in `entangled_fields` inside the Meta class.

model_mixins Tuple of mixin classes, with additional methods to be added the auto-generated proxy model for the given plugin class.

Check section “Overriding the Model” for a detailed explanation.

3.18.7 Plugin Permissions

To register (or unregister) a plugin, simply invoke `./manage.py migrate cmsplugin_cascade`. This will add (or remove) the content type and the model permissions. We therefore can control in a very fine grained manner, which user or group is allowed to edit which types of plugins.

3.19 Generic Plugins

Cascade is shipped with a few plugins, which can be used independently of the underlying CSS framework. To avoid duplication, they are bundled into the section **Generic** and are available by default in the placeholders context menu.

All these plugins qualify as plugins with **extra fields**, which means that they can be configured by the site administrator to accept additional CSS styles and classes.

3.19.1 SimpleWrapperPlugin

Use this plugin to add a wrapping element around a group of other plugins. Currently these HTML elements can be used as wrapper: `<div>`, ``, `<section>`, `<article>`. There is one special wrapper named `naked`. It embeds its children only logically, without actually embedding them into any HTML element.

3.19.2 HorizontalRulePlugin

This plugin adds a horizontal rule `<hr>` to the DOM. It is suggested to enable the `margin-top` and `margin-bottom` CSS styles, so that the ruler can be positioned appropriately.

3.19.3 HeadingPlugin

This plugin adds a text heading `<h1>...<h6>` to the DOM. Although simple headings can be achieved with the **TextPlugin**, there they can't be styled using special CSS classes or styles. Here the **HeadingPlugin** can be used, since any allowed CSS class or style can be added.

3.19.4 CustomSnippetPlugin

Not every collection of DOM elements can be composed using the Cascade plugin system. Sometimes one might want to add a simple HTML snippet. Although it is quite simple to create a customized plugin yourself, an easier approach to just render an arbitrary HTML snippet, is to use the **CustomSnippetPlugin**. This can be achieved by adding the customized template to the project's `settings.py`:

```

CMSPLUGIN_CASCADE = {
    # other settings
    'plugins_with_extra_render_templates': {
        'CustomSnippetPlugin': [
            ('myproject/snippets/custom-template.html', "Custom Template Identifier"),
            # other tuples
        ],
    },
}

```

Now, when editing the page, a plugin named **Custom Snippet** appears in the *Generic* section in the plugin's dropdown menu. This plugin then offers a select element, where the site editor then can chose between the configured templates.

Adding children to a CustomSnippetPlugin

It is even possible to add children to the **CustomSnippetPlugin**. Simple add these `templatetag_s` to the customized template, and all plugins which are children of the **CustomSnippetPlugin** will be rendered as well.

```

{% load cms_tags %}
<wrapping-element>
{% for plugin in instance.child_plugin_instances %}
    {% render_plugin plugin %}
{% endfor %}
</wrapping-element>

```

3.20 Release History

3.20.1 1.1.9

- Fix: Handle float values in size fields expecting `em-s` and `rem-s`.

3.20.2 1.1.8

- Fix: Handle plugins with defined but empty forms.

3.20.3 1.1.7

- Support to use use a swappable Image model in `django-filer`.

3.20.4 1.1.6

- Fix regression introduced in 1.1.5: In `BootstrapButtonPlugin`, `Strides` did not work anymore.
- Fallback to empty form, if a Cascade plugin had not a form inheriting from `EntangledModelFormMixin`.

3.20.5 1.1.5

- Fix regression introduced in 1.1.4: In `LinkSearchField` reduce the initial number of choices for the `ModelChoice` field to max. 15 entities.

3.20.6 1.1.4

- Add special unit `auto` to the existing sizing units. Allow it as unit for element heights in Jumbotrom.
- Adopt JavaScript code for some plugins by enforcing the loading order, so that the file `query.init.js` always is loaded before its plugin-JS.
- In Carousel plugin, only allow pixels as unit.
- Fix problem of possible non-existing folder, when deleting an icon font.
- On plugins with more than one rendering template, allow to deactivate that choice actively.
- Actively check, that `django_select2` is installed.
- Fix: Pasting an invalid URL into the `LinkPlugin`'s external link field, could cause a `KeyError`.
- In `LinkPlugin`, render search results as safe html, without `htmlentities`.
- Fix: When rendering the editor of a `LinkPlugin` on sites with thousands of CMS pages, it took considerably too long.
- Allows the user to paste an existing URL into the CMS link box, pointing onto the correct CMS page.

3.20.7 1.1.3

- Fix problem in rendering the plugin's identifier, if Bootstrap Row is created with flexible widths columns.

3.20.8 1.1.2

- Prepend `admin/js/jquery.init.js` in front of JS file paths using `django.jQuery`. This is required by a change in Django-2.2 (<https://docs.djangoproject.com/en/2.2/releases/2.2/#merging-of-form-media-assets>).

3.20.9 1.1.1

- Support for django-CMS version 3.7 and Django version 2.2.
- In the CMS-Toolbar: Segmentation > Clear emulations is enabled only, if emulations are active.

3.20.10 1.1

- In **BootstrapJumbotrom**: Add multiple fields to set height in all five breakpoints.
- Allow Jumbotrom to be child of a Bootstrap Column.
- Fix regression in JavaScript part of Jumbotrom: Some HTML selectors did not work in version 1.0.
- Fix regression in `ColorField` of Jumbotrom. Background color is rendered correctly.
- `MultiSizeField` accepts `initial` as single value or list in addition to dictionary.

- Add reusable field `CascadeImageField` to reference images in **django-filer**.

3.20.11 1.0 (Warning: API changes!)

- Add support for Django-2.0/2.1.
- Drop support for Python-2.7.
- Introduce a much simpler way for writing customized CMS plugins. Instead of using a special multi-widget, thanks to **django-entangled**, now all plugins use Django forms to create the editors for their plugin models. As with previous versions of **djangocms-cascade**, all data is kept in a JSON field, but in a slightly different format. Therefore you must invoke `./manage.py migrate cmsplugin_cascade` after upgrading.
- If used in your project's settings, change `CMSPLUGIN_CASCADE['link_plugin_classes']` to a 2-tuple providing a `LinkPluginBase`- and a `LinkForm`-class.

3.20.12 0.19

- For each **django-CMS** page, **djangocms-cascade** optionally adds a one-to-one relation onto a page extension named `CascadePage`. This model has been extended to optionally point onto an icon font and a font symbol. In **djangocms-bootstrap** version 1.1 this symbol now can be rendered in front of the page title.

Remember to invoke `./manage.py migrate cmsplugin_cascade`.

3.20.13 0.18.2

- Fixed: CSS files, such as those extracted from an icon-font, served from the `/media` folder can not be compressed by `django-compressor`. To prevent this, an alternative compressor for Sekizai's `templatetag {% render_block "css/js" ... %}` has been added. Adopt your templates!

3.20.14 0.18.1

- Fix problem with `PicturePlugin`: `subject_location` not honored.
- Use predefined margins for **HorizontalRulePlugin** in Bootstrap-4.
- In Django admin: `jquery.init.js` must be the first dependency in admin media.

3.20.15 0.18

- In Plugins using Icons, such as **TextIconPlugin**, **BootstrapButtonPlugin** and **FramedIconPlugin**, it now is possible to select the Icon Font. This was the behaviour <0.17 and has been dropped, because back then, icons using two or more different fonts on the same page, lead to confusion. By enforcing a specific CSS icon prefix, it now is possible to use as many different icon fonts, as you want, on the same page.
- In your `settings.py` replace `CKEDITOR_SETTINGS['stylesSet']` by `format_lazy('default:{}'.format('reverse_lazy('admin:cascade_texteditor_config')))`.
- Add **SimpleIconPlugin**, which renders an icon without any frame.
- Add a special link type to download arbitrary files. All plugins which can link, can now set a link onto a downloadable file, managed by `django.Filer`.
- Add **BootstrapYoutubePlugin** which can be used to embed video available on YouTube.

- When managing Icon Fonts, one entry can be set as the default font.
- Fix: Hide link title, when no linking is desired.
- In plugins with links, refactor the usage of `get_form` by using a new `VoluntaryLinkForm`.
- Plugin **BootstrapSecondaryMenuPlugin** can be used outside of columns.
- Add property `floats` to mixin `BootstrapUtilities` in order to handle Bootstrap's float utilities. Replace field `quick_float` in **BootstrapButton** against this mixin property.
- Card plugin offers three distinct children for Header, Body and Footer. Themselves, they can be extended individually.

3.20.16 0.17.10

- Fix problem of missing referer, required to determine the current page when accessing an **IconFontPlugin** from inside the CKEditor.

3.20.17 0.17.9

- Catch `IconFont` exceptions, if CKEditor is used outside of CMS pages.
- Fix: Suppress `AttributeError` in `BootstrapCardPlugin.get_identifier`.

3.20.18 0.17.8

- For better reusability of `IconFont`-s: Refactor method `unzip_archive` into external utility function.

3.20.19 0.17.7

- Fix: Restore-to-Clipboard with data from differently configured instances of Cascade may cause an Internal Server Error. Now such an import shows an error message importing whatever is parsable.
- Add `role="button"` to the **ButtonPlugin**.
- Optionally add CSS class `stretched-link` introduced in Bootstrap-4.3 to ``.
- Fix: We can not see the SVG file, if the image file existed and was not found, specifically when copying a Persisted clipboard.
- Fix: If `jsonfield` is serialized as string, convert and reload as JSON.
- Fix: **ImagePlugin** / **PicturePlugin** can't be copied by clipboard CMS.
- Fix: Strides Plugin Element object has no attribute `placeholder`.

3.20.20 0.17.6

- Fix: Tabset support for Bootstrap-4 using jQuery.

3.20.21 0.17.5

- Fix: Limit the number of results to 16 while searching for a link.

3.20.22 0.17.4

- Fix: TextIconPlugin does not raise an exception if no IconFont was selected for the current page.

3.20.23 0.17.3

- Use `HeavySelect2Widget` to choose the CMS page if **django-select2** is available.
- For **ButtonPlugin**, make `IconFont` optional.
- Fix: Limit number of decimal places in breakpoint selection to one.
- Increase width of `select2` widget to 400px.
- Add feature: if a plugin use `ImageFormMixin` and that the source of the media is missing, instead it uses a `svg` with old width and height who use `srcset`.

3.20.24 0.17.2

- Fix problem with lazy evaluation during initialization by lazy formatting translated strings in `BootstrapUtilities`.
- Fix font-size icon don't work without `text_align`.
- In `HeadingPlugin` set width of content field to 100%.
- Add nicer `ColorPicker` widget for fields containing a color.

3.20.25 0.17.1

- User margin classes for `HeadingPlugin` as provided by Bootstrap-4.
- In `SectionMixin`, fix problem if no `cascadepage` is associated with CMS page.
- Fix: Can add `BootstrapColumn` with interface `+`.
- Fix: Add missing file `carsousel` template file.
- Render a nicer warning box if plugin template not found.
- Fix problem with missing `placeholderreference`.
- Adopted examples to support Bootstrap-3 as well as Bootstrap-4.
- Add filter function to find font-icon by name.

3.20.26 0.17

- Add support for django-CMS 3.5.
- Add support for Bootstrap-4.
- Drop support for Django-1.9.
- Remove deprecated function `cmsplugin_cascade.utils.resolve_dependencies`.
- Replace function `cmsplugin_cascade.utils.format_lazy` by Django's internal function.

- Font Icons now must be chosen per page, rather than for each Icon plugin. This prevents the problem of rendering unwanted symbols in case more than one Icon Font was selected on a given CMS page. Therefore, after migrating to this version of **djangocms-cascade**, check on all CMS pages if the selected icon font is the desired one. Use the django-CMS toolbar, and click onto `Page > Choose Icon Font...`
- Fix: Prevent double registration of proxy models.
- Append fields to plugins, which are missing in list `glossary_fields_order`.

3.20.27 0.16.3

- Fix **CarouselPlugin**, if used with newer versions of the **angular-ui-bootstrap** NPM library.
- Fix corner-case of dysfunctional **elif** evaluation in **SegmentPlugin**.

3.20.28 0.16.2

- Fix Markdown while uploading to PyPI.

3.20.29 0.16.1

- Fix: Compute link of `Page` object holding documentation menu.
- Fix regression in sharable glossary caused by upgrade to Django-1.11.
- Adopt child plugin editing for django-CMS 3.5 to behave as earlier versions.
- Icons in the `Text` field may have a foreground color.

3.20.30 0.16

- Drop support for **Django-CMS CKEditor** version 3.4 in favor of version 3.5 and later. In `CKEDITOR_SETTINGS` change the `skin` setting to `moono-lisa`.
- Remove monkey patch required for django-CMS 3.4. This has been fixed by applying this pull request: <https://github.com/divio/django-cms/pull/5809>
- Icons inside the `TextPlugin` can have an optional link.
- Simplify JavaScript plugins to extend alternative link types.
- Added `TextImagePlugin` allowing to add simple images inside the CKEditor.
- Move common image functionality into utility class `cmsplugin_cascade/image.py`.
- Optional checkbox to hide plugin is moved at the end of the editor window.

3.20.31 0.15.5

- Fix: `ImagePlugin` should not have duplicate `css_classes` and `inline_styles` if there is a link.
- Fix regression: Cascade Clipboard did not work anymore with Django<=1.10.
- Fix: If `USE_THOUSAND_SEPARATOR` was set to `True`, some templates were not unlocalized properly.

3.20.32 0.15.4

- Fix: In `FramedIconPlugin`, use `ColorWidget` for glossary attribute `color` instead of using a text field. This allows to inherit the foreground color from the given CSS settings. This fix required to run migration `0018_iconfont_color`.
- Fix: A Bootstrap Row now can be the child of a Jumbotron Plugin.
- Added a `CMSAppHook` named “Sphinx Documentation” which routes a documentaion tree directly onto the `SphinxDocsView`. Therefore the documentation tree can be handled directly by the CMS and doesn’t require any special routes in the project’s URL config.

3.20.33 0.15.3

- Bugfix: If more than one `CheckboxInput` in plugin only the first seem work correctly.
- Bugfix: Cascade works properly if `'cmsplugin_cascade.icon'` is missing in `INSTALLED_APPS`.

3.20.34 0.15.1 and 0.15.2

- Fixed one failing occurrence of `settings.SPHINX_DOCS_ROOT`.

3.20.35 0.15

- Possibility to integrate documentation pages generated by Sphinx, manged by the CMS menu tree.

3.20.36 0.14.4

- Adopted button- and container selection widget rendering to work with Django-1.11.
- Fixed clipboard issued regarding Django-1.11.

3.20.37 0.14.3

- Fix: If plugin is missing, now `templatetag.render_plugin` renders empty string, instead of raising a `TemplateSyntaxError`.
- Fix: Method `RenderTemplateMixin.get_render_template()` now properly expands templates with placeholders.

3.20.38 0.14.2

- In Leaflet Map Plugin: * For unset markers, place the position into the center of the current map. * Fix positioning of the markers anchor.
- When using `templatetag.render_cascade`, the HTML content is cached to improve performance.

3.20.39 0.14.1

- Restored deleted font files.
- Fix template for rendering a Google map.
- Add fields `offset` and `limit` to **SecondaryMenuPlugin**, to segment the menus.
- Fix bug in **HeadingPlugin**: Can not be used in `static_placeholder` tag.
- Fix bug in **HeadingPlugin**: HTML entities, such as ampersand can be used as content.
- Fix in **Panel Plugin**: Show identifier in Placeholder tree.
- Fix in **Section Plugin**: Can now be used in `static_placeholder`.

3.20.40 0.14

- Added static rendering of a serialized representation of plugins copied from a `placeholder` to the clipboard. For details, please read on how to *Use Cascade outside of the CMS*.

3.20.41 0.13.1

- Prepare for Django-1.11 compatibility: Replace renderer classes by specialized widgets overriding its `render()` method.

3.20.42 0.13

- Added **Leaflet Plugin** which allows to integrate interactive maps from Google, Mapbox and OpenStreetMap. The editor can add any number of markers using arbitrary logos with an optional popup box.
- Refactored the app's settings modules to use an `AppSettings` class, rather than merging application specific settings on the fly.

3.20.43 0.12.5

- Fixed: Wrapper for transparent plugins did not find all children which declared these kind of plugins as their parents.

3.20.44 0.12.4

- Fixed: Initial Image is reseted after reopening Image plugin editor.
- Changed order of fields in Accordion plugin editor.
- Moved directory `workdir` for demo project from root folder into examples.

3.20.45 0.12.3

- Fixed: When using an Element ID while adding a **Heading Plugin**, under certain circumstances the validation ran into an infinite loop.

3.20.46 0.12.2

- Fixed: Allow transparent instances as root objects.

3.20.47 0.12.1

- Fixed: Do not invoke `{% addtoblock "css" %}...` for empty values of `stylesheet_url`.
- Renamed buttons in clipboard admin to “Insert Data” (instead of “Save”) and “Restore Data” (instead of “restore”).

3.20.48 0.12.0

- Added compatibility for Django version 1.10.
- Added compatibility for django-CMS version 3.4.
- Added monkey patch to resolve issues handled by PR <https://github.com/divio/django-cms/pull/5809>
- Added compatibility for django-cms-text-ckeditor-3.4.
- **Important for AngularJS users:** Please upgrade to angular-ui-bootstrap version 0.14.3. All versions later than 0.13 use the prefix `uib-` on all AngularJS directives, hence this upgrade is required.
- In the `CarouselSlide` plugin, `caption` is added as a child `TextPlugin` instead of using the glossary. Currently the migration of `TextLinkPlugins` inside this `caption` field does not work properly. Please create an issue, if you really need it.
- Added method `value_omitted_from_data` to `JSONMultiWidget` to override the Django method implemented in `django.forms.widgets.MultiWidget`.
- In `cmsplugin_cascade.models.CascadeElement` the foreign key `shared_glossary` now is marked as `editable`. Instead to plugins without sharable glossary, the attribute `exclude = ['shared_glossary']` is added.
- Instead of handling `ring.js` plugin inheritance through `get_ring_bases()`, Cascade plugins just have to add `ring_plugin = '...'` to their class declaration.
- Function `cmsplugin_cascade.utils.resolve_dependencies` is deprecated, since Javascript dependencies now are handled via their natural inheritance relation.
- The configuration option `settings.CMSPLUGIN_CASCADE['dependencies']` has been removed.
- Added method `save()` to model `SharedGlossary`, which filters the glossary to be stored to only those fields marked as sharable.
- Accessing the CMS page via `plugin_instance.page` is deprecated and has been replaced by invocations to `plugin_instance.placeholder.page`.
- Removed directory `static/cascade/css/fonts/glyphicons-halflings`, since they are available through the Bootstrap npm packages.
- All Javascript files accessing a property `disabled`, now use the proper jQuery function intended for it.
- Added interface to upload fonts and use them as framed icons, text icons or button decorators.
- The permission system now is fine grained. Administrators can give their staff users `add/change/delete` permissions to each of the many Cascade plugins. When adding new plugins, this does not even require a database migration.
- Fixed: On saving a `CarouselPlugin`, the glossary of it’s children, ie. `CarouselSlidePlugin`, is sanitized.

- Handle the high resolution of the **PicturePlugin** through `srcset` rather than a `@media` query.
- Handle the high resolution background of the **JumbotronPlugin** through `image-set` rather than a `@media` query.
- Use default configurations from provides Cascade settings rather than from the Django project.

3.20.49 0.11.1

- Added preconfigured `FilePathField` to prevent the creation of useless migration files.
- `SegmentPlugin.get_form` `OrderedDict` value lookups now compatible with python3.
- Fixed database migration failing on multiple database setup.

3.20.50 0.11.0

- Instead of adding a list of `PartialFormField`'s named `glossary_fields`, we now can add these fields to the plugin class, as we would in a Django forms `.Form` or `models.Model`, for instance: `fieldname = GlossaryField(widget, label="A Label", initial=some_value)` instead of `glossary_fields = <list-or-tuple-of PartialFormField s>`. This is only important for third party apps inheriting from `CascadePluginBase`.

Remember: In some field names, the - (dash) has been replaced against an _ (underscore). Therefore please run `./manage.py migrate cmsplugin_cascade` which modifies the plugin's payloads.

3.20.51 0.10.2

- Fix #188: Using shared settings does not remember it's value.

3.20.52 0.10.1

- Fix #185: Undefined variables in case of uncaught exception.

3.20.53 0.10.0

- Added **BootstrapJumbotronPlugin**. This for instance can be used to place background images extending over the full width of a page using a parallax effect.
- *Experimental:* Utility to manage font icons, so that symbol icons can be used anywhere in any size.
- `CMSPLUGIN_CASCADE['plugins_with_extra_fields']` is a dict instead of a tuple. This allows the site administrator to enable extra styles globally and without adding them using the administration backend.
- Tuples in `CMSPLUGIN_CASCADE['bootstrap3']['breakpoints']` now accepts five parameters instead of four. The 5th parameter specifies the image width for fluid containers and the Jumbotron plugin.
- The plugin's change form now can add an introduction and a footnote HTML. This is useful to add some explanation text.

3.20.54 0.9.4

- Added function `.utils.validate_link` to check if submitted link information is valid.

3.20.55 0.9.3

- Fixed: enabled `subject_location` did not work properly for **ImagePlugin** and **PicturePlugin**.
- Fixed indentation in admin interface for extra fields model.
- Moved template `'testing.html'` -> `'cascade/testing.html'`.
- Added German translations.

3.20.56 0.9.2

- Restore global jQuery object (required by the Select2 widget) in explicit file instead of doing it implicitly in `linkpluginbase.js`

3.20.57 0.9.1

- Prepared for django-1.10
- Upgrade ring.js to version 2.1.0
- In LinkPlugin, forgive if sub-dict `link` was missing in `glossary`
- Fixed HTML escaping problem in Bootstrap Carousel
- Increase height of Select2 fields

3.20.58 0.9.0

- Compatible with django-cms version 3.3.0
- Converted `SharableCascadeElement` into a proxy model, sharing the same data as model `CascadeElement`. This allows adding plugins to `CMSPLUGIN_CASCADE['plugins_with_sharables']` without requiring a data-migration. (**Note:** A migration merges the former two models, so please backup your database before upgrading!)
- Add support for Section Bookmarks.
- Fixed: Do not set width/height on ``-element inside a `<picture>`, if wrapping container is fluid.
- Replaced configuration settings `CMSPLUGIN_CASCADE_LINKPLUGIN_CLASSES` against `CMSPLUGIN_CASCADE['link_plugin_classes']` for better consistency.

Note: If you want to continue using django-CMS 3.2 please use `django-cascade` 0.8.5.

3.20.59 0.8.5

- Dropped support for Python-2.6.

3.20.60 0.8.4

- Fixed a regression in “Restore from clipboard”.
- Fixed `TextLinkPlugin` to work again as child of `TextPlugin`.
- `ContainerPlugin` can only be added below a placeholder.

- Prepared demo to work with Django-1.10.
- Plugins marked as “transparent” are only allowed as parents, if they allow children.

3.20.61 0.8.3

- Added `CustomSnippetPlugin`. It allows to add arbitrary custom templates to the project.
- Fixed #160: Error copying Carousel plugin
- Plugins marked as “transparent” can be parents of everybody.
- `BootstrapPanelPlugin` now accepts inline CSS styles.

3.20.62 0.8.2

- Cascade does not create migrations for proxy models anymore. This created major problems if Cascade components have been switched on and off. All existing migrations of proxy models have been removed from the migration files.
- Fixed: Response of more than one entry on non unique clipboards.
- Added `cmsplugin_cascade.models.SortableInlineCascadeElement` which can be used for keeping sorted inline elements.
- `cmsplugin_cascade.bootstrap3.gallery.BootstrapGalleryPlugin` can sort its images.

3.20.63 0.8.1

- Hotfix: removed invalid dependency in migration 0007.

3.20.64 0.8.0

- Compatible with Django-1.9
- Fixed #133: `BootstrapPanelPlugin` now supports custom CSS classes.
- Fixed #132: Carousel Slide plugin with different form.
- Fixed migration problems for proxy models outside Cascade.
- Replaced `SelectMultiple` against `CheckboxSelectMultiple` in admin for extra fields.
- Removed `SegmentationAdmin` from admin backend.
- Disallow whitespace in CSS attributes.
- Require `django-reversion` 1.10.1 or newer.
- Require `django-polymorphic` 0.9.1 or newer.
- Require `django-filer` 1.1.1 or newer.
- Require `django-treebeard` 4.0 or newer.
- Require `django-sekizai` 0.9.0 or newer.

3.20.65 0.7.3

- Use the outer width for fluid containers. This allows us to add images and carousels which extend the browser's edges.
- Fixed #132: Carousel Slide plugin different form.
- Fixed #133: BootstrapPanelPlugin does not support custom CSS classes.
- Fixed #134: More plugins can be children of the SimpleWrapperPlugin. This allows us to be more flexible when building the DOM tree.
- BootstrapContainerPlugin now by default accepts extra inline styles and CSS classes.

3.20.66 0.7.2

- Add a possibility to prefix Cascade plugins with a symbol of your choice, to avoid confusion if the same name has been used by another plugin.
- All Bootstrap plugins can override their templates globally through a configuration settings variable. Useful to switch between jQuery and AngularJS versions of a widget.
- Added TabSet and TabPanel plugins.
- It is possible to persist the content of the clipboard in the database, retrieve and export it as JSON to be reimported on an unrelated site.

3.20.67 0.7.1

- Added a **HeadingPlugin** to add single text headings independently of the HTML TextEditorPlugin.

3.20.68 0.7.0

Cleanup release, removing a lot of legacy code. This adds some incompatibilities to previous versions:

- Instead of half a dozen of configuration directives, now one Python dict is used. Therefore check your `settings.py` for configurations starting with `CMSPLUGIN_CASCADE_...`
- Tested with **Django-1.8**. Support for version 1.7 and lower has been dropped.
- Tested with **djangoCMS** version 3.2. Support for version 3.0 and lower has been dropped.
- Tested with **django-select2** version 5.2. Support for version 4 has been dropped.
- The demo project now uses SASS instead of plain CSS, but SASS is not a requirement during normal development.

3.20.69 0.6.2

- In Segment: A condition raising a `TemplateSyntaxError` now renders that error inside a HTML comment. This is useful for debugging non working conditions.
- In Segment: An alternative AdminModel to UserAdmin, using a callable instead of a model field, now works.
- In Segment: It is possible to use `segmentation_list_display = (list-of-fields)` in an alternative AdminModel, to override the list view, when emulating a user.

3.20.70 0.6.1

- Added a panel plugin to support the Bootstrap Panel.
- Added experimental support for secondary menus.
- Renamed `AccordionPlugin` to `BootstrapAccordionPlugin` for consistency and to avoid future naming conflicts.

3.20.71 0.6.0

- Fixed #79: The column width is not reduced in width, if a smaller column precedes a column for a smaller displays.
- Fixed: Added extra space before left prefix in buttons.
- Enhanced: Access the link content through the glossary's `link_content`.
- New: Plugins now can be rendered using an alternative template, choosable through the plugin editor.
- Fixed in `SegmentationPlugin`: When overriding the context, this updated context was only used for the immediate child of segment. Now the overridden context is applied to all children and grandchildren.
- Changed in `SegmentationPlugin`: When searching for siblings, use a list index instead of `get_children()`. `get(position=...)`.
- Added unit tests for `SegmentationPlugin`.
- Added support for **django-reversion**.
- By using the setting `CMSPLUGIN_CASCADE_LINKPLUGIN_CLASSES`, one can replace the class `LinkPluginBase` by an alternative implementation.
- When using *Extra Styles* distances now can have negative values.
- In caption field of `CarouselSlidePlugin` it now is possible to set links onto arbitrary pages.

Possible backwards incompatibility:

- For consistency with naming conventions on other plugins, renamed `cascade/plugins/link.html` -> `cascade/link/link-base.html`. **Check your templates!**
- The setting `CMSPLUGIN_CASCADE_SEGMENTATION_MIXINS` now is a list of two-tuples, where the first declares the plugin's model mixin, while the second declares the model admin mixin.
- Removed from setting: `CMSPLUGIN_CASCADE_BOOTSTRAP3_TEMPLATE_DIR`. The rendering template now can be specified during runtime.
- Refactored and moved `SimpleWrapperPlugin` and `HorizontalRulePlugin` from `cmsplugin_cascade/bootstrap3/` into `cmsplugin_cascade/generic/`. The glossary field `element_tag` has been renamed to `tag_type`.
- Refactored `LinkPluginBase` so that external implementations can create their own version, which then is used as base for `TextLinkPlugin`, `ImagePlugin` and `PicturePlugin`.
- Renamed: `PanelGroupPlugin` -> `Accordion`, `PanelPlugin` -> `AccordionPanelPlugin`, because the Bootstrap project renamed them back to their well known names.

3.20.72 0.5.0

- Added `SegmentationPlugin`. This allows to conditionally render parts of the DOM, depending on the status of various `request` object members, such as `user`.

- Setting `CASCADE_LEAF_PLUGINS` has been replaced by `CMSPLUGIN_CASCADE_ALIEN_PLUGINS`. This simplifies the programming of third party plugins, since the author of a plugin now only must set the member `alien_child_classes = True`.

3.20.73 0.4.5

- Fixed: If no breakpoints are set, don't delete widths and offsets from the glossary, as otherwise this information is lost.
- Fixed broken import for `PageSelectFormField` when not using `django_select2`.
- Admin form for `PluginExtraFields` now is created on the fly. This fixes a rare circular dependency issue, when accessing `plugin_pool.get_all_plugins()`.

3.20.74 0.4.4

- Removed hard coded input fields for styling margins from **BootstrapButtonPlugin**, since it is possible to add them through the **Extra Fields** dialog box.
- [Column ordering](<http://getbootstrap.com/css/#grid-column-ordering>) using `col-xx-push-n` and `col-xx-pull-n` has been added.
- Fixed: Media file `linkplugin.js` was missing for **BootstrapButtonPlugin**.
- Hard coded configuration option `EXTRA_INLINE_STYLES` can now be overridden by the projects settings

3.20.75 0.4.3

- The templatetag `bootstrap3_tags` and the templates to build Bootstrap3 styled menus, breadcrumbs and paginator, have been moved into their own repository at <https://github.com/jrief/djangocms-bootstrap3>.
- Column ordering using `col-xx-push-n` and `col-xx-pull-n` has been added.

3.20.76 0.4.2

- Fixed: Allow empty setting for `CMSPLUGIN_CASCADE_PLUGINS`
- Fixed: Use `str(..)` instead of `b''` in combination with `__future__` import `unicode_literals`

3.20.77 0.4.1

- Fixed: Exception when saving a `ContainerPlugin` with only one breakpoint.
- The `required` flag on a field for an inherited `LinkPlugin` is set to `False` for shared settings.
- Fixed: Client side code for disabling shared settings did not work.

3.20.78 0.4.0

- Renamed `context` from model `CascadeElement` to `glossary``. The identifier ```context` lead to too much confusion, since it is used all way long in other CMS plugins, where it has a complete different meaning.

- Renamed `partial_fields` in all plugins to `glossary_fields`, since that's the model field where they keep their information.
- Huge refactoring of the code base, allowing a lot of more features.

3.20.79 0.3.2

- Fixed: Missing unicode conversion for method `get_identifier()`
- Fixed: Exception handler for form validation used `getattr` incorrectly.

3.20.80 0.3.1

- Added compatibility layer for Python-3.3.

3.20.81 0.3.0

- Complete rewrite. Now offers elements for Bootstrap 3 and other CSS frameworks.

3.20.82 0.2.0

- Added carousel.

3.20.83 0.1.2

- Fixed: Added missign migration.

3.20.84 0.1.1

- Added unit tests.

3.20.85 0.1.0

- First published revision.

3.20.86 Thanks

This DjangoCMS plugin originally was derived from <https://github.com/divio/djangocms-style>, so the honor for the idea of this software goes to Divio and specially to Patrick Lauber, aka digi604.

However, since my use case is different, I removed all the existing code and replaced it against something more generic suitable to add a collection of highly configurable plugins.

CHAPTER 4

Indices and tables

- `genindex`
- `modindex`
- `search`