
dokomoforms Documentation

Release

Author

January 10, 2017

1 dokomoforms package	3
1.1 Subpackages	3
1.1.1 dokomoforms.handlers package	3
Subpackages	3
Submodules	4
dokomoforms.handlers.auth module	4
dokomoforms.handlers.debug module	4
dokomoforms.handlers.root module	4
dokomoforms.handlers.util module	4
Module contents	4
1.1.2 dokomoforms.models package	4
Submodules	4
dokomoforms.models.answer module	4
dokomoforms.models.column_properties module	16
dokomoforms.models.node module	16
dokomoforms.models.submission module	24
dokomoforms.models.survey module	27
dokomoforms.models.user module	35
dokomoforms.models.util module	36
Module contents	38
1.2 Submodules	58
1.3 dokomoforms.exc module	58
1.4 dokomoforms.options module	59
1.5 Module contents	59
 2 webapp module	 61
 3 Indices and tables	 63
 Python Module Index	 65

Contents:

dokomoforms package

1.1 Subpackages

1.1.1 dokomoforms.handlers package

Subpackages

dokomoforms.handlers.api package

Subpackages

dokomoforms.handlers.api.v0 package

Submodules

dokomoforms.handlers.api.v0.base module

dokomoforms.handlers.api.v0.nodes module

dokomoforms.handlers.api.v0.photos module

dokomoforms.handlers.api.v0.serializer module

dokomoforms.handlers.api.v0.submissions module

dokomoforms.handlers.api.v0.surveys module

Module contents

dokomoforms.handlers.user package

Submodules

dokomoforms.handlers.user.admin module

dokomoforms.handlers.user.enumerate module

Module contents

Submodules

dokomoforms.handlers.auth module

dokomoforms.handlers.debug module

dokomoforms.handlers.root module

dokomoforms.handlers.util module

Module contents

1.1.2 dokomoforms.models package

Submodules

dokomoforms.models.answer module

Answer models.

class `dokomoforms.models.answer.Answer` (**kwargs)

Bases: `dokomoforms.models.util.Base`

An Answer is a response to a SurveyNode.

An Answer can be one of an answer, an “other” response or a “don’t know” response. Answer.response abstracts over these 3 possibilities.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance’s class are allowed. These could be, for example, any mapped columns or relationships.

allow_dont_know

allow_multiple

allow_other

answer

The answer. Could be the same as main_answer in simple cases.

This property is the most useful representation available of the answer. In the simplest case it is just a synonym for main_answer. It could otherwise be a dictionary or another model.

answer_metadata

answer_number

answer_type**deleted****dont_know**

A text field containing “don’t know” responses.

id**last_update_time****main_answer**

The representative part of a provided answer.

The `main_answer` is the only answer for simple types (integer, text, etc.) and for other types is the part of the answer that is most important. In practice, the `main_answer` is special only in that all Answer models have it, which is necessary for certain constraints and for the response property.

other

A text field containing “other” responses.

question_id**question_title****repeatable****response = OrderedDict([('type_constraint', <sqlalchemy.orm.attributes.InstrumentedAttribute object at 0x7f3db32aca...)****save_time****submission_id****survey_containing_id****survey_id****survey_node****survey_node_containing_survey_id****survey_node_id****type_constraint**

class dokomoforms.models.answer.**DateAnswer** (**kwargs)

Bases: dokomoforms.models.answer._AnswerMixin, *dokomoforms.models.answer.Answer*

A DATE answer.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance’s class are allowed. These could be, for example, any mapped columns or relationships.

allow_dont_know**allow_multiple****allow_other****answer****answer_metadata****answer_number**

`answer_type`
`deleted`
`dont_know`
`id`
`last_update_time`
`main_answer`
`other`
`question_id`
`question_title`
`repeatable`
`save_time`
`submission_id`
`survey_containing_id`
`survey_id`
`survey_node`
`survey_node_containing_survey_id`
`survey_node_id`
`the_allow_dont_know`
`the_allow_other`
`type_constraint`

class `dokomoforms.models.answer.DecimalAnswer` (**kwargs)

Bases: `dokomoforms.models.answer._AnswerMixin`, `dokomoforms.models.answer.Answer`

A NUMERIC answer.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_dont_know`

`allow_multiple`

`allow_other`

`answer`

`answer_metadata`

`answer_number`

`answer_type`

`deleted`

`dont_know`

```

id
last_update_time
main_answer
other
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
type_constraint

```

```
class dokomoforms.models.answer.FacilityAnswer (**kwargs)
```

Bases: dokomoforms.models.answer._AnswerMixin, *dokomoforms.models.answer.Answer*

A facility answer (a la Revisit).

FacilityAnswer.answer is a dictionary with 4 keys: facility_location, facility_id, facility_name, facility_sector

facility_location accepts input in the form {

```
    'lng': <longitude>, 'lat': <latitude>
```

} and outputs a GeoJSON.

```
__init__ (**kwargs)
```

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```
allow_dont_know
```

```
allow_multiple
```

```
allow_other
```

```
answer = OrderedDict([('facility_location', <sqlalchemy.orm.attributes.InstrumentedAttribute object at 0x7f3db31b31a>)
```

```
answer_metadata
```

```
answer_number
```

```
answer_type
```

```
deleted
```

dont_know
facility_id
facility_name
facility_sector
geo_json
id
last_update_time
main_answer
other
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
type_constraint

class dokomoforms.models.answer.**IntegerAnswer** (**kwargs)

Bases: dokomoforms.models.answer._AnswerMixin, *dokomoforms.models.answer.Answer*

An INTEGER answer (signed 4 byte).

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_dont_know

allow_multiple

allow_other

answer

answer_metadata

answer_number

answer_type

```

deleted
dont_know
id
last_update_time
main_answer
other
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
type_constraint

```

```
class dokomoforms.models.answer.LocationAnswer(**kwargs)
```

Bases: dokomoforms.models.answer._AnswerMixin, *dokomoforms.models.answer.Answer*

A GEOMETRY('POINT', 4326) answer.

Accepts input in the form {

```

    'lng': <longitude>, 'lat': <latitude>
}

```

The output is a GeoJSON.

```
__init__ (**kwargs)
```

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```

allow_dont_know
allow_multiple
allow_other
answer
answer_metadata
answer_number

```

answer_type
deleted
dont_know
geo_json
id
last_update_time
main_answer
other
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
type_constraint

class dokomoforms.models.answer.**MultipleChoiceAnswer** (**kwargs)

Bases: dokomoforms.models.answer._AnswerMixin, *dokomoforms.models.answer.Answer*

A Choice answer.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_dont_know

allow_multiple

allow_other

answer

answer_metadata

answer_number

answer_type

choice

```

deleted
dont_know
id
last_update_time
main_answer
other
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
the_question_id
the_submission_id
the_survey_node_id
type_constraint

```

```
class dokomoforms.models.answer.Photo(**kwargs)
```

Bases: *dokomoforms.models.util.Base*

A BYTEA holding an image.

```
__init__(**kwargs)
```

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```
created_on
```

```
deleted
```

```
id
```

```
image
```

```
mime_type
```

```
class dokomoforms.models.answer.PhotoAnswer (**kwargs)
    Bases: dokomoforms.models.answer._AnswerMixin, dokomoforms.models.answer.Answer

    A photo answer (the id of a Photo).

    __init__ (**kwargs)
        A simple constructor that allows initialization from kwargs.

        Sets attributes on the constructed instance using the names and values in kwargs.

        Only keys that are present as attributes of the instance's class are allowed. These could be, for example,
        any mapped columns or relationships.

actual_photo_id
allow_dont_know
allow_multiple
allow_other
answer
answer_metadata
answer_number
answer_type
deleted
dont_know
id
last_update_time
main_answer
other
photo
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
type_constraint
```

```
class dokomoforms.models.answer.TextAnswer (**kwargs)
    Bases: dokomoforms.models.answer._AnswerMixin, dokomoforms.models.answer.Answer

    A TEXT answer.

    __init__ (**kwargs)
        A simple constructor that allows initialization from kwargs.

        Sets attributes on the constructed instance using the names and values in kwargs.

        Only keys that are present as attributes of the instance's class are allowed. These could be, for example,
        any mapped columns or relationships.

allow_dont_know
allow_multiple
allow_other
answer
answer_metadata
answer_number
answer_type
deleted
dont_know
id
last_update_time
main_answer
other
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
type_constraint
```

```
class dokomoforms.models.answer.TimeAnswer (**kwargs)
    Bases: dokomoforms.models.answer._AnswerMixin, dokomoforms.models.answer.Answer

    A TIME WITH TIME ZONE answer.
```

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_dont_know`

`allow_multiple`

`allow_other`

`answer`

`answer_metadata`

`answer_number`

`answer_type`

`deleted`

`dont_know`

`id`

`last_update_time`

`main_answer`

`other`

`question_id`

`question_title`

`repeatable`

`save_time`

`submission_id`

`survey_containing_id`

`survey_id`

`survey_node`

`survey_node_containing_survey_id`

`survey_node_id`

`the_allow_dont_know`

`the_allow_other`

`type_constraint`

class `dokomoforms.models.answer.TimestampAnswer` (**kwargs)

Bases: `dokomoforms.models.answer._AnswerMixin`, `dokomoforms.models.answer.Answer`

A TIMESTAMP WITH TIME ZONE answer.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```

allow_dont_know
allow_multiple
allow_other
answer
answer_metadata
answer_number
answer_type
deleted
dont_know
id
last_update_time
main_answer
other
question_id
question_title
repeatable
save_time
submission_id
survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
the_allow_dont_know
the_allow_other
type_constraint

```

`dokomoforms.models.answer.add_new_photo_to_session(session, *, id, **kwargs)`
 Create a new Photo and update the referenced PhotoAnswer.

`dokomoforms.models.answer.construct_answer(*, type_constraint: str, **kwargs) → dokomoforms.models.answer.Answer`
 Return a subclass of `dokomoforms.models.answer.Answer`.

The subclass is determined by the `type_constraint` parameter. This utility function makes it easy to create an instance of an Answer subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **type_constraint** – the type of the answer. Must be one of the keys of `dokomoforms.models.answer.ANSWER_TYPES`
- **kwargs** – the keyword arguments to pass to the constructor

Returns an instance of one of the Answer subtypes

Raises `dokomoforms.exc.NotAnAnswerTypeError`

dokomoforms.models.column_properties module

Extra properties for models.

These could not be defined inline with the models do to import issues. See http://docs.sqlalchemy.org/en/rel_1_0/orm/mapped_sql_expr.html#using-column-property

`dokomoforms.models.column_properties.answer_avg` (*survey_node*: *dokomoforms.models.survey.AnswerableSurveyNode*)

Get the average of the answers.

`dokomoforms.models.column_properties.answer_max` (*survey_node*: *dokomoforms.models.survey.AnswerableSurveyNode*)

Get the maximum answer.

`dokomoforms.models.column_properties.answer_min` (*survey_node*: *dokomoforms.models.survey.AnswerableSurveyNode*)

Get the minimum answer.

`dokomoforms.models.column_properties.answer_mode` (*survey_node*: *dokomoforms.models.survey.AnswerableSurveyNode*)

Get the mode of the answers.

`dokomoforms.models.column_properties.answer_stddev_pop` (*survey_node*: *dokomoforms.models.survey.AnswerableSurveyNode*)

Get the population standard deviation of the answers.

`dokomoforms.models.column_properties.answer_stddev_samp` (*survey_node*: *dokomoforms.models.survey.AnswerableSurveyNode*)

Get the sample standard deviation of the answers.

`dokomoforms.models.column_properties.answer_sum` (*survey_node*: *dokomoforms.models.survey.AnswerableSurveyNode*)

Get the sum of the answers.

`dokomoforms.models.column_properties.generate_question_stats` (*survey*)
Get answer statistics for the nodes in a survey.

dokomoforms.models.node module

A Node is either a note or a question and is independent of a Survey.

class `dokomoforms.models.node.Choice` (**kwargs)
Bases: `dokomoforms.models.util.Base`

A choice for a `MultipleChoiceQuestion`.

Models a choice for a `dokomoforms.models.survey.MultipleChoiceQuestion`.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

choice_number

choice_text

deleted

id

last_update_time

question_id

question_languages

class dokomofoms.models.node.**DateQuestion** (**kwargs)

Bases: dokomofoms.models.node._QuestionMixin, *dokomofoms.models.node.Question*

A date question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple

allow_other

deleted

hint

id

languages

last_update_time

logic

the_languages

the_type_constraint

title

type_constraint

class dokomofoms.models.node.**DecimalQuestion** (**kwargs)

Bases: dokomofoms.models.node._QuestionMixin, *dokomofoms.models.node.Question*

A decimal question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple

`allow_other`
`deleted`
`hint`
`id`
`languages`
`last_update_time`
`logic`
`the_languages`
`the_type_constraint`
`title`
`type_constraint`

class `dokomoforms.models.node.FacilityQuestion` (**kwargs)
Bases: `dokomoforms.models.node._QuestionMixin`, `dokomoforms.models.node.Question`

A facility question.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`
`allow_other`
`deleted`
`hint`
`id`
`languages`
`last_update_time`
`logic`
`the_languages`
`the_type_constraint`
`title`
`type_constraint`

class `dokomoforms.models.node.IntegerQuestion` (**kwargs)
Bases: `dokomoforms.models.node._QuestionMixin`, `dokomoforms.models.node.Question`

A integer question.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```

allow_multiple
allow_other
deleted
hint
id
languages
last_update_time
logic
the_languages
the_type_constraint
title
type_constraint

```

```
class dokomoforms.models.node.LocationQuestion(**kwargs)
```

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A location question.

```
__init__(**kwargs)
```

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```

allow_multiple
allow_other
deleted
hint
id
languages
last_update_time
logic
the_languages
the_type_constraint
title
type_constraint

```

```
class dokomoforms.models.node.MultipleChoiceQuestion(**kwargs)
```

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A multiple_choice question.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`

`allow_other`

`choices`

`deleted`

`hint`

`id`

`languages`

`last_update_time`

`logic`

`node_languages`

`the_languages`

`the_type_constraint`

`title`

`type_constraint`

class `dokomoforms.models.node.Node` (**kwargs)

Bases: `dokomoforms.models.util.Base`

A node is a Note or Question independent of any Survey.

A node is its own entity. A node can be a `dokomoforms.models.survey.Note` or a `dokomoforms.models.survey.Question`.

You can use this class for querying, e.g. `session.query(Node).filter_by(title='Some Title')`

To create the specific kind of Node you want, use `dokomoforms.models.survey.node.construct_node`.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`deleted`

`hint`

`id`

`languages`

`last_update_time`

`logic`

`title`

type_constraint

class dokomofoms.models.node.**Note** (**kwargs)

Bases: *dokomofoms.models.node.Node*

Notes provide information interspersed with survey questions.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

deleted

hint

id

languages

last_update_time

logic

the_type_constraint

title

type_constraint

class dokomofoms.models.node.**PhotoQuestion** (**kwargs)

Bases: *dokomofoms.models.node._QuestionMixin*, *dokomofoms.models.node.Question*

A photo question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple

allow_other

deleted

hint

id

languages

last_update_time

logic

the_languages

the_type_constraint

title

type_constraint

class dokomoforms.models.node.**Question** (**kwargs)

Bases: *dokomoforms.models.node.Node*

A Question has a response type associated with it.

A Question has a type constraint associated with it (integer, date, text...). Only a dokomoforms.models.survey.MultipleChoiceQuestion has a list of dokomoforms.models.survey.Choice instances.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple

allow_other

deleted

hint

id

languages

last_update_time

logic

the_languages

the_type_constraint

title

type_constraint

class dokomoforms.models.node.**TextQuestion** (**kwargs)

Bases: *dokomoforms.models.node._QuestionMixin*, *dokomoforms.models.node.Question*

A text question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple

allow_other

deleted

hint

id

languages

last_update_time

logic

the_languages**the_type_constraint****title****type_constraint****class** dokomoforms.models.node.**TimeQuestion** (**kwargs)Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A time (with time zone) question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple**allow_other****deleted****hint****id****languages****last_update_time****logic****the_languages****the_type_constraint****title****type_constraint****class** dokomoforms.models.node.**TimestampQuestion** (**kwargs)Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A timestamp (with time zone) question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple**allow_other****deleted****hint****id****languages**

`last_update_time`
`logic`
`the_languages`
`the_type_constraint`
`title`
`type_constraint`

`dokomoforms.models.node.construct_node(*, type_constraint: str, **kwargs) → dokomoforms.models.node.Node`

Return a subclass of `dokomoforms.models.node.Node`.

The subclass is determined by the `type_constraint` parameter. This utility function makes it easy to create an instance of a `Node` or `Question` subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **type_constraint** – the type constraint of the node. Must be one of the keys of `dokomoforms.models.survey.NODE_TYPES`
- **kwargs** – the keyword arguments to pass to the constructor

Returns an instance of one of the `Node` subtypes

Raises `dokomoforms.exc.NoSuchNodeTypeError`

dokomoforms.models.submission module

Submission models.

class `dokomoforms.models.submission.EnumeratorOnlySubmission(**kwargs)`
Bases: `dokomoforms.models.submission.Submission`

An `EnumeratorOnlySubmission` must have an enumerator.

Use an `EnumeratorOnlySubmission` for an `EnumeratorOnlySurvey`.

__init__ (***kwargs*)

A simple constructor that allows initialization from `kwargs`.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`answers`
`deleted`
`enumerator`
`enumerator_user_id`
`id`
`last_update_time`
`save_time`
`start_time`
`submission_time`

submission_type
submitter_email
submitter_name
survey_containing_id
survey_default_language
survey_id
survey_title
survey_type
the_survey_id

class dokomoforms.models.submission.**PublicSubmission** (**kwargs)

Bases: *dokomoforms.models.submission.Submission*

A PublicSubmission might have an enumerator.

Use a PublicSubmission for a Survey.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

answers
deleted
enumerator
enumerator_user_id
id
last_update_time
save_time
start_time
submission_time
submission_type
submitter_email
submitter_name
survey_containing_id
survey_default_language
survey_id
survey_title
survey_type

`class dokomoforms.models.submission.Submission (**kwargs)`

Bases: `dokomoforms.models.util.Base`

A Submission references a Survey and has a list of Answers.

`__init__ (**kwargs)`

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`answers`

`deleted`

`id`

`last_update_time`

`save_time`

`start_time`

`submission_time`

`submission_type`

`submitter_email`

`submitter_name`

`survey_containing_id`

`survey_default_language`

`survey_id`

`survey_title`

`survey_type`

`dokomoforms.models.submission.construct_submission (*, submission_type: str, **kwargs) → dokomoforms.models.submission.Submission`

Return a subclass of `dokomoforms.models.submission.Submission`.

The subclass is determined by the `submission_type` parameter. This utility function makes it easy to create an instance of a Submission subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **submission_type** – the type of submission. Must be either 'public_submission' or 'enumerator_only_submission'
- **kwargs** – the keyword arguments to pass to the constructor

Returns an instance of one of the Node subtypes

Raises `dokomoforms.exc.NoSuchSubmissionTypeError`

`dokomoforms.models.submission.most_recent_submissions (session, user_id, limit=None)`

Get an administrator's surveys' most recent submissions.

dokomoforms.models.survey module

Survey models.

class `dokomoforms.models.survey.AnswerableSurveyNode` (**kwargs)

Bases: `dokomoforms.models.survey.SurveyNode`

Contains a Node which is answerable (e.g, a Question).

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_dont_know`

`allow_multiple`

`allow_other`

`answer_count`

`answers`

`containing_survey_id`

`deleted`

`id`

`last_update_time`

`logic`

`node`

`node_id`

`node_languages`

`node_number`

`non_null_repeatable`

`required`

`root_survey_id`

`root_survey_languages`

`sub_survey_id`

`sub_survey_repeatable`

`sub_surveys`

`survey_node_answerable`

`the_containing_survey_id`

`the_node`

`the_node_id`

`the_node_languages`

`the_root_survey_languages`

the_sub_survey_repeatable

the_type_constraint

type_constraint

class dokomoforms.models.survey.**Bucket** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A Bucket determines how to arrive at a SubSurvey.

A Bucket can be a range or a Choice.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

bucket

The bucket is a range or Choice.

Buckets for a given SubSurvey cannot overlap.

bucket_type

deleted

id

last_update_time

sub_survey_id

sub_survey_parent_node_id

sub_survey_parent_survey_node_id

sub_survey_parent_type_constraint

class dokomoforms.models.survey.**DateBucket** (**kwargs)

Bases: *dokomoforms.models.survey._RangeBucketMixin*, *dokomoforms.models.survey.Bucket*

DATERANGE bucket.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

bucket

bucket_type

deleted

id

last_update_time

sub_survey_id

sub_survey_parent_node_id

sub_survey_parent_survey_node_id
sub_survey_parent_type_constraint
the_survey_node_id

class dokomofoms.models.survey.**DecimalBucket** (**kwargs)
 Bases: dokomofoms.models.survey._RangeBucketMixin, *dokomofoms.models.survey.Bucket*
 NUMRANGE bucket.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

bucket

bucket_type

deleted

id

last_update_time

sub_survey_id

sub_survey_parent_node_id

sub_survey_parent_survey_node_id

sub_survey_parent_type_constraint

the_survey_node_id

class dokomofoms.models.survey.**EnumeratorOnlySurvey** (**kwargs)
 Bases: *dokomofoms.models.survey.Survey*

Only enumerators (designated Users) can submit to this.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

administrators

containing_id

created_on

creator_id

default_language

deleted

earliest_submission_time

enumerators

id

languages
last_update_time
latest_submission_time
nodes
num_submissions
submissions
survey_metadata
survey_type
title
url_slug
version

class dokomoforms.models.survey.**IntegerBucket** (**kwargs)
Bases: dokomoforms.models.survey._RangeBucketMixin, *dokomoforms.models.survey.Bucket*

INT4RANGE bucket.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

bucket
bucket_type
deleted
id
last_update_time
sub_survey_id
sub_survey_parent_node_id
sub_survey_parent_survey_node_id
sub_survey_parent_type_constraint
the_survey_node_id

class dokomoforms.models.survey.**MultipleChoiceBucket** (**kwargs)
Bases: *dokomoforms.models.survey.Bucket*

Choice id bucket.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

bucket

bucket_type
choice_id
deleted
id
last_update_time
parent_node_id
parent_survey_node_id
sub_survey_id
sub_survey_parent_node_id
sub_survey_parent_survey_node_id
sub_survey_parent_type_constraint
the_sub_survey_id

class dokomofoms.models.survey.**NonAnswerableSurveyNode** (**kwargs)
 Bases: *dokomofoms.models.survey.SurveyNode*

Contains a Node which is not answerable (e.g., a Note).

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

containing_survey_id
deleted
id
last_update_time
logic
node
node_id
node_languages
node_number
non_null_repeatable
root_survey_id
root_survey_languages
sub_survey_id
sub_survey_repeatable
survey_node_answerable
the_node
the_node_id

the_type_constraint

type_constraint

class dokomoforms.models.survey.**SubSurvey** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A SubSurvey behaves like a Survey but belongs to a SurveyNode.

The way to arrive at a certain SubSurvey is encoded in its buckets.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

buckets

containing_survey_id

deleted

id

nodes

parent_allow_multiple

parent_node_id

parent_survey_node_id

parent_type_constraint

repeatable

root_survey_languages

sub_survey_number

class dokomoforms.models.survey.**Survey** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A Survey has a list of SurveyNodes.

Use an EnumeratorOnlySurvey to restrict submissions to enumerators.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

administrators

containing_id

created_on

creator_id

default_language

deleted

```

earliest_submission_time
id
languages
last_update_time
latest_submission_time
nodes
num_submissions
submissions
survey_metadata
survey_type
title
url_slug
version

```

```

class dokomofoms.models.survey.SurveyNode (**kwargs)
    Bases: dokomofoms.models.util.Base

```

A SurveyNode contains a Node and adds survey-specific metadata.

```

__init__ (**kwargs)

```

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```

containing_survey_id
deleted
id
last_update_time
logic
node
    The Node instance.
node_id
node_languages
node_number
non_null_repeatable
root_survey_id
root_survey_languages
sub_survey_id
sub_survey_repeatable
survey_node_answerable

```

`the_node`

`type_constraint`

class `dokomoforms.models.survey.TimestampBucket` (**kwargs)

Bases: `dokomoforms.models.survey._RangeBucketMixin`, `dokomoforms.models.survey.Bucket`

TSTZRANGE bucket.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`bucket`

`bucket_type`

`deleted`

`id`

`last_update_time`

`sub_survey_id`

`sub_survey_parent_node_id`

`sub_survey_parent_survey_node_id`

`sub_survey_parent_type_constraint`

`the_survey_node_id`

`dokomoforms.models.survey.administrator_filter` (*user_id*)

Filter a query by administrator id.

`dokomoforms.models.survey.construct_bucket` (*, *bucket_type: str*, **kwargs) → `dokomoforms.models.survey.Bucket`

Return a subclass of `dokomoforms.models.survey.Bucket`.

The subclass is determined by the `bucket_type` parameter. This utility function makes it easy to create an instance of a `Bucket` subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **bucket_type** – the type of the bucket. Must be one of the keys of `dokomoforms.models.survey.BUCKET_TYPES`
- **kwargs** – the keyword arguments to pass to the constructor

Returns an instance of one of the `Bucket` subtypes

Raises `dokomoforms.exc.NoSuchBucketTypeError`

`dokomoforms.models.survey.construct_survey` (*, *survey_type: str*, **kwargs)

Construct either a public or `enumerator_only` `Survey`.

`dokomoforms.models.survey.construct_survey_node` (**kwargs) → `dokomoforms.models.survey.SurveyNode`

Return a subclass of `dokomoforms.models.survey.SurveyNode`.

The subclass is determined by the `type_constraint` parameter. This utility function makes it easy to create an instance of a `SurveyNode` subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters `kwargs` – the keyword arguments to pass to the constructor

Returns an instance of one of the `Node` subtypes

`dokomoforms.models.survey.most_recent_surveys` (*session*, *user_id*, *limit=None*)

Get an administrator's most recent surveys.

`dokomoforms.models.survey.skipped_required` (*survey*, *answers*) → str

Return the id of a skipped `AnswerableSurveyNode`, or `None`.

dokomoforms.models.user module

User models.

class `dokomoforms.models.user.Administrator` (**kwargs)

Bases: `dokomoforms.models.user.User`

A User who can create Surveys and add Users.

Regular users can answer surveys, but only `Administrator` instances can create surveys.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

deleted

emails

id

last_update_time

name

preferences

role

surveys

token

token_expiration

class `dokomoforms.models.user.Email` (**kwargs)

Bases: `dokomoforms.models.util.Base`

Models an e-mail address.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

address
deleted
id
last_update_time
user_id

class dokomoforms.models.user.**User** (**kwargs)

Bases: *dokomoforms.models.util.Base*

Models a user. A user has at least one e-mail address.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

deleted
emails
id
last_update_time
name
preferences
role

dokomoforms.models.user.**construct_user** (*, role: str, **kwargs)

Construct either an enumerator or an administrator.

dokomoforms.models.util module

Useful reusable functions for models.

Models should inherit from dokomoforms.models.util.Base, and should almost certainly make use of the dokomoforms.models.util.pk and dokomoforms.models.util.last_update_time

The SQLAlchemy documentation suggests setting those columns in the base class or using class mixins, but it makes it less explicit which columns exist when looking at the models' definitions.

class dokomoforms.models.util.**Base** (**kwargs)

Bases: abc.Base

The base class for all Dokomo Forms models.

deleted = Column(None, Boolean(), table=None, nullable=False, server_default=DefaultClause('false', for_update=False))

class dokomoforms.models.util.**ModelJSONEncoder** (skipkeys=False, ensure_ascii=True, check_circular=True, allow_nan=True, sort_keys=False, indent=None, separators=None, default=None)

Bases: json.encoder.JSONEncoder

This JSONEncoder handles the models in dokomoforms.models.

To use it manually, call:


```

json.dumps( model, cls=dokomoforms.models.util.ModelJSONEncoder, **kwargs
)

```

default (*obj*)

Handle special types for json.dumps.

If obj is a model from dokomoforms.models, return a dictionary representation.

If obj is a datetime.date or datetime.time, return an ISO 8601 representation string.

If obj is a psycopg2 Range, return its string representation.

Otherwise, throw a TypeError.

See <https://docs.python.org/3/library/json.html#json.JSONEncoder.default>

```

dokomoforms.models.util.column_search (query, *, model_cls, column_name, search_term, lan-
                                     guage=None, regex=False) → 'query'

```

Modify a query to search a column's values (JSONB or TEXT).

TODO: document this

Parameters

- **query** – a
- **model_cls** – aa
- **column** – b
- **search_term** – c
- **language** – d
- **regex** – r

Returns The modified query.

```

dokomoforms.models.util.create_engine (pool_size: int=None, max_overflow: int=None, echo:
                                     bool=None) → sqlalchemy.engine.base.Engine

```

Get a connection to the database.

Return a sqlalchemy.engine.Engine configured with the options set in dokomoforms.options.options

Returns a SQLAlchemy engine

```

dokomoforms.models.util.fk (column_name: str) → sqlalchemy.sql.schema.Column

```

A foreign key with ONUPDATE CASCADE and ONDELETE CASCADE.

Return a foreign key of type UUID for use in models.

The relationship CASCADEs on UPDATE and DELETE.

Parameters **column_name** – the name of the referenced column

Returns a SQLAlchemy Column for a UUID primary key.

```

dokomoforms.models.util.get_fields_subset (model: dokomoforms.models.util.Base, fields:
                                     list) → collections.OrderedDict

```

Return the given fields for the model's dictionary representation.

```

dokomoforms.models.util.get_model (session, model_cls, model_id, exception=None)

```

Throw an error if session.query.get(model_id) returns None.

```

dokomoforms.models.util.json_column (column_name: str, *, default=None) →
                                     sqlalchemy.sql.schema.Column

```

A JSONB column.

Return a column of type JSONB for use in models. Use this for entries like

```
<language>: <text>
```

Parameters

- **column_name** – the name of the column
- **default** – the column default (default value None, meaning no column default)

Returns a SQLAlchemy Column for a non-null JSONB type.

`dokomoforms.models.util.jsonify(obj, *, raise_exception=False)` → object
Convert the given object to something JSON can handle.

`dokomoforms.models.util.languages_column(column_name)` → `sqlalchemy.sql.schema.Column`
A TEXT[] column of length > 0.

Return an ARRAY(TEXT, as_tuple=True) column.

Parameters **column_name** – the name of the column

Returns a SQLAlchemy Column for a non-null ARRAY(TEXT, as_tuple=True) type.

`dokomoforms.models.util.languages_constraint(column_name, languages_column_name)` → `sqlalchemy.sql.schema.Constraint`

CHECK CONSTRAINT for a translatable column.

Checks that all of the languages in the languages column exist as keys in the translatable column.

Parameters

- **column_name** – the name of the translatable column
- **languages_column_name** – the name of the TEXT[] column containing the languages.

Returns a SQLAlchemy Constraint to ensure that all the required translations are available.

`dokomoforms.models.util.last_update_time()` → `sqlalchemy.sql.schema.Column`
A timestamp column set to CURRENT_TIMESTAMP on update.

Return a column containing the time that a record was last updated.

Returns a SQLAlchemy Column for a datetime with time zone auto-updating column

`dokomoforms.models.util.pk(*foreign_key_column_names: str)` → `sqlalchemy.sql.schema.Column`
A UUID primary key.

Return a standard primary key of type UUID for use in models. If the any foreign_key_column_names are supplied, the primary key will reference the given columns.

Parameters **foreign_key_column_names** – column names of the referenced foreign keys (should be 'table_name.column_name')

Returns a SQLAlchemy Column for a UUID primary key.

Module contents

All the models used in Dokomo Forms.

`class dokomoforms.models.Base(**kwargs)`
Bases: abc.Base

The base class for all Dokomo Forms models.

deleted = Column(None, Boolean(), table=None, nullable=False, server_default=DefaultClause('false', for_update=False))

`dokomoforms.models.create_engine` (*pool_size: int=None, max_overflow: int=None, echo: bool=None*) → sqlalchemy.engine.base.Engine

Get a connection to the database.

Return a sqlalchemy.engine.Engine configured with the options set in dokomoforms.options.options

Returns a SQLAlchemy engine

`dokomoforms.models.jsonify` (*obj, *, raise_exception=False*) → object

Convert the given object to something JSON can handle.

`dokomoforms.models.get_model` (*session, model_cls, model_id, exception=None*)

Throw an error if session.query.get(model_id) returns None.

class `dokomoforms.models.ModelJSONEncoder` (*skipkeys=False, ensure_ascii=True, check_circular=True, allow_nan=True, sort_keys=False, indent=None, separators=None, default=None*)

Bases: `json.encoder.JSONEncoder`

This JSONEncoder handles the models in dokomoforms.models.

To use it manually, call:

```
json.dumps( model, cls=dokomoforms.models.util.ModelJSONEncoder, **kwargs
)
```

default (*obj*)

Handle special types for json.dumps.

If obj is a model from dokomoforms.models, return a dictionary representation.

If obj is a datetime.date or datetime.time, return an ISO 8601 representation string.

If obj is a psycopg2 Range, return its string representation.

Otherwise, throw a TypeError.

See <https://docs.python.org/3/library/json.html#json.JSONEncoder.default>

class `dokomoforms.models.User` (***kwargs*)

Bases: `dokomoforms.models.util.Base`

Models a user. A user has at least one e-mail address.

__init__ (***kwargs*)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

deleted

emails

id

last_update_time

name

preferences

role

class dokomoforms.models.**Administrator** (**kwargs)

Bases: *dokomoforms.models.user.User*

A User who can create Surveys and add Users.

Regular users can answer surveys, but only Administrator instances can create surveys.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

deleted

emails

id

last_update_time

name

preferences

role

surveys

token

token_expiration

class dokomoforms.models.**Email** (**kwargs)

Bases: *dokomoforms.models.util.Base*

Models an e-mail address.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

address

deleted

id

last_update_time

user_id

dokomoforms.models.**construct_user** (*, *role: str*, **kwargs)

Construct either an enumerator or an administrator.

class dokomoforms.models.**Node** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A node is a Note or Question independent of any Survey.

A node is its own entity. A node can be a `dokomoforms.models.survey.Note` or a `dokomoforms.models.survey.Question`.

You can use this class for querying, e.g. `session.query(Node).filter_by(title='Some Title')`

To create the specific kind of Node you want, use `dokomoforms.models.survey.node.construct_node`.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`deleted`

`hint`

`id`

`languages`

`last_update_time`

`logic`

`title`

`type_constraint`

class `dokomoforms.models.Question` (**kwargs)

Bases: `dokomoforms.models.node.Node`

A Question has a response type associated with it.

A Question has a type constraint associated with it (integer, date, text...). Only a `dokomoforms.models.survey.MultipleChoiceQuestion` has a list of `dokomoforms.models.survey.Choice` instances.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`

`allow_other`

`deleted`

`hint`

`id`

`languages`

`last_update_time`

`logic`

`the_languages`

`the_type_constraint`

`title`

`type_constraint`

`dokomoforms.models.construct_node`(**, type_constraint: str, **kwargs*) → `dokomoforms.models.node.Node`

Return a subclass of `dokomoforms.models.node.Node`.

The subclass is determined by the `type_constraint` parameter. This utility function makes it easy to create an instance of a `Node` or `Question` subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **`type_constraint`** – the type constraint of the node. Must be one of the keys of `dokomoforms.models.survey.NODE_TYPES`
- **`kwargs`** – the keyword arguments to pass to the constructor

Returns an instance of one of the `Node` subtypes

Raises `dokomoforms.exc.NoSuchNodeTypeError`

class `dokomoforms.models.Note`(**kwargs*)

Bases: `dokomoforms.models.node.Node`

Notes provide information interspersed with survey questions.

`__init__`(**kwargs*)

A simple constructor that allows initialization from `kwargs`.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`deleted`

`hint`

`id`

`languages`

`last_update_time`

`logic`

`the_type_constraint`

`title`

`type_constraint`

class `dokomoforms.models.TextQuestion`(**kwargs*)

Bases: `dokomoforms.models.node._QuestionMixin`, `dokomoforms.models.node.Question`

A text question.

`__init__`(**kwargs*)

A simple constructor that allows initialization from `kwargs`.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`

`allow_other`

deleted
hint
id
languages
last_update_time
logic
the_languages
the_type_constraint
title
type_constraint

class dokomoforms.models.**PhotoQuestion** (**kwargs)

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A photo question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_multiple
allow_other
deleted
hint
id
languages
last_update_time
logic
the_languages
the_type_constraint
title
type_constraint

class dokomoforms.models.**IntegerQuestion** (**kwargs)

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A integer question.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`
`allow_other`
`deleted`
`hint`
`id`
`languages`
`last_update_time`
`logic`
`the_languages`
`the_type_constraint`
`title`
`type_constraint`

class dokomoforms.models.**DecimalQuestion** (**kwargs)

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A decimal question.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`
`allow_other`
`deleted`
`hint`
`id`
`languages`
`last_update_time`
`logic`
`the_languages`
`the_type_constraint`
`title`
`type_constraint`

class dokomoforms.models.**DateQuestion** (**kwargs)

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A date question.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```

allow_multiple
allow_other
deleted
hint
id
languages
last_update_time
logic
the_languages
the_type_constraint
title
type_constraint

```

```
class dokomoforms.models.TimeQuestion (**kwargs)
```

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A time (with time zone) question.

```
__init__ (**kwargs)
```

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

```

allow_multiple
allow_other
deleted
hint
id
languages
last_update_time
logic
the_languages
the_type_constraint
title
type_constraint

```

```
class dokomoforms.models.TimestampQuestion (**kwargs)
```

Bases: dokomoforms.models.node._QuestionMixin, *dokomoforms.models.node.Question*

A timestamp (with time zone) question.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`

`allow_other`

`deleted`

`hint`

`id`

`languages`

`last_update_time`

`logic`

`the_languages`

`the_type_constraint`

`title`

`type_constraint`

class `dokomoforms.models.LocationQuestion` (**kwargs)

Bases: `dokomoforms.models.node._QuestionMixin`, `dokomoforms.models.node.Question`

A location question.

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_multiple`

`allow_other`

`deleted`

`hint`

`id`

`languages`

`last_update_time`

`logic`

`the_languages`

`the_type_constraint`

`title`

`type_constraint`

```

class dokomoforms.models.FacilityQuestion(**kwargs)
    Bases: dokomoforms.models.node._QuestionMixin, dokomoforms.models.node.Question
    A facility question.
    __init__(**kwargs)
        A simple constructor that allows initialization from kwargs.
        Sets attributes on the constructed instance using the names and values in kwargs.
        Only keys that are present as attributes of the instance's class are allowed. These could be, for example,
        any mapped columns or relationships.
    allow_multiple
    allow_other
    deleted
    hint
    id
    languages
    last_update_time
    logic
    the_languages
    the_type_constraint
    title
    type_constraint

```

```

class dokomoforms.models.MultipleChoiceQuestion(**kwargs)
    Bases: dokomoforms.models.node._QuestionMixin, dokomoforms.models.node.Question
    A multiple_choice question.
    __init__(**kwargs)
        A simple constructor that allows initialization from kwargs.
        Sets attributes on the constructed instance using the names and values in kwargs.
        Only keys that are present as attributes of the instance's class are allowed. These could be, for example,
        any mapped columns or relationships.
    allow_multiple
    allow_other
    choices
    deleted
    hint
    id
    languages
    last_update_time
    logic
    node_languages

```

the_languages

the_type_constraint

title

type_constraint

class dokomoforms.models.**Choice** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A choice for a MultipleChoiceQuestion.

Models a choice for a dokomoforms.models.survey.MultipleChoiceQuestion.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

choice_number

choice_text

deleted

id

last_update_time

question_id

question_languages

class dokomoforms.models.**Survey** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A Survey has a list of SurveyNodes.

Use an EnumeratorOnlySurvey to restrict submissions to enumerators.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

administrators

containing_id

created_on

creator_id

default_language

deleted

earliest_submission_time

id

languages

last_update_time
latest_submission_time
nodes
num_submissions
submissions
survey_metadata
survey_type
title
url_slug
version

class dokomofoms.models.**EnumeratorOnlySurvey** (**kwargs)

Bases: *dokomofoms.models.survey.Survey*

Only enumerators (designated Users) can submit to this.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

administrators
containing_id
created_on
creator_id
default_language
deleted
earliest_submission_time
enumerators
id
languages
last_update_time
latest_submission_time
nodes
num_submissions
submissions
survey_metadata
survey_type
title
url_slug

version

class dokomoforms.models.**SubSurvey** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A SubSurvey behaves like a Survey but belongs to a SurveyNode.

The way to arrive at a certain SubSurvey is encoded in its buckets.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

buckets

containing_survey_id

deleted

id

nodes

parent_allow_multiple

parent_node_id

parent_survey_node_id

parent_type_constraint

repeatable

root_survey_languages

sub_survey_number

class dokomoforms.models.**SurveyNode** (**kwargs)

Bases: *dokomoforms.models.util.Base*

A SurveyNode contains a Node and adds survey-specific metadata.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

containing_survey_id

deleted

id

last_update_time

logic

node

The Node instance.

node_id

node_languages
node_number
non_null_repeatable
root_survey_id
root_survey_languages
sub_survey_id
sub_survey_repeatable
survey_node_answerable
the_node
type_constraint

`dokomofoms.models.construct_survey` (*, *survey_type: str*, ***kwargs*)
 Construct either a public or enumerator_only Survey.

class `dokomofoms.models.NonAnswerableSurveyNode` (***kwargs*)
 Bases: `dokomofoms.models.survey.SurveyNode`

Contains a Node which is not answerable (e.g., a Note).

`__init__` (***kwargs*)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

containing_survey_id
deleted
id
last_update_time
logic
node
node_id
node_languages
node_number
non_null_repeatable
root_survey_id
root_survey_languages
sub_survey_id
sub_survey_repeatable
survey_node_answerable
the_node
the_node_id

`the_type_constraint`

`type_constraint`

class `dokomoforms.models.AnswerableSurveyNode` (**kwargs)

Bases: `dokomoforms.models.survey.SurveyNode`

Contains a Node which is answerable (e.g, a Question).

`__init__` (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`allow_dont_know`

`allow_multiple`

`allow_other`

`answer_count`

`answers`

`containing_survey_id`

`deleted`

`id`

`last_update_time`

`logic`

`node`

`node_id`

`node_languages`

`node_number`

`non_null_repeatable`

`required`

`root_survey_id`

`root_survey_languages`

`sub_survey_id`

`sub_survey_repeatable`

`sub_surveys`

`survey_node_answerable`

`the_containing_survey_id`

`the_node`

`the_node_id`

`the_node_languages`

`the_root_survey_languages`

the_sub_survey_repeatable**the_type_constraint****type_constraint**

`dokomoforms.models.construct_survey_node(**kwargs)` → `dokomoforms.models.survey.SurveyNode`

Return a subclass of `dokomoforms.models.survey.SurveyNode`.

The subclass is determined by the `type_constraint` parameter. This utility function makes it easy to create an instance of a `SurveyNode` subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters `kwargs` – the keyword arguments to pass to the constructor

Returns an instance of one of the Node subtypes

`dokomoforms.models.construct_bucket(*, bucket_type: str, **kwargs)` → `dokomoforms.models.survey.Bucket`

Return a subclass of `dokomoforms.models.survey.Bucket`.

The subclass is determined by the `bucket_type` parameter. This utility function makes it easy to create an instance of a `Bucket` subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **bucket_type** – the type of the bucket. Must be one of the keys of `dokomoforms.models.survey.BUCKET_TYPES`
- **kwargs** – the keyword arguments to pass to the constructor

Returns an instance of one of the Bucket subtypes

Raises `dokomoforms.exc.NoSuchBucketTypeError`

`dokomoforms.models.skipped_required(survey, answers)` → `str`

Return the id of a skipped `AnswerableSurveyNode`, or `None`.

`dokomoforms.models.administrator_filter(user_id)`

Filter a query by administrator id.

`dokomoforms.models.most_recent_surveys(session, user_id, limit=None)`

Get an administrator's most recent surveys.

class `dokomoforms.models.Submission(**kwargs)`

Bases: `dokomoforms.models.util.Base`

A `Submission` references a `Survey` and has a list of `Answers`.

`__init__`(**kwargs)

A simple constructor that allows initialization from `kwargs`.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

answers**deleted****id****last_update_time**

`save_time`
`start_time`
`submission_time`
`submission_type`
`submitter_email`
`submitter_name`
`survey_containing_id`
`survey_default_language`
`survey_id`
`survey_title`
`survey_type`

class `dokomoforms.models.EnumeratorOnlySubmission` (***kwargs*)

Bases: `dokomoforms.models.submission.Submission`

An `EnumeratorOnlySubmission` must have an enumerator.

Use an `EnumeratorOnlySubmission` for an `EnumeratorOnlySurvey`.

`__init__` (***kwargs*)

A simple constructor that allows initialization from `kwargs`.

Sets attributes on the constructed instance using the names and values in `kwargs`.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

`answers`
`deleted`
`enumerator`
`enumerator_user_id`
`id`
`last_update_time`
`save_time`
`start_time`
`submission_time`
`submission_type`
`submitter_email`
`submitter_name`
`survey_containing_id`
`survey_default_language`
`survey_id`
`survey_title`
`survey_type`

the_survey_id

class dokomoforms.models.**PublicSubmission** (**kwargs)
 Bases: *dokomoforms.models.submission.Submission*

A PublicSubmission might have an enumerator.

Use a PublicSubmission for a Survey.

__init__ (**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

answers

deleted

enumerator

enumerator_user_id

id

last_update_time

save_time

start_time

submission_time

submission_type

submitter_email

submitter_name

survey_containing_id

survey_default_language

survey_id

survey_title

survey_type

dokomoforms.models.**construct_submission**(*, *submission_type: str*, **kwargs) → dokomoforms.models.submission.Submission

Return a subclass of dokomoforms.models.submission.Submission.

The subclass is determined by the *submission_type* parameter. This utility function makes it easy to create an instance of a Submission subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **submission_type** – the type of submission. Must be either 'public_submission' or 'enumerator_only_submission'
- **kwargs** – the keyword arguments to pass to the constructor

Returns an instance of one of the Node subtypes

Raises dokomoforms.exc.NoSuchSubmissionTypeError

`dokomoforms.models.most_recent_submissions` (*session, user_id, limit=None*)

Get an administrator's surveys' most recent submissions.

class `dokomoforms.models.Answer` (***kwargs*)

Bases: `dokomoforms.models.util.Base`

An Answer is a response to a SurveyNode.

An Answer can be one of an answer, an "other" response or a "don't know" response. Answer.response abstracts over these 3 possibilities.

`__init__` (***kwargs*)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in *kwargs*.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

allow_dont_know

allow_multiple

allow_other

answer

The answer. Could be the same as `main_answer` in simple cases.

This property is the most useful representation available of the answer. In the simplest case it is just a synonym for `main_answer`. It could otherwise be a dictionary or another model.

answer_metadata

answer_number

answer_type

deleted

dont_know

A text field containing "don't know" responses.

id

last_update_time

main_answer

The representative part of a provided answer.

The `main_answer` is the only answer for simple types (integer, text, etc.) and for other types is the part of the answer that is most important. In practice, the `main_answer` is special only in that all Answer models have it, which is necessary for certain constraints and for the response property.

other

A text field containing "other" responses.

question_id

question_title

repeatable

response = `OrderedDict([('type_constraint', <sqlalchemy.orm.attributes.InstrumentedAttribute object at 0x7f3db32aca...)`

save_time

submission_id

survey_containing_id
survey_id
survey_node
survey_node_containing_survey_id
survey_node_id
type_constraint

class dokomofoms.models.**Photo**(**kwargs)
 Bases: *dokomofoms.models.util.Base*

A BYTEA holding an image.

__init__(**kwargs)

A simple constructor that allows initialization from kwargs.

Sets attributes on the constructed instance using the names and values in kwargs.

Only keys that are present as attributes of the instance's class are allowed. These could be, for example, any mapped columns or relationships.

created_on

deleted

id

image

mime_type

dokomofoms.models.**construct_answer**(*, *type_constraint: str*, **kwargs) → dokomofoms.models.answer.**Answer**

Return a subclass of dokomofoms.models.answer.**Answer**.

The subclass is determined by the *type_constraint* parameter. This utility function makes it easy to create an instance of an Answer subclass based on external input.

See <http://stackoverflow.com/q/30518484/1475412>

Parameters

- **type_constraint** – the type of the answer. Must be one of the keys of dokomofoms.models.answer.ANSWER_TYPES
- **kwargs** – the keyword arguments to pass to the constructor

Returns an instance of one of the Answer subtypes

Raises dokomofoms.exc.NotAnAnswerTypeError

dokomofoms.models.**add_new_photo_to_session**(*session*, *, *id*, **kwargs)
 Create a new Photo and update the referenced PhotoAnswer.

dokomofoms.models.**answer_min**(*survey_node: dokomofoms.models.survey.AnswerableSurveyNode*)
 Get the minimum answer.

dokomofoms.models.**answer_max**(*survey_node: dokomofoms.models.survey.AnswerableSurveyNode*)
 Get the maximum answer.

dokomofoms.models.**answer_sum**(*survey_node: dokomofoms.models.survey.AnswerableSurveyNode*)
 Get the sum of the answers.

`dokomoforms.models.answer_avg` (*survey_node: dokomoforms.models.survey.AnswerableSurveyNode*)
Get the average of the answers.

`dokomoforms.models.answer_mode` (*survey_node: dokomoforms.models.survey.AnswerableSurveyNode*)
Get the mode of the answers.

`dokomoforms.models.answer_stddev_pop` (*survey_node: dokomoforms.models.survey.AnswerableSurveyNode*)
Get the population standard deviation of the answers.

`dokomoforms.models.answer_stddev_samp` (*survey_node: dokomoforms.models.survey.AnswerableSurveyNode*)
Get the sample standard deviation of the answers.

`dokomoforms.models.generate_question_stats` (*survey*)
Get answer statistics for the nodes in a survey.

1.2 Submodules

1.3 dokomoforms.exc module

The base exception class is *DokomoError*.

exception `dokomoforms.exc.DokomoError`

Bases: `Exception`

The base class for all exceptions used in Dokomo Forms.

exception `dokomoforms.exc.InvalidTypeForOperation`

Bases: `dokomoforms.exc.DokomoError`

Invalid type for the selected aggregation function.

For instance, you can't find the maximum of a text answer.

exception `dokomoforms.exc.NoSuchBucketTypeError`

Bases: `dokomoforms.exc.DokomoError`

Invalid `type_constraint` for `construct_bucket`.

Raised when `dokomoforms.models.survey.construct_bucket` is called with an invalid `type_constraint`.

The valid `type_constraints` are the keys of `dokomoforms.models.survey.BUCKET_TYPES`.

exception `dokomoforms.exc.NoSuchNodeTypeError`

Bases: `dokomoforms.exc.DokomoError`

Invalid `type_constraint` for `construct_node`.

Raised when `dokomoforms.models.node.construct_node` is called with an invalid `type_constraint`.

The valid `type_constraints` are the keys of `dokomoforms.models.node.NODE_TYPES`.

exception `dokomoforms.exc.NoSuchSubmissionTypeError`

Bases: `dokomoforms.exc.DokomoError`

Invalid `submission_type` for `construct_submission`.

Raised when `dokomoforms.models.submission.construct_submission` is called with an invalid `submission_type`.

The valid types are 'unauthenticated' and 'enumerator_only_submission'

exception `dokomofoms.exc.NotAResponseTypeError`Bases: `dokomofoms.exc.DokomoError`

Invalid response_type Answer.response.setter.

Raised when trying to set the response field on an Answer with an invalid response_type.

The valid response_types are 'answer', 'other', and 'dont_know'.

exception `dokomofoms.exc.NotAnAnswerTypeError`Bases: `dokomofoms.exc.DokomoError`

Invalid type_constraint for construct_answer.

Raised when dokomofoms.models.node.construct_answer is called with an invalid type_constraint.

The valid type_constraints are the keys of dokomofoms.models.answer.ANSWER_TYPES.

exception `dokomofoms.exc.NotJSONifiableError`Bases: `dokomofoms.exc.DokomoError`

The jsonify function encountered a strange object.

exception `dokomofoms.exc.PhotoIdDoesNotExistError`Bases: `dokomofoms.exc.DokomoError`

The submitted photo ID does not exist in the database.

exception `dokomofoms.exc.RequiredQuestionSkipped`Bases: `dokomofoms.exc.DokomoError`

A submission has no answer for a required question.

exception `dokomofoms.exc.SurveyAccessForbidden`Bases: `dokomofoms.exc.DokomoError`

The logged-in user does not have access to the survey.

exception `dokomofoms.exc.UserRequiresEmailError`Bases: `dokomofoms.exc.DokomoError`

A user must have at least one e-mail address.

1.4 dokomofoms.options module

All the application options are defined here.

If you need to inject options at runtime (for testing, etc...):

```
from dokomofoms.options import parse_options
parse_options(name1=value1, name2=value2, ...)
```

1.5 Module contents

Top level module for Dokomo Forms.

All of the application code for Dokomofoms (outside of the webapp.py script) lives in this module.

webapp module

Indices and tables

- `genindex`
- `modindex`
- `search`

d

- dokomoforms, [59](#)
- dokomoforms.exc, [58](#)
- dokomoforms.models, [38](#)
- dokomoforms.models.answer, [4](#)
- dokomoforms.models.column_properties,
[16](#)
- dokomoforms.models.node, [16](#)
- dokomoforms.models.submission, [24](#)
- dokomoforms.models.survey, [27](#)
- dokomoforms.models.user, [35](#)
- dokomoforms.models.util, [36](#)
- dokomoforms.options, [59](#)

Symbols

- `__init__()` (dokomoforms.models.Administrator method), 40
- `__init__()` (dokomoforms.models.Answer method), 56
- `__init__()` (dokomoforms.models.AnswerableSurveyNode method), 52
- `__init__()` (dokomoforms.models.Choice method), 48
- `__init__()` (dokomoforms.models.DateQuestion method), 44
- `__init__()` (dokomoforms.models.DecimalQuestion method), 44
- `__init__()` (dokomoforms.models.Email method), 40
- `__init__()` (dokomoforms.models.EnumeratorOnlySubmission method), 54
- `__init__()` (dokomoforms.models.EnumeratorOnlySurvey method), 49
- `__init__()` (dokomoforms.models.FacilityQuestion method), 47
- `__init__()` (dokomoforms.models.IntegerQuestion method), 43
- `__init__()` (dokomoforms.models.LocationQuestion method), 46
- `__init__()` (dokomoforms.models.MultipleChoiceQuestion method), 47
- `__init__()` (dokomoforms.models.Node method), 41
- `__init__()` (dokomoforms.models.NonAnswerableSurveyNode method), 51
- `__init__()` (dokomoforms.models.Note method), 42
- `__init__()` (dokomoforms.models.Photo method), 57
- `__init__()` (dokomoforms.models.PhotoQuestion method), 43
- `__init__()` (dokomoforms.models.PublicSubmission method), 55
- `__init__()` (dokomoforms.models.Question method), 41
- `__init__()` (dokomoforms.models.SubSurvey method), 50
- `__init__()` (dokomoforms.models.Submission method), 53
- `__init__()` (dokomoforms.models.Survey method), 48
- `__init__()` (dokomoforms.models.SurveyNode method), 50
- `__init__()` (dokomoforms.models.TextQuestion method), 42
- `__init__()` (dokomoforms.models.TimeQuestion method), 45
- `__init__()` (dokomoforms.models.TimestampQuestion method), 45
- `__init__()` (dokomoforms.models.User method), 39
- `__init__()` (dokomoforms.models.answer.Answer method), 4
- `__init__()` (dokomoforms.models.answer.DateAnswer method), 5
- `__init__()` (dokomoforms.models.answer.DecimalAnswer method), 6
- `__init__()` (dokomoforms.models.answer.FacilityAnswer method), 7
- `__init__()` (dokomoforms.models.answer.IntegerAnswer method), 8
- `__init__()` (dokomoforms.models.answer.LocationAnswer method), 9
- `__init__()` (dokomoforms.models.answer.MultipleChoiceAnswer method), 10
- `__init__()` (dokomoforms.models.answer.Photo method), 11
- `__init__()` (dokomoforms.models.answer.PhotoAnswer method), 12
- `__init__()` (dokomoforms.models.answer.TextAnswer method), 13
- `__init__()` (dokomoforms.models.answer.TimeAnswer method), 13
- `__init__()` (dokomoforms.models.answer.TimestampAnswer method), 14
- `__init__()` (dokomoforms.models.node.Choice method), 16
- `__init__()` (dokomoforms.models.node.DateQuestion method), 17
- `__init__()` (dokomoforms.models.node.DecimalQuestion method), 17
- `__init__()` (dokomoforms.models.node.FacilityQuestion method), 18
- `__init__()` (dokomoforms.models.node.IntegerQuestion method), 18

<code>__init__()</code> (dokomoforms.models.node.LocationQuestion method), 19	12	
<code>__init__()</code> (dokomoforms.models.node.MultipleChoiceQuestion method), 19		<code>add_new_photo_to_session()</code> (in module dokomoforms.models), 57
<code>__init__()</code> (dokomoforms.models.node.Node method), 20		<code>add_new_photo_to_session()</code> (in module dokomoforms.models.answer), 15
<code>__init__()</code> (dokomoforms.models.node.Note method), 21		<code>address</code> (dokomoforms.models.Email attribute), 40
<code>__init__()</code> (dokomoforms.models.node.PhotoQuestion method), 21		<code>address</code> (dokomoforms.models.user.Email attribute), 35
<code>__init__()</code> (dokomoforms.models.node.Question method), 22		<code>Administrator</code> (class in dokomoforms.models), 40
<code>__init__()</code> (dokomoforms.models.node.TextQuestion method), 22		<code>Administrator</code> (class in dokomoforms.models.user), 35
<code>__init__()</code> (dokomoforms.models.node.TextQuestion method), 22		<code>administrator_filter()</code> (in module dokomoforms.models), 53
<code>__init__()</code> (dokomoforms.models.node.TimeQuestion method), 23		<code>administrator_filter()</code> (in module dokomoforms.models.survey), 34
<code>__init__()</code> (dokomoforms.models.node.TimestampQuestion method), 23		<code>administrators</code> (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
<code>__init__()</code> (dokomoforms.models.submission.EnumeratorOnlySubmissions method), 24		<code>administrators</code> (dokomoforms.models.Survey attribute), 48
<code>__init__()</code> (dokomoforms.models.submission.PublicSubmissions method), 25		<code>administrators</code> (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
<code>__init__()</code> (dokomoforms.models.submission.Submission method), 26		<code>administrators</code> (dokomoforms.models.survey.Survey attribute), 32
<code>__init__()</code> (dokomoforms.models.survey.AnswerableSurveyNode method), 27		<code>allow_dont_know</code> (dokomoforms.models.Answer attribute), 56
<code>__init__()</code> (dokomoforms.models.survey.Bucket method), 28		<code>allow_dont_know</code> (dokomoforms.models.answer.Answer attribute), 4
<code>__init__()</code> (dokomoforms.models.survey.DateBucket method), 28		<code>allow_dont_know</code> (dokomoforms.models.answer.DateAnswer attribute), 5
<code>__init__()</code> (dokomoforms.models.survey.DecimalBucket method), 29		<code>allow_dont_know</code> (dokomoforms.models.answer.DecimalAnswer attribute), 6
<code>__init__()</code> (dokomoforms.models.survey.EnumeratorOnlySurvey method), 29		<code>allow_dont_know</code> (dokomoforms.models.answer.FacilityAnswer attribute), 7
<code>__init__()</code> (dokomoforms.models.survey.IntegerBucket method), 30		<code>allow_dont_know</code> (dokomoforms.models.answer.IntegerAnswer attribute), 8
<code>__init__()</code> (dokomoforms.models.survey.MultipleChoiceBucket method), 30		<code>allow_dont_know</code> (dokomoforms.models.answer.LocationAnswer attribute), 9
<code>__init__()</code> (dokomoforms.models.survey.NonAnswerableSurveyNode method), 31		<code>allow_dont_know</code> (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 10
<code>__init__()</code> (dokomoforms.models.survey.SubSurvey method), 32		<code>allow_dont_know</code> (dokomoforms.models.answer.PhotoAnswer attribute), 12
<code>__init__()</code> (dokomoforms.models.survey.Survey method), 32		<code>allow_dont_know</code> (dokomoforms.models.answer.TextAnswer attribute), 13
<code>__init__()</code> (dokomoforms.models.survey.SurveyNode method), 33		<code>allow_dont_know</code> (dokomoforms.models.answer.TimeAnswer attribute), 14
<code>__init__()</code> (dokomoforms.models.survey.TimestampBucket method), 34		
<code>__init__()</code> (dokomoforms.models.user.Administrator method), 35		
<code>__init__()</code> (dokomoforms.models.user.Email method), 35		
<code>__init__()</code> (dokomoforms.models.user.User method), 36		
A		
<code>actual_photo_id</code> (dokomoforms.models.answer.PhotoAnswer attribute),		

`allow_dont_know` (dokomoforms.models.answer.TimestampAnswer attribute), 15
`allow_dont_know` (dokomoforms.models.AnswerableSurveyNode attribute), 52
`allow_dont_know` (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
`allow_multiple` (dokomoforms.models.Answer attribute), 56
`allow_multiple` (dokomoforms.models.answer.Answer attribute), 4
`allow_multiple` (dokomoforms.models.answer.DateAnswer attribute), 5
`allow_multiple` (dokomoforms.models.answer.DecimalAnswer attribute), 6
`allow_multiple` (dokomoforms.models.answer.FacilityAnswer attribute), 7
`allow_multiple` (dokomoforms.models.answer.IntegerAnswer attribute), 8
`allow_multiple` (dokomoforms.models.answer.LocationAnswer attribute), 9
`allow_multiple` (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 10
`allow_multiple` (dokomoforms.models.answer.PhotoAnswer attribute), 12
`allow_multiple` (dokomoforms.models.answer.TextAnswer attribute), 13
`allow_multiple` (dokomoforms.models.answer.TimeAnswer attribute), 14
`allow_multiple` (dokomoforms.models.answer.TimestampAnswer attribute), 15
`allow_multiple` (dokomoforms.models.AnswerableSurveyNode attribute), 52
`allow_multiple` (dokomoforms.models.DateQuestion attribute), 45
`allow_multiple` (dokomoforms.models.DecimalQuestion attribute), 44
`allow_multiple` (dokomoforms.models.FacilityQuestion attribute), 47
`allow_multiple` (dokomoforms.models.IntegerQuestion attribute), 43
`allow_multiple` (dokomoforms.models.LocationQuestion attribute), 46
`allow_multiple` (dokomoforms.models.MultipleChoiceQuestion attribute), 47
`allow_multiple` (dokomoforms.models.node.DateQuestion attribute), 17
`allow_multiple` (dokomoforms.models.node.DecimalQuestion attribute), 17
`allow_multiple` (dokomoforms.models.node.FacilityQuestion attribute), 18
`allow_multiple` (dokomoforms.models.node.IntegerQuestion attribute), 19
`allow_multiple` (dokomoforms.models.node.LocationQuestion attribute), 19
`allow_multiple` (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
`allow_multiple` (dokomoforms.models.node.PhotoQuestion attribute), 21
`allow_multiple` (dokomoforms.models.node.Question attribute), 22
`allow_multiple` (dokomoforms.models.node.TextQuestion attribute), 22
`allow_multiple` (dokomoforms.models.node.TimeQuestion attribute), 23
`allow_multiple` (dokomoforms.models.node.TimestampQuestion attribute), 23
`allow_multiple` (dokomoforms.models.PhotoQuestion attribute), 43
`allow_multiple` (dokomoforms.models.Question attribute), 41
`allow_multiple` (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
`allow_multiple` (dokomoforms.models.TextQuestion attribute), 42
`allow_multiple` (dokomoforms.models.TimeQuestion attribute), 45
`allow_multiple` (dokomoforms.models.TimestampQuestion attribute), 46
`allow_other` (dokomoforms.models.Answer attribute), 56
`allow_other` (dokomoforms.models.answer.Answer attribute), 4

[allow_other \(dokomoforms.models.answer.DateAnswer attribute\), 5](#)
[allow_other \(dokomoforms.models.answer.DecimalAnswer attribute\), 6](#)
[allow_other \(dokomoforms.models.answer.FacilityAnswer attribute\), 7](#)
[allow_other \(dokomoforms.models.answer.IntegerAnswer attribute\), 8](#)
[allow_other \(dokomoforms.models.answer.LocationAnswer attribute\), 9](#)
[allow_other \(dokomoforms.models.answer.MultipleChoiceAnswer attribute\), 10](#)
[allow_other \(dokomoforms.models.answer.PhotoAnswer attribute\), 12](#)
[allow_other \(dokomoforms.models.answer.TextAnswer attribute\), 13](#)
[allow_other \(dokomoforms.models.answer.TimeAnswer attribute\), 14](#)
[allow_other \(dokomoforms.models.answer.TimestampAnswer attribute\), 15](#)
[allow_other \(dokomoforms.models.AnswerableSurveyNode attribute\), 52](#)
[allow_other \(dokomoforms.models.DateQuestion attribute\), 45](#)
[allow_other \(dokomoforms.models.DecimalQuestion attribute\), 44](#)
[allow_other \(dokomoforms.models.FacilityQuestion attribute\), 47](#)
[allow_other \(dokomoforms.models.IntegerQuestion attribute\), 44](#)
[allow_other \(dokomoforms.models.LocationQuestion attribute\), 46](#)
[allow_other \(dokomoforms.models.MultipleChoiceQuestion attribute\), 47](#)
[allow_other \(dokomoforms.models.node.DateQuestion attribute\), 17](#)
[allow_other \(dokomoforms.models.node.DecimalQuestion attribute\), 17](#)
[allow_other \(dokomoforms.models.node.FacilityQuestion attribute\), 18](#)
[allow_other \(dokomoforms.models.node.IntegerQuestion attribute\), 19](#)
[allow_other \(dokomoforms.models.node.LocationQuestion attribute\), 19](#)
[allow_other \(dokomoforms.models.node.MultipleChoiceQuestion attribute\), 20](#)
[allow_other \(dokomoforms.models.node.PhotoQuestion attribute\), 21](#)
[allow_other \(dokomoforms.models.node.Question attribute\), 22](#)
[allow_other \(dokomoforms.models.node.TextQuestion attribute\), 22](#)
[allow_other \(dokomoforms.models.node.TimeQuestion attribute\), 23](#)
[allow_other \(dokomoforms.models.node.TimestampQuestion attribute\), 23](#)
[allow_other \(dokomoforms.models.PhotoQuestion attribute\), 43](#)
[allow_other \(dokomoforms.models.Question attribute\), 41](#)
[allow_other \(dokomoforms.models.survey.AnswerableSurveyNode attribute\), 27](#)
[allow_other \(dokomoforms.models.TextQuestion attribute\), 42](#)
[allow_other \(dokomoforms.models.TimeQuestion attribute\), 45](#)
[allow_other \(dokomoforms.models.TimestampQuestion attribute\), 46](#)
[Answer \(class in dokomoforms.models\), 56](#)
[Answer \(class in dokomoforms.models.answer\), 4](#)
[answer \(dokomoforms.models.Answer attribute\), 56](#)
[answer \(dokomoforms.models.answer.Answer attribute\), 4](#)
[answer \(dokomoforms.models.answer.DateAnswer attribute\), 5](#)
[answer \(dokomoforms.models.answer.DecimalAnswer attribute\), 6](#)
[answer \(dokomoforms.models.answer.FacilityAnswer attribute\), 7](#)
[answer \(dokomoforms.models.answer.IntegerAnswer attribute\), 8](#)
[answer \(dokomoforms.models.answer.LocationAnswer attribute\), 9](#)
[answer \(dokomoforms.models.answer.MultipleChoiceAnswer attribute\), 10](#)
[answer \(dokomoforms.models.answer.PhotoAnswer attribute\), 12](#)
[answer \(dokomoforms.models.answer.TextAnswer attribute\), 13](#)
[answer \(dokomoforms.models.answer.TimeAnswer attribute\), 14](#)
[answer \(dokomoforms.models.answer.TimestampAnswer attribute\), 15](#)
[answer_avg\(\) \(in module dokomoforms.models\), 57](#)
[answer_avg\(\) \(in module dokomoforms.models.column_properties\), 16](#)
[answer_count \(dokomoforms.models.AnswerableSurveyNode attribute\), 52](#)
[answer_count \(dokomoforms.models.survey.AnswerableSurveyNode attribute\), 27](#)
[answer_max\(\) \(in module dokomoforms.models\), 57](#)
[answer_max\(\) \(in module dokomoforms.models.column_properties\), 16](#)
[answer_metadata \(dokomoforms.models.Answer attribute\), 56](#)
[answer_metadata \(dokomoforms.models.answer.Answer](#)

attribute), 4

answer_metadata (dokomoforms.models.answer.DateAnswer attribute), 5

answer_metadata (dokomoforms.models.answer.DecimalAnswer attribute), 6

answer_metadata (dokomoforms.models.answer.FacilityAnswer attribute), 7

answer_metadata (dokomoforms.models.answer.IntegerAnswer attribute), 8

answer_metadata (dokomoforms.models.answer.LocationAnswer attribute), 9

answer_metadata (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 10

answer_metadata (dokomoforms.models.answer.PhotoAnswer attribute), 12

answer_metadata (dokomoforms.models.answer.TextAnswer attribute), 13

answer_metadata (dokomoforms.models.answer.TimeAnswer attribute), 14

answer_metadata (dokomoforms.models.answer.TimestampAnswer attribute), 15

answer_stddev_pop() (in module dokomoforms.models), 58

answer_stddev_pop() (in module dokomoforms.models.column_properties), 16

answer_stddev_samp() (in module dokomoforms.models), 58

answer_stddev_samp() (in module dokomoforms.models.column_properties), 16

answer_sum() (in module dokomoforms.models), 57

answer_sum() (in module dokomoforms.models.column_properties), 16

answer_type (dokomoforms.models.Answer attribute), 56

answer_type (dokomoforms.models.answer.Answer attribute), 4

answer_type (dokomoforms.models.answer.DateAnswer attribute), 5

answer_type (dokomoforms.models.answer.DecimalAnswer attribute), 6

answer_type (dokomoforms.models.answer.FacilityAnswer attribute), 7

answer_type (dokomoforms.models.answer.IntegerAnswer attribute), 8

answer_type (dokomoforms.models.answer.LocationAnswer attribute), 9

answer_type (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 10

answer_type (dokomoforms.models.answer.PhotoAnswer attribute), 12

answer_type (dokomoforms.models.answer.TextAnswer attribute), 13

answer_type (dokomoforms.models.answer.TimeAnswer attribute), 14

answer_type (dokomoforms.models.answer.TimestampAnswer attribute), 15

AnswerableSurveyNode (class in dokomoforms.models), 52

AnswerableSurveyNode (class in dokomo-

- forms.models.survey), 27
 - answers (dokomoforms.models.AnswerableSurveyNode attribute), 52
 - answers (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
 - answers (dokomoforms.models.PublicSubmission attribute), 55
 - answers (dokomoforms.models.Submission attribute), 53
 - answers (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
 - answers (dokomoforms.models.submission.PublicSubmission attribute), 25
 - answers (dokomoforms.models.submission.Submission attribute), 26
 - answers (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
- B**
- Base (class in dokomoforms.models), 38
 - Base (class in dokomoforms.models.util), 36
 - Bucket (class in dokomoforms.models.survey), 28
 - bucket (dokomoforms.models.survey.Bucket attribute), 28
 - bucket (dokomoforms.models.survey.DateBucket attribute), 28
 - bucket (dokomoforms.models.survey.DecimalBucket attribute), 29
 - bucket (dokomoforms.models.survey.IntegerBucket attribute), 30
 - bucket (dokomoforms.models.survey.MultipleChoiceBucket attribute), 30
 - bucket (dokomoforms.models.survey.TimestampBucket attribute), 34
 - bucket_type (dokomoforms.models.survey.Bucket attribute), 28
 - bucket_type (dokomoforms.models.survey.DateBucket attribute), 28
 - bucket_type (dokomoforms.models.survey.DecimalBucket attribute), 29
 - bucket_type (dokomoforms.models.survey.IntegerBucket attribute), 30
 - bucket_type (dokomoforms.models.survey.MultipleChoiceBucket attribute), 30
 - bucket_type (dokomoforms.models.survey.TimestampBucket attribute), 34
 - buckets (dokomoforms.models.SubSurvey attribute), 50
 - buckets (dokomoforms.models.survey.SubSurvey attribute), 32
- C**
- Choice (class in dokomoforms.models), 48
 - Choice (class in dokomoforms.models.node), 16
 - choice (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 10
 - choice_id (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31
 - choice_number (dokomoforms.models.Choice attribute), 48
 - choice_number (dokomoforms.models.node.Choice attribute), 17
 - choice_text (dokomoforms.models.Choice attribute), 48
 - choice_text (dokomoforms.models.node.Choice attribute), 17
 - choices (dokomoforms.models.MultipleChoiceQuestion attribute), 47
 - choices (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
 - column_search() (in module dokomoforms.models.util), 37
 - construct_answer() (in module dokomoforms.models), 57
 - construct_answer() (in module dokomoforms.models.answer), 15
 - construct_bucket() (in module dokomoforms.models), 53
 - construct_bucket() (in module dokomoforms.models.survey), 34
 - construct_node() (in module dokomoforms.models), 42
 - construct_node() (in module dokomoforms.models.node), 24
 - construct_submission() (in module dokomoforms.models), 55
 - construct_submission() (in module dokomoforms.models.submission), 26
 - construct_survey() (in module dokomoforms.models), 51
 - construct_survey() (in module dokomoforms.models.survey), 34
 - construct_survey_node() (in module dokomoforms.models), 53
 - construct_survey_node() (in module dokomoforms.models.survey), 34
 - construct_user() (in module dokomoforms.models), 40
 - construct_user() (in module dokomoforms.models.user), 36
 - containing_id (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
 - containing_id (dokomoforms.models.Survey attribute), 48
 - containing_id (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
 - containing_id (dokomoforms.models.survey.Survey attribute), 32
 - containing_survey_id (dokomoforms.models.AnswerableSurveyNode attribute), 52
 - containing_survey_id (dokomoforms.models.NonAnswerableSurveyNode attribute), 51

containing_survey_id (dokomoforms.models.SubSurvey attribute), 50
 containing_survey_id (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
 containing_survey_id (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
 containing_survey_id (dokomoforms.models.survey.SubSurvey attribute), 32
 containing_survey_id (dokomoforms.models.survey.SurveyNode attribute), 33
 containing_survey_id (dokomoforms.models.SurveyNode attribute), 50
 create_engine() (in module dokomoforms.models), 39
 create_engine() (in module dokomoforms.models.util), 37
 created_on (dokomoforms.models.answer.Photo attribute), 11
 created_on (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
 created_on (dokomoforms.models.Photo attribute), 57
 created_on (dokomoforms.models.Survey attribute), 48
 created_on (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
 created_on (dokomoforms.models.survey.Survey attribute), 32
 creator_id (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
 creator_id (dokomoforms.models.Survey attribute), 48
 creator_id (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
 creator_id (dokomoforms.models.survey.Survey attribute), 32
 default_language (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
 default_language (dokomoforms.models.Survey attribute), 48
 default_language (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
 default_language (dokomoforms.models.survey.Survey attribute), 32
 deleted (dokomoforms.models.Administrator attribute), 40
 deleted (dokomoforms.models.Answer attribute), 56
 deleted (dokomoforms.models.answer.Answer attribute), 5
 deleted (dokomoforms.models.answer.DateAnswer attribute), 6
 deleted (dokomoforms.models.answer.DecimalAnswer attribute), 6
 deleted (dokomoforms.models.answer.FacilityAnswer attribute), 7
 deleted (dokomoforms.models.answer.IntegerAnswer attribute), 8
 deleted (dokomoforms.models.answer.LocationAnswer attribute), 10
 deleted (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 10
 deleted (dokomoforms.models.answer.Photo attribute), 11
 deleted (dokomoforms.models.answer.PhotoAnswer attribute), 12
 deleted (dokomoforms.models.answer.TextAnswer attribute), 13
 deleted (dokomoforms.models.answer.TimeAnswer attribute), 14
 deleted (dokomoforms.models.answer.TimestampAnswer attribute), 15
 deleted (dokomoforms.models.AnswerableSurveyNode attribute), 52
 deleted (dokomoforms.models.Base attribute), 38
 deleted (dokomoforms.models.Choice attribute), 48
 deleted (dokomoforms.models.DateQuestion attribute), 45
 deleted (dokomoforms.models.DecimalQuestion attribute), 44
 deleted (dokomoforms.models.Email attribute), 40
 deleted (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
 deleted (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
 deleted (dokomoforms.models.FacilityQuestion attribute), 47
 deleted (dokomoforms.models.IntegerQuestion attribute), 44

D

DateAnswer (class in dokomoforms.models.answer), 5
 DateBucket (class in dokomoforms.models.survey), 28
 DateQuestion (class in dokomoforms.models), 44
 DateQuestion (class in dokomoforms.models.node), 17
 DecimalAnswer (class in dokomoforms.models.answer), 6
 DecimalBucket (class in dokomoforms.models.survey), 29
 DecimalQuestion (class in dokomoforms.models), 44
 DecimalQuestion (class in dokomoforms.models.node), 17
 default() (dokomoforms.models.ModelJSONEncoder method), 39
 default() (dokomoforms.models.util.ModelJSONEncoder method), 37

- deleted (dokomoforms.models.LocationQuestion attribute), 46
- deleted (dokomoforms.models.MultipleChoiceQuestion attribute), 47
- deleted (dokomoforms.models.Node attribute), 41
- deleted (dokomoforms.models.node.Choice attribute), 17
- deleted (dokomoforms.models.node.DateQuestion attribute), 17
- deleted (dokomoforms.models.node.DecimalQuestion attribute), 18
- deleted (dokomoforms.models.node.FacilityQuestion attribute), 18
- deleted (dokomoforms.models.node.IntegerQuestion attribute), 19
- deleted (dokomoforms.models.node.LocationQuestion attribute), 19
- deleted (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
- deleted (dokomoforms.models.node.Node attribute), 20
- deleted (dokomoforms.models.node.Note attribute), 21
- deleted (dokomoforms.models.node.PhotoQuestion attribute), 21
- deleted (dokomoforms.models.node.Question attribute), 22
- deleted (dokomoforms.models.node.TextQuestion attribute), 22
- deleted (dokomoforms.models.node.TimeQuestion attribute), 23
- deleted (dokomoforms.models.node.TimestampQuestion attribute), 23
- deleted (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
- deleted (dokomoforms.models.Note attribute), 42
- deleted (dokomoforms.models.Photo attribute), 57
- deleted (dokomoforms.models.PhotoQuestion attribute), 43
- deleted (dokomoforms.models.PublicSubmission attribute), 55
- deleted (dokomoforms.models.Question attribute), 41
- deleted (dokomoforms.models.Submission attribute), 53
- deleted (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
- deleted (dokomoforms.models.submission.PublicSubmission attribute), 25
- deleted (dokomoforms.models.submission.Submission attribute), 26
- deleted (dokomoforms.models.SubSurvey attribute), 50
- deleted (dokomoforms.models.Survey attribute), 48
- deleted (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
- deleted (dokomoforms.models.survey.Bucket attribute), 28
- deleted (dokomoforms.models.survey.DateBucket attribute), 28
- deleted (dokomoforms.models.survey.DecimalBucket attribute), 29
- deleted (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
- deleted (dokomoforms.models.survey.IntegerBucket attribute), 30
- deleted (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31
- deleted (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
- deleted (dokomoforms.models.survey.SubSurvey attribute), 32
- deleted (dokomoforms.models.survey.Survey attribute), 32
- deleted (dokomoforms.models.survey.SurveyNode attribute), 33
- deleted (dokomoforms.models.survey.TimestampBucket attribute), 34
- deleted (dokomoforms.models.SurveyNode attribute), 50
- deleted (dokomoforms.models.TextQuestion attribute), 42
- deleted (dokomoforms.models.TimeQuestion attribute), 45
- deleted (dokomoforms.models.TimestampQuestion attribute), 46
- deleted (dokomoforms.models.User attribute), 39
- deleted (dokomoforms.models.user.Administrator attribute), 35
- deleted (dokomoforms.models.user.Email attribute), 36
- deleted (dokomoforms.models.user.User attribute), 36
- deleted (dokomoforms.models.util.Base attribute), 36
- DokomoError, 58
- dokomoforms (module), 59
- dokomoforms.exc (module), 58
- dokomoforms.models (module), 38
- dokomoforms.models.answer (module), 4
- dokomoforms.models.column_properties (module), 16
- dokomoforms.models.node (module), 16
- dokomoforms.models.submission (module), 24
- dokomoforms.models.survey (module), 27
- dokomoforms.models.user (module), 35
- dokomoforms.models.util (module), 36
- dokomoforms.options (module), 59
- dont_know (dokomoforms.models.Answer attribute), 56
- dont_know (dokomoforms.models.answer.Answer attribute), 5
- dont_know (dokomoforms.models.answer.DateAnswer attribute), 6
- dont_know (dokomoforms.models.answer.DecimalAnswer attribute), 6
- dont_know (dokomoforms.models.answer.FacilityAnswer attribute), 7
- dont_know (dokomoforms.models.answer.IntegerAnswer attribute), 9

- dont_know (dokomoforms.models.answer.LocationAnswer EnumeratorOnlySubmission (class in dokomoforms.models.submission), 24 attribute), 10
- dont_know (dokomoforms.models.answer.MultipleChoiceAnswer EnumeratorOnlySurvey (class in dokomoforms.models), attribute), 11 49
- dont_know (dokomoforms.models.answer.PhotoAnswer EnumeratorOnlySurvey (class in dokomoforms.models.survey), 29 attribute), 12
- dont_know (dokomoforms.models.answer.TextAnswer enumerators (dokomoforms.models.EnumeratorOnlySurvey attribute), 49 attribute), 13
- dont_know (dokomoforms.models.answer.TimeAnswer enumerators (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29 attribute), 14
- dont_know (dokomoforms.models.answer.TimestampAnswer attribute), 15
- ## E
- earliest_submission_time (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
- earliest_submission_time (dokomoforms.models.Survey attribute), 48
- earliest_submission_time (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
- earliest_submission_time (dokomoforms.models.survey.Survey attribute), 32
- Email (class in dokomoforms.models), 40
- Email (class in dokomoforms.models.user), 35
- emails (dokomoforms.models.Administrator attribute), 40
- emails (dokomoforms.models.User attribute), 39
- emails (dokomoforms.models.user.Administrator attribute), 35
- emails (dokomoforms.models.user.User attribute), 36
- enumerator (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
- enumerator (dokomoforms.models.PublicSubmission attribute), 55
- enumerator (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
- enumerator (dokomoforms.models.submission.PublicSubmission attribute), 25
- enumerator_user_id (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
- enumerator_user_id (dokomoforms.models.PublicSubmission attribute), 55
- enumerator_user_id (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
- enumerator_user_id (dokomoforms.models.submission.PublicSubmission attribute), 25
- EnumeratorOnlySubmission (class in dokomoforms.models), 54
- facility_id (dokomoforms.models.answer.FacilityAnswer attribute), 8
- facility_name (dokomoforms.models.answer.FacilityAnswer attribute), 8
- facility_sector (dokomoforms.models.answer.FacilityAnswer attribute), 8
- FacilityAnswer (class in dokomoforms.models.answer), 7
- FacilityQuestion (class in dokomoforms.models), 46
- FacilityQuestion (class in dokomoforms.models.node), 18
- fk() (in module dokomoforms.models.util), 37
- ## G
- generate_question_stats() (in module dokomoforms.models), 58
- generate_question_stats() (in module dokomoforms.models.column_properties), 16
- geo_json (dokomoforms.models.answer.FacilityAnswer attribute), 8
- geo_json (dokomoforms.models.answer.LocationAnswer attribute), 10
- get_fields_subset() (in module dokomoforms.models.util), 37
- get_model() (in module dokomoforms.models), 39
- get_model() (in module dokomoforms.models.util), 37
- ## H
- hint (dokomoforms.models.DateQuestion attribute), 45
- hint (dokomoforms.models.DecimalQuestion attribute), 44
- hint (dokomoforms.models.FacilityQuestion attribute), 47
- hint (dokomoforms.models.IntegerQuestion attribute), 44
- hint (dokomoforms.models.LocationQuestion attribute), 46
- hint (dokomoforms.models.MultipleChoiceQuestion attribute), 47
- hint (dokomoforms.models.Node attribute), 41
- hint (dokomoforms.models.node.DateQuestion attribute), 17

- hint (dokomoforms.models.node.DecimalQuestion attribute), 18
 - hint (dokomoforms.models.node.FacilityQuestion attribute), 18
 - hint (dokomoforms.models.node.IntegerQuestion attribute), 19
 - hint (dokomoforms.models.node.LocationQuestion attribute), 19
 - hint (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
 - hint (dokomoforms.models.node.Node attribute), 20
 - hint (dokomoforms.models.node.Note attribute), 21
 - hint (dokomoforms.models.node.PhotoQuestion attribute), 21
 - hint (dokomoforms.models.node.Question attribute), 22
 - hint (dokomoforms.models.node.TextQuestion attribute), 22
 - hint (dokomoforms.models.node.TimeQuestion attribute), 23
 - hint (dokomoforms.models.node.TimestampQuestion attribute), 23
 - hint (dokomoforms.models.Note attribute), 42
 - hint (dokomoforms.models.PhotoQuestion attribute), 43
 - hint (dokomoforms.models.Question attribute), 41
 - hint (dokomoforms.models.TextQuestion attribute), 43
 - hint (dokomoforms.models.TimeQuestion attribute), 45
 - hint (dokomoforms.models.TimestampQuestion attribute), 46
- I
- id (dokomoforms.models.Administrator attribute), 40
 - id (dokomoforms.models.Answer attribute), 56
 - id (dokomoforms.models.answer.Answer attribute), 5
 - id (dokomoforms.models.answer.DateAnswer attribute), 6
 - id (dokomoforms.models.answer.DecimalAnswer attribute), 6
 - id (dokomoforms.models.answer.FacilityAnswer attribute), 8
 - id (dokomoforms.models.answer.IntegerAnswer attribute), 9
 - id (dokomoforms.models.answer.LocationAnswer attribute), 10
 - id (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
 - id (dokomoforms.models.answer.Photo attribute), 11
 - id (dokomoforms.models.answer.PhotoAnswer attribute), 12
 - id (dokomoforms.models.answer.TextAnswer attribute), 13
 - id (dokomoforms.models.answer.TimeAnswer attribute), 14
 - id (dokomoforms.models.answer.TimestampAnswer attribute), 15
 - id (dokomoforms.models.AnswerableSurveyNode attribute), 52
 - id (dokomoforms.models.Choice attribute), 48
 - id (dokomoforms.models.DateQuestion attribute), 45
 - id (dokomoforms.models.DecimalQuestion attribute), 44
 - id (dokomoforms.models.Email attribute), 40
 - id (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
 - id (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
 - id (dokomoforms.models.FacilityQuestion attribute), 47
 - id (dokomoforms.models.IntegerQuestion attribute), 44
 - id (dokomoforms.models.LocationQuestion attribute), 46
 - id (dokomoforms.models.MultipleChoiceQuestion attribute), 47
 - id (dokomoforms.models.Node attribute), 41
 - id (dokomoforms.models.node.Choice attribute), 17
 - id (dokomoforms.models.node.DateQuestion attribute), 17
 - id (dokomoforms.models.node.DecimalQuestion attribute), 18
 - id (dokomoforms.models.node.FacilityQuestion attribute), 18
 - id (dokomoforms.models.node.IntegerQuestion attribute), 19
 - id (dokomoforms.models.node.LocationQuestion attribute), 19
 - id (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
 - id (dokomoforms.models.node.Node attribute), 20
 - id (dokomoforms.models.node.Note attribute), 21
 - id (dokomoforms.models.node.PhotoQuestion attribute), 21
 - id (dokomoforms.models.node.Question attribute), 22
 - id (dokomoforms.models.node.TextQuestion attribute), 22
 - id (dokomoforms.models.node.TimeQuestion attribute), 23
 - id (dokomoforms.models.node.TimestampQuestion attribute), 23
 - id (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
 - id (dokomoforms.models.Note attribute), 42
 - id (dokomoforms.models.Photo attribute), 57
 - id (dokomoforms.models.PhotoQuestion attribute), 43
 - id (dokomoforms.models.PublicSubmission attribute), 55
 - id (dokomoforms.models.Question attribute), 41
 - id (dokomoforms.models.Submission attribute), 53
 - id (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
 - id (dokomoforms.models.submission.PublicSubmission attribute), 25
 - id (dokomoforms.models.submission.Submission attribute), 26

- id (dokomoforms.models.SubSurvey attribute), 50
 - id (dokomoforms.models.Survey attribute), 48
 - id (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
 - id (dokomoforms.models.survey.Bucket attribute), 28
 - id (dokomoforms.models.survey.DateBucket attribute), 28
 - id (dokomoforms.models.survey.DecimalBucket attribute), 29
 - id (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
 - id (dokomoforms.models.survey.IntegerBucket attribute), 30
 - id (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31
 - id (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
 - id (dokomoforms.models.survey.SubSurvey attribute), 32
 - id (dokomoforms.models.survey.Survey attribute), 33
 - id (dokomoforms.models.survey.SurveyNode attribute), 33
 - id (dokomoforms.models.survey.TimestampBucket attribute), 34
 - id (dokomoforms.models.SurveyNode attribute), 50
 - id (dokomoforms.models.TextQuestion attribute), 43
 - id (dokomoforms.models.TimeQuestion attribute), 45
 - id (dokomoforms.models.TimestampQuestion attribute), 46
 - id (dokomoforms.models.User attribute), 39
 - id (dokomoforms.models.user.Administrator attribute), 35
 - id (dokomoforms.models.user.Email attribute), 36
 - id (dokomoforms.models.user.User attribute), 36
 - image (dokomoforms.models.answer.Photo attribute), 11
 - image (dokomoforms.models.Photo attribute), 57
 - IntegerAnswer (class in dokomoforms.models.answer), 8
 - IntegerBucket (class in dokomoforms.models.survey), 30
 - IntegerQuestion (class in dokomoforms.models), 43
 - IntegerQuestion (class in dokomoforms.models.node), 18
 - InvalidTypeForOperation, 58
- J**
- json_column() (in module dokomoforms.models.util), 37
 - jsonify() (in module dokomoforms.models), 39
 - jsonify() (in module dokomoforms.models.util), 38
- L**
- languages (dokomoforms.models.DateQuestion attribute), 45
 - languages (dokomoforms.models.DecimalQuestion attribute), 44
 - languages (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
 - languages (dokomoforms.models.FacilityQuestion attribute), 47
 - languages (dokomoforms.models.IntegerQuestion attribute), 44
 - languages (dokomoforms.models.LocationQuestion attribute), 46
 - languages (dokomoforms.models.MultipleChoiceQuestion attribute), 47
 - languages (dokomoforms.models.Node attribute), 41
 - languages (dokomoforms.models.node.DateQuestion attribute), 17
 - languages (dokomoforms.models.node.DecimalQuestion attribute), 18
 - languages (dokomoforms.models.node.FacilityQuestion attribute), 18
 - languages (dokomoforms.models.node.IntegerQuestion attribute), 19
 - languages (dokomoforms.models.node.LocationQuestion attribute), 19
 - languages (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
 - languages (dokomoforms.models.node.Node attribute), 20
 - languages (dokomoforms.models.node.Note attribute), 21
 - languages (dokomoforms.models.node.PhotoQuestion attribute), 21
 - languages (dokomoforms.models.node.Question attribute), 22
 - languages (dokomoforms.models.node.TextQuestion attribute), 22
 - languages (dokomoforms.models.node.TimeQuestion attribute), 23
 - languages (dokomoforms.models.node.TimestampQuestion attribute), 23
 - languages (dokomoforms.models.Note attribute), 42
 - languages (dokomoforms.models.PhotoQuestion attribute), 43
 - languages (dokomoforms.models.Question attribute), 41
 - languages (dokomoforms.models.Survey attribute), 48
 - languages (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 29
 - languages (dokomoforms.models.survey.Survey attribute), 33
 - languages (dokomoforms.models.TextQuestion attribute), 43
 - languages (dokomoforms.models.TimeQuestion attribute), 45
 - languages (dokomoforms.models.TimestampQuestion attribute), 46
 - languages_column() (in module dokomoforms.models.util), 38
 - languages_constraint() (in module dokomoforms.models.util), 38
 - last_update_time (dokomoforms.models.Administrator

attribute), 40

last_update_time (dokomoforms.models.Answer attribute), 56

last_update_time (dokomoforms.models.answer.Answer attribute), 5

last_update_time (dokomoforms.models.answer.DateAnswer attribute), 6

last_update_time (dokomoforms.models.answer.DecimalAnswer attribute), 7

last_update_time (dokomoforms.models.answer.FacilityAnswer attribute), 8

last_update_time (dokomoforms.models.answer.IntegerAnswer attribute), 9

last_update_time (dokomoforms.models.answer.LocationAnswer attribute), 10

last_update_time (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11

last_update_time (dokomoforms.models.answer.PhotoAnswer attribute), 12

last_update_time (dokomoforms.models.answer.TextAnswer attribute), 13

last_update_time (dokomoforms.models.answer.TimeAnswer attribute), 14

last_update_time (dokomoforms.models.answer.TimestampAnswer attribute), 15

last_update_time (dokomoforms.models.AnswerableSurveyNode attribute), 52

last_update_time (dokomoforms.models.Choice attribute), 48

last_update_time (dokomoforms.models.DateQuestion attribute), 45

last_update_time (dokomoforms.models.DecimalQuestion attribute), 44

last_update_time (dokomoforms.models.Email attribute), 40

last_update_time (dokomoforms.models.EnumeratorOnlySubmission attribute), 54

last_update_time (dokomoforms.models.EnumeratorOnlySurvey attribute), 49

last_update_time (dokomoforms.models.FacilityQuestion attribute), 47

last_update_time (dokomoforms.models.IntegerQuestion attribute), 44

last_update_time (dokomoforms.models.LocationQuestion attribute), 46

last_update_time (dokomoforms.models.MultipleChoiceQuestion attribute), 47

last_update_time (dokomoforms.models.Node attribute), 41

last_update_time (dokomoforms.models.node.Choice attribute), 17

last_update_time (dokomoforms.models.node.DateQuestion attribute), 17

last_update_time (dokomoforms.models.node.DecimalQuestion attribute), 18

last_update_time (dokomoforms.models.node.FacilityQuestion attribute), 18

last_update_time (dokomoforms.models.node.IntegerQuestion attribute), 19

last_update_time (dokomoforms.models.node.LocationQuestion attribute), 19

last_update_time (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20

last_update_time (dokomoforms.models.node.Node attribute), 20

last_update_time (dokomoforms.models.node.Note attribute), 21

last_update_time (dokomoforms.models.node.PhotoQuestion attribute), 21

last_update_time (dokomoforms.models.node.Question attribute), 22

last_update_time (dokomoforms.models.node.TextQuestion attribute), 22

last_update_time (dokomoforms.models.node.TimeQuestion attribute), 23

last_update_time (dokomoforms.models.node.TimestampQuestion attribute), 23

last_update_time (dokomoforms.models.NonAnswerableSurveyNode attribute), 51

last_update_time (dokomoforms.models.Note attribute),

42

`last_update_time` (dokomoforms.models.PhotoQuestion attribute), 43

`last_update_time` (dokomoforms.models.PublicSubmission attribute), 55

`last_update_time` (dokomoforms.models.Question attribute), 41

`last_update_time` (dokomoforms.models.Submission attribute), 53

`last_update_time` (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24

`last_update_time` (dokomoforms.models.submission.PublicSubmission attribute), 25

`last_update_time` (dokomoforms.models.submission.Submission attribute), 26

`last_update_time` (dokomoforms.models.Survey attribute), 48

`last_update_time` (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27

`last_update_time` (dokomoforms.models.survey.Bucket attribute), 28

`last_update_time` (dokomoforms.models.survey.DateBucket attribute), 28

`last_update_time` (dokomoforms.models.survey.DecimalBucket attribute), 29

`last_update_time` (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30

`last_update_time` (dokomoforms.models.survey.IntegerBucket attribute), 30

`last_update_time` (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31

`last_update_time` (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31

`last_update_time` (dokomoforms.models.survey.Survey attribute), 33

`last_update_time` (dokomoforms.models.survey.SurveyNode attribute), 33

`last_update_time` (dokomoforms.models.survey.TimestampBucket attribute), 34

`last_update_time` (dokomoforms.models.SurveyNode attribute), 50

`last_update_time` (dokomoforms.models.TextQuestion attribute), 43

`last_update_time` (dokomoforms.models.TimeQuestion attribute), 45

`last_update_time` (dokomoforms.models.TimestampQuestion attribute), 46

`last_update_time` (dokomoforms.models.User attribute), 39

`last_update_time` (dokomoforms.models.user.Administrator attribute), 35

`last_update_time` (dokomoforms.models.user.Email attribute), 36

`last_update_time` (dokomoforms.models.user.User attribute), 36

`last_update_time()` (in module dokomoforms.models.util), 38

`latest_submission_time` (dokomoforms.models.EnumeratorOnlySurvey attribute), 49

`latest_submission_time` (dokomoforms.models.Survey attribute), 49

`latest_submission_time` (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30

`latest_submission_time` (dokomoforms.models.survey.Survey attribute), 33

`LocationAnswer` (class in dokomoforms.models.answer), 9

`LocationQuestion` (class in dokomoforms.models), 46

`LocationQuestion` (class in dokomoforms.models.node), 19

`logic` (dokomoforms.models.AnswerableSurveyNode attribute), 52

`logic` (dokomoforms.models.DateQuestion attribute), 45

`logic` (dokomoforms.models.DecimalQuestion attribute), 44

`logic` (dokomoforms.models.FacilityQuestion attribute), 47

`logic` (dokomoforms.models.IntegerQuestion attribute), 44

`logic` (dokomoforms.models.LocationQuestion attribute), 46

`logic` (dokomoforms.models.MultipleChoiceQuestion attribute), 47

`logic` (dokomoforms.models.Node attribute), 41

`logic` (dokomoforms.models.node.DateQuestion attribute), 17

`logic` (dokomoforms.models.node.DecimalQuestion attribute), 18

`logic` (dokomoforms.models.node.FacilityQuestion attribute), 18

`logic` (dokomoforms.models.node.IntegerQuestion

attribute), 19
 logic (dokomoforms.models.node.LocationQuestion attribute), 19
 logic (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
 logic (dokomoforms.models.node.Node attribute), 20
 logic (dokomoforms.models.node.Note attribute), 21
 logic (dokomoforms.models.node.PhotoQuestion attribute), 21
 logic (dokomoforms.models.node.Question attribute), 22
 logic (dokomoforms.models.node.TextQuestion attribute), 22
 logic (dokomoforms.models.node.TimeQuestion attribute), 23
 logic (dokomoforms.models.node.TimestampQuestion attribute), 24
 logic (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
 logic (dokomoforms.models.Note attribute), 42
 logic (dokomoforms.models.PhotoQuestion attribute), 43
 logic (dokomoforms.models.Question attribute), 41
 logic (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
 logic (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
 logic (dokomoforms.models.survey.SurveyNode attribute), 33
 logic (dokomoforms.models.SurveyNode attribute), 50
 logic (dokomoforms.models.TextQuestion attribute), 43
 logic (dokomoforms.models.TimeQuestion attribute), 45
 logic (dokomoforms.models.TimestampQuestion attribute), 46

M

main_answer (dokomoforms.models.Answer attribute), 56
 main_answer (dokomoforms.models.answer.Answer attribute), 5
 main_answer (dokomoforms.models.answer.DateAnswer attribute), 6
 main_answer (dokomoforms.models.answer.DecimalAnswer attribute), 7
 main_answer (dokomoforms.models.answer.FacilityAnswer attribute), 8
 main_answer (dokomoforms.models.answer.IntegerAnswer attribute), 9
 main_answer (dokomoforms.models.answer.LocationAnswer attribute), 10
 main_answer (dokomoforms.models.answer.MultipleChoiceAnswer

attribute), 11
 main_answer (dokomoforms.models.answer.PhotoAnswer attribute), 12
 main_answer (dokomoforms.models.answer.TextAnswer attribute), 13
 main_answer (dokomoforms.models.answer.TimeAnswer attribute), 14
 main_answer (dokomoforms.models.answer.TimestampAnswer attribute), 15
 mime_type (dokomoforms.models.answer.Photo attribute), 11
 mime_type (dokomoforms.models.Photo attribute), 57
 ModelJSONEncoder (class in dokomoforms.models), 39
 ModelJSONEncoder (class in dokomoforms.models.util), 36
 most_recent_submissions() (in module dokomoforms.models), 55
 most_recent_submissions() (in module dokomoforms.models.submission), 26
 most_recent_surveys() (in module dokomoforms.models), 53
 most_recent_surveys() (in module dokomoforms.models.survey), 35
 MultipleChoiceAnswer (class in dokomoforms.models.answer), 10
 MultipleChoiceBucket (class in dokomoforms.models.survey), 30
 MultipleChoiceQuestion (class in dokomoforms.models), 47
 MultipleChoiceQuestion (class in dokomoforms.models.node), 19

N

name (dokomoforms.models.Administrator attribute), 40
 name (dokomoforms.models.User attribute), 39
 name (dokomoforms.models.user.Administrator attribute), 35
 name (dokomoforms.models.user.User attribute), 36
 Node (class in dokomoforms.models), 40
 Node (class in dokomoforms.models.node), 20
 node (dokomoforms.models.AnswerableSurveyNode attribute), 52
 node (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
 node (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
 node (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
 node (dokomoforms.models.survey.SurveyNode attribute), 33
 node (dokomoforms.models.SurveyNode attribute), 50

node_id (dokomoforms.models.AnswerableSurveyNode attribute), 52

node_id (dokomoforms.models.NonAnswerableSurveyNode attribute), 51

node_id (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27

node_id (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31

node_id (dokomoforms.models.survey.SurveyNode attribute), 33

node_id (dokomoforms.models.SurveyNode attribute), 50

node_languages (dokomoforms.models.AnswerableSurveyNode attribute), 52

node_languages (dokomoforms.models.MultipleChoiceQuestion attribute), 47

node_languages (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20

node_languages (dokomoforms.models.NonAnswerableSurveyNode attribute), 51

node_languages (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27

node_languages (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31

node_languages (dokomoforms.models.survey.SurveyNode attribute), 33

node_languages (dokomoforms.models.SurveyNode attribute), 50

node_number (dokomoforms.models.AnswerableSurveyNode attribute), 52

node_number (dokomoforms.models.NonAnswerableSurveyNode attribute), 51

node_number (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27

node_number (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31

node_number (dokomoforms.models.survey.SurveyNode attribute), 33

node_number (dokomoforms.models.SurveyNode attribute), 51

nodes (dokomoforms.models.EnumeratorOnlySurvey attribute), 49

nodes (dokomoforms.models.SubSurvey attribute), 32

nodes (dokomoforms.models.survey.Survey attribute), 33

non_null_repeatable (dokomoforms.models.AnswerableSurveyNode attribute), 52

non_null_repeatable (dokomoforms.models.NonAnswerableSurveyNode attribute), 51

non_null_repeatable (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27

non_null_repeatable (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31

non_null_repeatable (dokomoforms.models.survey.SurveyNode attribute), 33

non_null_repeatable (dokomoforms.models.SurveyNode attribute), 51

NonAnswerableSurveyNode (class in dokomoforms.models), 51

NonAnswerableSurveyNode (class in dokomoforms.models.survey), 31

NoSuchBucketTypeError, 58

NoSuchNodeTypeError, 58

NoSuchSubmissionTypeError, 58

NotAnAnswerTypeError, 59

NotAResponseTypeError, 58

Note (class in dokomoforms.models), 42

Note (class in dokomoforms.models.node), 21

NotJSONifiableError, 59

num_submissions (dokomoforms.models.EnumeratorOnlySurvey attribute), 49

num_submissions (dokomoforms.models.Survey attribute), 49

num_submissions (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30

num_submissions (dokomoforms.models.survey.Survey attribute), 33

O

other (dokomoforms.models.Answer attribute), 56

other (dokomoforms.models.answer.Answer attribute), 5

other (dokomoforms.models.answer.DateAnswer attribute), 6

other (dokomoforms.models.answer.DecimalAnswer attribute), 7

other (dokomoforms.models.answer.FacilityAnswer attribute), 8
 other (dokomoforms.models.answer.IntegerAnswer attribute), 9
 other (dokomoforms.models.answer.LocationAnswer attribute), 10
 other (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
 other (dokomoforms.models.answer.PhotoAnswer attribute), 12
 other (dokomoforms.models.answer.TextAnswer attribute), 13
 other (dokomoforms.models.answer.TimeAnswer attribute), 14
 other (dokomoforms.models.answer.TimestampAnswer attribute), 15

P

parent_allow_multiple (dokomoforms.models.SubSurvey attribute), 50
 parent_allow_multiple (dokomoforms.models.survey.SubSurvey attribute), 32
 parent_node_id (dokomoforms.models.SubSurvey attribute), 50
 parent_node_id (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31
 parent_node_id (dokomoforms.models.survey.SubSurvey attribute), 32
 parent_survey_node_id (dokomoforms.models.SubSurvey attribute), 50
 parent_survey_node_id (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31
 parent_survey_node_id (dokomoforms.models.survey.SubSurvey attribute), 32
 parent_type_constraint (dokomoforms.models.SubSurvey attribute), 50
 parent_type_constraint (dokomoforms.models.survey.SubSurvey attribute), 32
 Photo (class in dokomoforms.models), 57
 Photo (class in dokomoforms.models.answer), 11
 photo (dokomoforms.models.answer.PhotoAnswer attribute), 12
 PhotoAnswer (class in dokomoforms.models.answer), 11
 PhotoIdDoesNotExistError, 59
 PhotoQuestion (class in dokomoforms.models), 43
 PhotoQuestion (class in dokomoforms.models.node), 21
 pk() (in module dokomoforms.models.util), 38
 preferences (dokomoforms.models.Administrator attribute), 40

preferences (dokomoforms.models.User attribute), 39
 preferences (dokomoforms.models.user.Administrator attribute), 35
 preferences (dokomoforms.models.user.User attribute), 36
 PublicSubmission (class in dokomoforms.models), 55
 PublicSubmission (class in dokomoforms.models.submission), 25

Q

Question (class in dokomoforms.models), 41
 Question (class in dokomoforms.models.node), 21
 question_id (dokomoforms.models.Answer attribute), 56
 question_id (dokomoforms.models.answer.Answer attribute), 5
 question_id (dokomoforms.models.answer.DateAnswer attribute), 6
 question_id (dokomoforms.models.answer.DecimalAnswer attribute), 7
 question_id (dokomoforms.models.answer.FacilityAnswer attribute), 8
 question_id (dokomoforms.models.answer.IntegerAnswer attribute), 9
 question_id (dokomoforms.models.answer.LocationAnswer attribute), 10
 question_id (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
 question_id (dokomoforms.models.answer.PhotoAnswer attribute), 12
 question_id (dokomoforms.models.answer.TextAnswer attribute), 13
 question_id (dokomoforms.models.answer.TimeAnswer attribute), 14
 question_id (dokomoforms.models.answer.TimestampAnswer attribute), 15
 question_id (dokomoforms.models.Choice attribute), 48
 question_id (dokomoforms.models.node.Choice attribute), 17
 question_languages (dokomoforms.models.Choice attribute), 48
 question_languages (dokomoforms.models.node.Choice attribute), 17
 question_title (dokomoforms.models.Answer attribute), 56
 question_title (dokomoforms.models.answer.Answer attribute), 5
 question_title (dokomoforms.models.answer.DateAnswer attribute), 6
 question_title (dokomoforms.models.answer.DecimalAnswer attribute), 7
 question_title (dokomoforms.models.answer.FacilityAnswer attribute), 8

- question_title (dokomoforms.models.answer.IntegerAnswer attribute), 9
- question_title (dokomoforms.models.answer.LocationAnswer attribute), 10
- question_title (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
- question_title (dokomoforms.models.answer.PhotoAnswer attribute), 12
- question_title (dokomoforms.models.answer.TextAnswer attribute), 13
- question_title (dokomoforms.models.answer.TimeAnswer attribute), 14
- question_title (dokomoforms.models.answer.TimestampAnswer attribute), 15
- R**
- repeatable (dokomoforms.models.Answer attribute), 56
- repeatable (dokomoforms.models.answer.Answer attribute), 5
- repeatable (dokomoforms.models.answer.DateAnswer attribute), 6
- repeatable (dokomoforms.models.answer.DecimalAnswer attribute), 7
- repeatable (dokomoforms.models.answer.FacilityAnswer attribute), 8
- repeatable (dokomoforms.models.answer.IntegerAnswer attribute), 9
- repeatable (dokomoforms.models.answer.LocationAnswer attribute), 10
- repeatable (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
- repeatable (dokomoforms.models.answer.PhotoAnswer attribute), 12
- repeatable (dokomoforms.models.answer.TextAnswer attribute), 13
- repeatable (dokomoforms.models.answer.TimeAnswer attribute), 14
- repeatable (dokomoforms.models.answer.TimestampAnswer attribute), 15
- repeatable (dokomoforms.models.SubSurvey attribute), 50
- repeatable (dokomoforms.models.survey.SubSurvey attribute), 32
- required (dokomoforms.models.AnswerableSurveyNode attribute), 52
- required (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
- RequiredQuestionSkipped, 59
- response (dokomoforms.models.Answer attribute), 56
- response (dokomoforms.models.answer.Answer attribute), 5
- role (dokomoforms.models.Administrator attribute), 40
- role (dokomoforms.models.User attribute), 39
- role (dokomoforms.models.user.Administrator attribute), 35
- role (dokomoforms.models.user.User attribute), 36
- root_survey_id (dokomoforms.models.AnswerableSurveyNode attribute), 52
- root_survey_id (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
- root_survey_id (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
- root_survey_id (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
- root_survey_id (dokomoforms.models.survey.SurveyNode attribute), 33
- root_survey_id (dokomoforms.models.SurveyNode attribute), 51
- root_survey_languages (dokomoforms.models.AnswerableSurveyNode attribute), 52
- root_survey_languages (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
- root_survey_languages (dokomoforms.models.SubSurvey attribute), 50
- root_survey_languages (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
- root_survey_languages (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
- root_survey_languages (dokomoforms.models.survey.SubSurvey attribute), 32
- root_survey_languages (dokomoforms.models.survey.SurveyNode attribute), 33
- root_survey_languages (dokomoforms.models.SurveyNode attribute), 51
- S**
- save_time (dokomoforms.models.Answer attribute), 56
- save_time (dokomoforms.models.answer.Answer attribute), 5
- save_time (dokomoforms.models.answer.DateAnswer attribute), 6

`save_time` (dokomoforms.models.answer.DecimalAnswer attribute), 7
`save_time` (dokomoforms.models.answer.FacilityAnswer attribute), 8
`save_time` (dokomoforms.models.answer.IntegerAnswer attribute), 9
`save_time` (dokomoforms.models.answer.LocationAnswer attribute), 10
`save_time` (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
`save_time` (dokomoforms.models.answer.PhotoAnswer attribute), 12
`save_time` (dokomoforms.models.answer.TextAnswer attribute), 13
`save_time` (dokomoforms.models.answer.TimeAnswer attribute), 14
`save_time` (dokomoforms.models.answer.TimestampAnswersub_survey_id attribute), 15
`save_time` (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
`save_time` (dokomoforms.models.PublicSubmission attribute), 55
`save_time` (dokomoforms.models.Submission attribute), 53
`save_time` (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
`save_time` (dokomoforms.models.submission.PublicSubmission attribute), 25
`save_time` (dokomoforms.models.submission.Submission attribute), 26
`skipped_required()` (in module dokomoforms.models), 53
`skipped_required()` (in module dokomoforms.models.survey), 35
`start_time` (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
`start_time` (dokomoforms.models.PublicSubmission attribute), 55
`start_time` (dokomoforms.models.Submission attribute), 54
`start_time` (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
`start_time` (dokomoforms.models.submission.PublicSubmission attribute), 25
`start_time` (dokomoforms.models.submission.Submission attribute), 26
`sub_survey_id` (dokomoforms.models.AnswerableSurveyNode attribute), 52
`sub_survey_id` (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
`sub_survey_id` (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
`sub_survey_id` (dokomoforms.models.survey.Bucket attribute), 28
`sub_survey_id` (dokomoforms.models.survey.DateBucket attribute), 28
`sub_survey_id` (dokomoforms.models.survey.DecimalBucket attribute), 29
`sub_survey_id` (dokomoforms.models.survey.IntegerBucket attribute), 30
`sub_survey_id` (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31
`sub_survey_id` (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
`sub_survey_id` (dokomoforms.models.survey.SurveyNode attribute), 33
`sub_survey_id` (dokomoforms.models.survey.TimestampBucket attribute), 34
`sub_survey_id` (dokomoforms.models.SurveyNode attribute), 51
`sub_survey_id` (dokomoforms.models.SubSurvey attribute), 50
`sub_survey_id` (dokomoforms.models.survey.SubSurvey attribute), 32
`sub_survey_id` (dokomoforms.models.survey.Bucket attribute), 28
`sub_survey_id` (dokomoforms.models.survey.DateBucket attribute), 28
`sub_survey_id` (dokomoforms.models.survey.DecimalBucket attribute), 29
`sub_survey_id` (dokomoforms.models.survey.IntegerBucket attribute), 29
`sub_survey_id` (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31
`sub_survey_id` (dokomoforms.models.survey.TimestampBucket attribute), 34
`sub_survey_id` (dokomoforms.models.survey.Bucket attribute), 28
`sub_survey_id` (dokomoforms.models.survey.DateBucket attribute), 28
`sub_survey_id` (dokomoforms.models.survey.DecimalBucket attribute), 29

sub_survey_parent_survey_node_id (dokomoforms.models.survey.IntegerBucket attribute), 30	submission_id (dokomoforms.models.answer.DateAnswer attribute), 6
sub_survey_parent_survey_node_id (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31	submission_id (dokomoforms.models.answer.DecimalAnswer attribute), 7
sub_survey_parent_survey_node_id (dokomoforms.models.survey.TimestampBucket attribute), 34	submission_id (dokomoforms.models.answer.FacilityAnswer attribute), 8
sub_survey_parent_type_constraint (dokomoforms.models.survey.Bucket attribute), 28	submission_id (dokomoforms.models.answer.IntegerAnswer attribute), 9
sub_survey_parent_type_constraint (dokomoforms.models.survey.DateBucket attribute), 29	submission_id (dokomoforms.models.answer.LocationAnswer attribute), 10
sub_survey_parent_type_constraint (dokomoforms.models.survey.DecimalBucket attribute), 29	submission_id (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
sub_survey_parent_type_constraint (dokomoforms.models.survey.IntegerBucket attribute), 30	submission_id (dokomoforms.models.answer.PhotoAnswer attribute), 12
sub_survey_parent_type_constraint (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31	submission_id (dokomoforms.models.answer.TextAnswer attribute), 13
sub_survey_parent_type_constraint (dokomoforms.models.survey.TimestampBucket attribute), 34	submission_id (dokomoforms.models.answer.TimeAnswer attribute), 14
sub_survey_repeatable (dokomoforms.models.AnswerableSurveyNode attribute), 52	submission_id (dokomoforms.models.answer.TimestampAnswer attribute), 15
sub_survey_repeatable (dokomoforms.models.NonAnswerableSurveyNode attribute), 51	submission_time (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
sub_survey_repeatable (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27	submission_time (dokomoforms.models.PublicSubmission attribute), 55
sub_survey_repeatable (dokomoforms.models.survey.NonAnswerableSurveyNodesubmission_time (dokomoforms.models.Submission attribute), 31	submission_time (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 24
sub_survey_repeatable (dokomoforms.models.survey.SurveyNode attribute), 33	submission_time (dokomoforms.models.submission.PublicSubmission attribute), 25
sub_survey_repeatable (dokomoforms.models.SurveyNode attribute), 51	submission_time (dokomoforms.models.submission.Submission attribute), 26
sub_surveys (dokomoforms.models.AnswerableSurveyNode attribute), 52	submission_type (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
sub_surveys (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27	submission_type (dokomoforms.models.PublicSubmission attribute), 55
Submission (class in dokomoforms.models), 53	submission_type (dokomoforms.models.Submission attribute)
Submission (class in dokomoforms.models.submission), 25	
submission_id (dokomoforms.models.Answer attribute), 56	
submission_id (dokomoforms.models.answer.Answer attribute), 5	

tribute), 54		Survey (class in dokomoforms.models.survey), 32
submission_type (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 25		survey_containing_id (dokomoforms.models.Answer attribute), 56
submission_type (dokomoforms.models.submission.PublicSubmission attribute), 25		survey_containing_id (dokomoforms.models.answer.Answer attribute), 5
submission_type (dokomoforms.models.submission.Submission attribute), 26		survey_containing_id (dokomoforms.models.answer.DateAnswer attribute), 6
submissions (dokomoforms.models.EnumeratorOnlySurvey attribute), 49		survey_containing_id (dokomoforms.models.answer.DecimalAnswer attribute), 7
submissions (dokomoforms.models.Survey attribute), 49		survey_containing_id (dokomoforms.models.answer.FacilityAnswer attribute), 8
submissions (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30		survey_containing_id (dokomoforms.models.answer.IntegerAnswer attribute), 9
submissions (dokomoforms.models.survey.Survey attribute), 33		survey_containing_id (dokomoforms.models.answer.LocationAnswer attribute), 10
submitter_email (dokomoforms.models.EnumeratorOnlySubmission attribute), 54		survey_containing_id (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
submitter_email (dokomoforms.models.PublicSubmission attribute), 55		survey_containing_id (dokomoforms.models.answer.PhotoAnswer attribute), 12
submitter_email (dokomoforms.models.Submission attribute), 54		survey_containing_id (dokomoforms.models.answer.TextAnswer attribute), 13
submitter_email (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 25		survey_containing_id (dokomoforms.models.answer.TimeAnswer attribute), 14
submitter_email (dokomoforms.models.submission.PublicSubmission attribute), 25		survey_containing_id (dokomoforms.models.answer.TimestampAnswer attribute), 15
submitter_email (dokomoforms.models.submission.Submission attribute), 26		survey_containing_id (dokomoforms.models.EnumeratorOnlySubmission attribute), 54
submitter_name (dokomoforms.models.EnumeratorOnlySubmission attribute), 54		survey_containing_id (dokomoforms.models.PublicSubmission attribute), 55
submitter_name (dokomoforms.models.PublicSubmission attribute), 55		survey_containing_id (dokomoforms.models.Submission attribute), 54
submitter_name (dokomoforms.models.Submission attribute), 54		survey_containing_id (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 25
submitter_name (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 25		survey_containing_id (dokomoforms.models.submission.PublicSubmission attribute), 25
submitter_name (dokomoforms.models.submission.PublicSubmission attribute), 25		survey_containing_id (dokomoforms.models.submission.Submission attribute), 26
submitter_name (dokomoforms.models.submission.Submission attribute), 26		survey_containing_id (dokomoforms.models.submission.Submission attribute), 26
SubSurvey (class in dokomoforms.models), 50		survey_default_language (dokomoforms.models.submission.Submission attribute), 26
SubSurvey (class in dokomoforms.models.survey), 32		
Survey (class in dokomoforms.models), 48		

forms.models.EnumeratorOnlySubmission attribute), 54	survey_metadata (dokomoforms.models.Survey attribute), 49
survey_default_language (dokomoforms.models.PublicSubmission attribute), 55	survey_metadata (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30
survey_default_language (dokomoforms.models.Submission attribute), 54	survey_metadata (dokomoforms.models.survey.Survey attribute), 33
survey_default_language (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 25	survey_node (dokomoforms.models.Answer attribute), 57
survey_default_language (dokomoforms.models.submission.PublicSubmission attribute), 25	survey_node (dokomoforms.models.answer.Answer attribute), 5
survey_default_language (dokomoforms.models.submission.Submission attribute), 26	survey_node (dokomoforms.models.answer.DateAnswer attribute), 6
survey_id (dokomoforms.models.Answer attribute), 57	survey_node (dokomoforms.models.answer.DecimalAnswer attribute), 7
survey_id (dokomoforms.models.answer.Answer attribute), 5	survey_node (dokomoforms.models.answer.FacilityAnswer attribute), 8
survey_id (dokomoforms.models.answer.DateAnswer attribute), 6	survey_node (dokomoforms.models.answer.IntegerAnswer attribute), 9
survey_id (dokomoforms.models.answer.DecimalAnswer attribute), 7	survey_node (dokomoforms.models.answer.LocationAnswer attribute), 10
survey_id (dokomoforms.models.answer.FacilityAnswer attribute), 8	survey_node (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11
survey_id (dokomoforms.models.answer.IntegerAnswer attribute), 9	survey_node (dokomoforms.models.answer.PhotoAnswer attribute), 12
survey_id (dokomoforms.models.answer.LocationAnswer attribute), 10	survey_node (dokomoforms.models.answer.TextAnswer attribute), 13
survey_id (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11	survey_node (dokomoforms.models.answer.TimeAnswer attribute), 14
survey_id (dokomoforms.models.answer.PhotoAnswer attribute), 12	survey_node (dokomoforms.models.answer.TimestampAnswer attribute), 15
survey_id (dokomoforms.models.answer.TextAnswer attribute), 13	survey_node_answerable (dokomoforms.models.AnswerableSurveyNode attribute), 52
survey_id (dokomoforms.models.answer.TimeAnswer attribute), 14	survey_node_answerable (dokomoforms.models.NonAnswerableSurveyNode attribute), 51
survey_id (dokomoforms.models.answer.TimestampAnswers attribute), 15	survey_node_answerable (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
survey_id (dokomoforms.models.EnumeratorOnlySubmission attribute), 54	survey_node_answerable (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31
survey_id (dokomoforms.models.PublicSubmission attribute), 55	survey_node_answerable (dokomoforms.models.survey.SurveyNode attribute), 5
survey_id (dokomoforms.models.Submission attribute), 54	survey_node_answerable (dokomoforms.models.SurveyNode attribute), 51
survey_id (dokomoforms.models.submission.EnumeratorOnlySubmission attribute), 25	survey_node_containing_survey_id (dokomoforms.models.Answer attribute), 57
survey_id (dokomoforms.models.submission.PublicSubmission attribute), 25	survey_node_containing_survey_id (dokomoforms.models.answer.Answer attribute), 5
survey_id (dokomoforms.models.submission.Submission attribute), 26	survey_node_containing_survey_id (dokomoforms.models.answer.Answer attribute), 5
survey_metadata (dokomoforms.models.EnumeratorOnlySurvey attribute), 49	

forms.models.answer.DateAnswer attribute),
6

survey_node_containing_survey_id (dokomo-
forms.models.answer.DecimalAnswer at-
tribute), 7

survey_node_containing_survey_id (dokomo-
forms.models.answer.FacilityAnswer attribute),
8

survey_node_containing_survey_id (dokomo-
forms.models.answer.IntegerAnswer attribute),
9

survey_node_containing_survey_id (dokomo-
forms.models.answer.LocationAnswer at-
tribute), 10

survey_node_containing_survey_id (dokomo-
forms.models.answer.MultipleChoiceAnswer
attribute), 11

survey_node_containing_survey_id (dokomo-
forms.models.answer.PhotoAnswer attribute),
12

survey_node_containing_survey_id (dokomo-
forms.models.answer.TextAnswer attribute),
13

survey_node_containing_survey_id (dokomo-
forms.models.answer.TimeAnswer attribute),
14

survey_node_containing_survey_id (dokomo-
forms.models.answer.TimestampAnswer
attribute), 15

survey_node_id (dokomoforms.models.Answer at-
tribute), 57

survey_node_id (dokomoforms.models.answer.Answer
attribute), 5

survey_node_id (dokomo-
forms.models.answer.DateAnswer attribute),
6

survey_node_id (dokomo-
forms.models.answer.DecimalAnswer at-
tribute), 7

survey_node_id (dokomo-
forms.models.answer.FacilityAnswer attribute),
8

survey_node_id (dokomo-
forms.models.answer.IntegerAnswer attribute),
9

survey_node_id (dokomo-
forms.models.answer.LocationAnswer at-
tribute), 10

survey_node_id (dokomo-
forms.models.answer.MultipleChoiceAnswer
attribute), 11

survey_node_id (dokomo-
forms.models.answer.PhotoAnswer attribute),
12

survey_node_id (dokomo-
forms.models.answer.TextAnswer attribute),
13

survey_node_id (dokomo-
forms.models.answer.TimeAnswer attribute),
14

survey_node_id (dokomo-
forms.models.answer.TimestampAnswer
attribute), 15

survey_title (dokomoforms.models.EnumeratorOnlySubmission
attribute), 54

survey_title (dokomoforms.models.PublicSubmission at-
tribute), 55

survey_title (dokomoforms.models.Submission attribute),
54

survey_title (dokomoforms.models.submission.EnumeratorOnlySubmission
attribute), 25

survey_title (dokomoforms.models.submission.PublicSubmission
attribute), 25

survey_title (dokomoforms.models.submission.Submission
attribute), 26

survey_type (dokomoforms.models.EnumeratorOnlySubmission
attribute), 54

survey_type (dokomoforms.models.EnumeratorOnlySurvey
attribute), 49

survey_type (dokomoforms.models.PublicSubmission at-
tribute), 55

survey_type (dokomoforms.models.Submission at-
tribute), 54

survey_type (dokomoforms.models.submission.EnumeratorOnlySubmission
attribute), 25

survey_type (dokomoforms.models.submission.PublicSubmission
attribute), 25

survey_type (dokomoforms.models.submission.Submission
attribute), 26

survey_type (dokomoforms.models.Survey attribute), 49

survey_type (dokomoforms.models.survey.EnumeratorOnlySurvey
attribute), 30

survey_type (dokomoforms.models.survey.Survey at-
tribute), 33

SurveyAccessForbidden, 59

SurveyNode (class in dokomoforms.models), 50

SurveyNode (class in dokomoforms.models.survey), 33

surveys (dokomoforms.models.Administrator attribute),
40

surveys (dokomoforms.models.user.Administrator
attribute), 35

T

TextAnswer (class in dokomoforms.models.answer), 12

TextQuestion (class in dokomoforms.models), 42

TextQuestion (class in dokomoforms.models.node), 22

the_allow_dont_know (dokomo-
forms.models.answer.DateAnswer attribute),

6			14	
the_allow_dont_know	(dokomoforms.models.answer.DecimalAnswer attribute), 7		the_allow_other	(dokomoforms.models.answer.TimestampAnswer attribute), 15
the_allow_dont_know	(dokomoforms.models.answer.FacilityAnswer attribute), 8		the_containing_survey_id	(dokomoforms.models.AnswerableSurveyNode attribute), 52
the_allow_dont_know	(dokomoforms.models.answer.IntegerAnswer attribute), 9		the_containing_survey_id	(dokomoforms.models.survey.AnswerableSurveyNode attribute), 27
the_allow_dont_know	(dokomoforms.models.answer.LocationAnswer attribute), 10		the_languages	(dokomoforms.models.DateQuestion attribute), 45
the_allow_dont_know	(dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11		the_languages	(dokomoforms.models.DecimalQuestion attribute), 44
the_allow_dont_know	(dokomoforms.models.answer.PhotoAnswer attribute), 12		the_languages	(dokomoforms.models.FacilityQuestion attribute), 47
the_allow_dont_know	(dokomoforms.models.answer.TextAnswer attribute), 13		the_languages	(dokomoforms.models.IntegerQuestion attribute), 44
the_allow_dont_know	(dokomoforms.models.answer.TimeAnswer attribute), 14		the_languages	(dokomoforms.models.LocationQuestion attribute), 46
the_allow_dont_know	(dokomoforms.models.answer.TimestampAnswer attribute), 15		the_languages	(dokomoforms.models.MultipleChoiceQuestion attribute), 47
the_allow_other	(dokomoforms.models.answer.DateAnswer attribute), 6		the_languages	(dokomoforms.models.node.DateQuestion attribute), 17
the_allow_other	(dokomoforms.models.answer.DecimalAnswer attribute), 7		the_languages	(dokomoforms.models.node.DecimalQuestion attribute), 18
the_allow_other	(dokomoforms.models.answer.FacilityAnswer attribute), 8		the_languages	(dokomoforms.models.node.FacilityQuestion attribute), 18
the_allow_other	(dokomoforms.models.answer.IntegerAnswer attribute), 9		the_languages	(dokomoforms.models.node.IntegerQuestion attribute), 19
the_allow_other	(dokomoforms.models.answer.LocationAnswer attribute), 10		the_languages	(dokomoforms.models.node.LocationQuestion attribute), 19
the_allow_other	(dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11		the_languages	(dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
the_allow_other	(dokomoforms.models.answer.PhotoAnswer attribute), 12		the_languages	(dokomoforms.models.node.PhotoQuestion attribute), 21
the_allow_other	(dokomoforms.models.answer.TextAnswer attribute), 13		the_languages	(dokomoforms.models.node.Question attribute), 22
the_allow_other	(dokomoforms.models.answer.TimeAnswer attribute),		the_languages	(dokomoforms.models.node.TextQuestion attribute), 22
			the_languages	(dokomoforms.models.node.TimeQuestion attribute), 23
			the_languages	(dokomoforms.models.node.TimestampQuestion attribute), 24
			the_languages	(dokomoforms.models.PhotoQuestion at-

tribute), 43	the_submission_id (dokomo-
the_languages (dokomoforms.models.Question attribute), 41	forms.models.answer.MultipleChoiceAnswer attribute), 11
the_languages (dokomoforms.models.TextQuestion attribute), 43	the_survey_id (dokomo-
the_languages (dokomoforms.models.TimeQuestion attribute), 45	forms.models.EnumeratorOnlySubmission attribute), 54
the_languages (dokomoforms.models.TimestampQuestion attribute), 46	the_survey_id (dokomo-
the_node (dokomoforms.models.AnswerableSurveyNode attribute), 52	forms.models.submission.EnumeratorOnlySubmission attribute), 25
the_node (dokomoforms.models.NonAnswerableSurveyNode attribute), 51	the_survey_node_id (dokomo-
the_node (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27	forms.models.answer.MultipleChoiceAnswer attribute), 11
the_node (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31	the_survey_node_id (dokomo-
the_node (dokomoforms.models.survey.SurveyNode attribute), 33	forms.models.survey.DateBucket attribute), 29
the_node (dokomoforms.models.SurveyNode attribute), 51	the_survey_node_id (dokomo-
the_node_id (dokomoforms.models.AnswerableSurveyNode attribute), 52	forms.models.survey.DecimalBucket attribute), 29
the_node_id (dokomoforms.models.NonAnswerableSurveyNode attribute), 51	the_survey_node_id (dokomo-
the_node_id (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27	forms.models.survey.IntegerBucket attribute), 30
the_node_id (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31	the_survey_node_id (dokomo-
the_node_languages (dokomoforms.models.AnswerableSurveyNode attribute), 52	forms.models.survey.TimestampBucket attribute), 34
the_node_languages (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27	the_type_constraint (dokomo-
the_question_id (dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11	forms.models.AnswerableSurveyNode attribute), 53
the_root_survey_languages (dokomoforms.models.AnswerableSurveyNode attribute), 52	the_type_constraint (dokomoforms.models.DateQuestion attribute), 45
the_root_survey_languages (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27	the_type_constraint (dokomo-
the_sub_survey_id (dokomoforms.models.survey.MultipleChoiceBucket attribute), 31	forms.models.DecimalQuestion attribute), 44
the_sub_survey_repeatable (dokomoforms.models.AnswerableSurveyNode attribute), 52	the_type_constraint (dokomo-
the_sub_survey_repeatable (dokomoforms.models.survey.AnswerableSurveyNode attribute), 27	forms.models.FacilityQuestion attribute), 47
	the_type_constraint (dokomo-
	forms.models.IntegerQuestion attribute), 44
	the_type_constraint (dokomo-
	forms.models.LocationQuestion attribute), 46
	the_type_constraint (dokomo-
	forms.models.MultipleChoiceQuestion attribute), 48
	the_type_constraint (dokomo-
	forms.models.node.DateQuestion attribute), 17
	the_type_constraint (dokomo-
	forms.models.node.DecimalQuestion attribute), 18
	the_type_constraint (dokomo-
	forms.models.node.FacilityQuestion attribute), 18
	the_type_constraint (dokomo-

forms.models.node.IntegerQuestion attribute), 19

the_type_constraint (dokomoforms.models.node.LocationQuestion attribute), 19

the_type_constraint (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20

the_type_constraint (dokomoforms.models.node.Note attribute), 21

the_type_constraint (dokomoforms.models.node.PhotoQuestion attribute), 21

the_type_constraint (dokomoforms.models.node.Question attribute), 22

the_type_constraint (dokomoforms.models.node.TextQuestion attribute), 23

the_type_constraint (dokomoforms.models.node.TimeQuestion attribute), 23

the_type_constraint (dokomoforms.models.node.TimestampQuestion attribute), 24

the_type_constraint (dokomoforms.models.NonAnswerableSurveyNode attribute), 51

the_type_constraint (dokomoforms.models.Note attribute), 42

the_type_constraint (dokomoforms.models.PhotoQuestion attribute), 43

the_type_constraint (dokomoforms.models.Question attribute), 41

the_type_constraint (dokomoforms.models.survey.AnswerableSurveyNode attribute), 28

the_type_constraint (dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 31

the_type_constraint (dokomoforms.models.TextQuestion attribute), 43

the_type_constraint (dokomoforms.models.TimeQuestion attribute), 45

the_type_constraint (dokomoforms.models.TimestampQuestion attribute), 46

TimeAnswer (class in dokomoforms.models.answer), 13

TimeQuestion (class in dokomoforms.models), 45

TimeQuestion (class in dokomoforms.models.node), 23

TimestampAnswer (class in dokomoforms.models.answer), 14

TimestampBucket (class in dokomoforms.models.survey), 34

TimestampQuestion (class in dokomoforms.models), 45

TimestampQuestion (class in dokomoforms.models.node), 23

title (dokomoforms.models.DateQuestion attribute), 45

title (dokomoforms.models.DecimalQuestion attribute), 44

title (dokomoforms.models.EnumeratorOnlySurvey attribute), 49

title (dokomoforms.models.FacilityQuestion attribute), 47

title (dokomoforms.models.IntegerQuestion attribute), 44

title (dokomoforms.models.LocationQuestion attribute), 46

title (dokomoforms.models.MultipleChoiceQuestion attribute), 48

title (dokomoforms.models.Node attribute), 41

title (dokomoforms.models.node.DateQuestion attribute), 17

title (dokomoforms.models.node.DecimalQuestion attribute), 18

title (dokomoforms.models.node.FacilityQuestion attribute), 18

title (dokomoforms.models.node.IntegerQuestion attribute), 19

title (dokomoforms.models.node.LocationQuestion attribute), 19

title (dokomoforms.models.node.MultipleChoiceQuestion attribute), 20

title (dokomoforms.models.node.Node attribute), 20

title (dokomoforms.models.node.Note attribute), 21

title (dokomoforms.models.node.PhotoQuestion attribute), 21

title (dokomoforms.models.node.Question attribute), 22

title (dokomoforms.models.node.TextQuestion attribute), 23

title (dokomoforms.models.node.TimeQuestion attribute), 23

title (dokomoforms.models.node.TimestampQuestion attribute), 24

title (dokomoforms.models.Note attribute), 42

title (dokomoforms.models.PhotoQuestion attribute), 43

title (dokomoforms.models.Question attribute), 41

title (dokomoforms.models.Survey attribute), 49

title (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30

title (dokomoforms.models.survey.Survey attribute), 33

title (dokomoforms.models.TextQuestion attribute), 43

title (dokomoforms.models.TimeQuestion attribute), 45

title (dokomoforms.models.TimestampQuestion attribute), 46

token (dokomoforms.models.Administrator attribute), 40

token (dokomoforms.models.user.Administrator attribute), 35

token_expiration (dokomoforms.models.Administrator attribute), 40

token_expiration	(dokomoforms.models.user.Administrator attribute), 35	41	
type_constraint	(dokomoforms.models.Answer attribute), 57	type_constraint	(dokomoforms.models.node.DateQuestion attribute), 17
type_constraint	(dokomoforms.models.answer.Answer attribute), 5	type_constraint	(dokomoforms.models.node.DecimalQuestion attribute), 18
type_constraint	(dokomoforms.models.answer.DateAnswer attribute), 6	type_constraint	(dokomoforms.models.node.FacilityQuestion attribute), 18
type_constraint	(dokomoforms.models.answer.DecimalAnswer attribute), 7	type_constraint	(dokomoforms.models.node.IntegerQuestion attribute), 19
type_constraint	(dokomoforms.models.answer.FacilityAnswer attribute), 8	type_constraint	(dokomoforms.models.node.LocationQuestion attribute), 19
type_constraint	(dokomoforms.models.answer.IntegerAnswer attribute), 9	type_constraint	(dokomoforms.models.node.MultipleChoiceQuestion attribute), 20
type_constraint	(dokomoforms.models.answer.LocationAnswer attribute), 10	type_constraint	(dokomoforms.models.node.Node attribute), 20
type_constraint	(dokomoforms.models.answer.MultipleChoiceAnswer attribute), 11	type_constraint	(dokomoforms.models.node.Note attribute), 21
type_constraint	(dokomoforms.models.answer.PhotoAnswer attribute), 12	type_constraint	(dokomoforms.models.node.PhotoQuestion attribute), 21
type_constraint	(dokomoforms.models.answer.TextAnswer attribute), 13	type_constraint	(dokomoforms.models.node.Question attribute), 22
type_constraint	(dokomoforms.models.answer.TimeAnswer attribute), 14	type_constraint	(dokomoforms.models.node.TextQuestion attribute), 23
type_constraint	(dokomoforms.models.answer.TimestampAnswer attribute), 15	type_constraint	(dokomoforms.models.node.TimeQuestion attribute), 23
type_constraint	(dokomoforms.models.AnswerableSurveyNode attribute), 53	type_constraint	(dokomoforms.models.node.TimestampQuestion attribute), 24
type_constraint	(dokomoforms.models.DateQuestion attribute), 45	type_constraint	(dokomoforms.models.NonAnswerableSurveyNode attribute), 52
type_constraint	(dokomoforms.models.DecimalQuestion attribute), 44	type_constraint	(dokomoforms.models.Note attribute), 42
type_constraint	(dokomoforms.models.FacilityQuestion attribute), 47	type_constraint	(dokomoforms.models.PhotoQuestion attribute), 43
type_constraint	(dokomoforms.models.IntegerQuestion attribute), 44	type_constraint	(dokomoforms.models.Question attribute), 41
type_constraint	(dokomoforms.models.LocationQuestion attribute), 46	type_constraint	(dokomoforms.models.survey.AnswerableSurveyNode attribute), 28
type_constraint	(dokomoforms.models.MultipleChoiceQuestion attribute), 48	type_constraint	(dokomoforms.models.survey.NonAnswerableSurveyNode attribute), 32
type_constraint	(dokomoforms.models.Node attribute),	type_constraint	(dokomoforms.models.survey.SurveyNode attribute), 34

`type_constraint` (dokomoforms.models.SurveyNode attribute), 51
`type_constraint` (dokomoforms.models.TextQuestion attribute), 43
`type_constraint` (dokomoforms.models.TimeQuestion attribute), 45
`type_constraint` (dokomoforms.models.TimestampQuestion attribute), 46

U

`url_slug` (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
`url_slug` (dokomoforms.models.Survey attribute), 49
`url_slug` (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30
`url_slug` (dokomoforms.models.survey.Survey attribute), 33
`User` (class in dokomoforms.models), 39
`User` (class in dokomoforms.models.user), 36
`user_id` (dokomoforms.models.Email attribute), 40
`user_id` (dokomoforms.models.user.Email attribute), 36
`UserRequiresEmailError`, 59

V

`version` (dokomoforms.models.EnumeratorOnlySurvey attribute), 49
`version` (dokomoforms.models.Survey attribute), 49
`version` (dokomoforms.models.survey.EnumeratorOnlySurvey attribute), 30
`version` (dokomoforms.models.survey.Survey attribute), 33