
Green Tree Snakes Documentation

Release 1.0

Thomas Kluyver

Oct 09, 2017

Contents

1	Getting to and from ASTs	3
1.1	Modes	3
1.2	Fixing locations	3
1.3	Going backwards	4
2	Meet the Nodes	5
2.1	Literals	5
2.2	Variables	6
2.3	Expressions	7
2.4	Statements	11
2.5	Control flow	13
2.6	Function and class definitions	15
2.7	Async and await	17
3	Working on the Tree	19
3.1	Inspecting nodes	20
3.2	Modifying the tree	20
4	Examples of working with ASTs	21
4.1	Wrapping integers	21
4.2	Simple test framework	21
5	Indices and tables	23

Abstract Syntax Trees, ASTs, are a powerful feature of Python. You can write programs that inspect and modify Python code, after the syntax has been parsed, but before it gets compiled to byte code. That opens up a world of possibilities for introspection, testing, and mischief.

The [official documentation for the ast module](#) is good, but somewhat brief. *Green Tree Snakes* is more like a field guide (or should that be forest guide?) for working with ASTs. To contribute to the guide, see the [source repository](#).

Contents:

Getting to and from ASTs

To build an ast from code stored as a string, use `ast.parse()`. To turn the ast into executable code, pass it to `compile()` (which can also compile a string directly).

```
>>> tree = ast.parse("print('hello world')")
>>> tree
<_ast.Module object at 0x9e3df6c>
>>> exec(compile(tree, filename="<ast>", mode="exec"))
hello world
```

Modes

Python code can be compiled in three modes. The root of the AST depends on the *mode* parameter you pass to `ast.parse()`, and it must correspond to the *mode* parameter when you call `compile()`.

- **exec** - Normal Python code is run with `mode='exec'`. The root of the AST is a `ast.Module`, whose `body` attribute is a list of nodes.
- **eval** - Single expressions are compiled with `mode='eval'`, and passing them to `eval()` will return their result. The root of the AST is an `ast.Expression`, and its `body` attribute is a single node, such as `ast.Call` or `ast.BinOp`. This is different from `ast.Expr`, which holds an expression within an AST.
- **single** - Single statements or expressions can be compiled with `mode='single'`. If it's an expression, `sys.displayhook()` will be called with the result, like when code is run in the interactive shell. The root of the AST is an `ast.Interactive`, and its `body` attribute is a list of nodes.

Fixing locations

To compile an AST, every node must have `lineno` and `col_offset` attributes. Nodes produced by parsing regular code already have these, but nodes you create programmatically don't. There are a few helper functions for this:

- `ast.fix_missing_locations()` recursively fills in any missing locations by copying from the parent node. The rough and ready answer.
- `ast.copy_location()` copies `lineno` and `col_offset` from one node to another. Useful when you're replacing a node.
- `ast.increment_lineno()` increases `lineno` for a node and its children, pushing them further down a file.

Going backwards

Python itself doesn't provide a way to turn a compiled code object into an AST, or an AST into a string of code. Some third party tools can do these things:

- `astor` can convert an AST back to readable Python code.
- `Meta` also tries to decompile Python bytecode to an AST, but it appears to be unmaintained.
- `uncompyle6` is an actively maintained Python decompiler at the time of writing. Its documented interface is a command line program producing Python source code.

An AST represents each element in your code as an object. These are instances of the various subclasses of `AST` described below. For instance, the code `a + 1` is a `BinOp`, with a `Name` on the left, a `Num` on the right, and an `Add` operator.

Literals

class `Num` (*n*)

A number - integer, float, or complex. The `n` attribute stores the value, already converted to the relevant type.

class `Str` (*s*)

A string. The `s` attribute hold the value. In Python 2, the same type holds unicode strings too.

class `FormattedValue` (*value, conversion, format_spec*)

New in version 3.6.

Node representing a single formatting field in an f-string. If the string contains a single formatting field and nothing else the node can be isolated otherwise it appears in `JoinedStr`.

- `value` is any node that can appear in the value on an `Expr` node.
- `conversion` is an integer (-1: no formatting, 115: string formatting ie `!s` option, 114: repr formatting ie `!r` option, 97: ascii formatting ie `!a` option).
- `format_spec` is a `Str` node representing the formatting of the value if specified. Note that

`conversion` and `format_spec` can both be set at the same time.

```
>>> parseprint(f"{a}")
Module (body=[
  Expr (value=FormattedValue (value=Name (id='a', ctx=Load()), conversion=-1,
↪ format_spec=None)),
])
```

class `JoinedStr` (*values*)

New in version 3.6.

Used to join multiple f-strings (`FormattedValue`), f-string to string literals and multiple f-strings to string literals.

```
>>> parseprint(f'My name is {name}')
Module(body=[
  Expr(value=JoinedStr(values=[
    Str(s='My name is '),
    FormattedValue(value=Name(id='name', ctx=Load()), conversion=-1, format_
↪spec=None),
    ])),
  ])

```

class Bytes (*s*)

A `bytes` object. The `s` attribute holds the value. Python 3 only.

class List (*elts, ctx*)

class Tuple (*elts, ctx*)

A list or tuple. `elts` holds a list of nodes representing the elements. `ctx` is `Store` if the container is an assignment target (i.e. `(x, y) = pt`), and `Load` otherwise.

class Set (*elts*)

A set. `elts` holds a list of nodes representing the elements.

class Dict (*keys, values*)

A dictionary. `keys` and `values` hold lists of nodes with matching order (i.e. they could be paired with `zip()`).

Changed in version 3.5: It is now possible to expand one dictionary into another, as in `{'a': 1, **d}`. In the AST, the expression to be expanded (a `Name` node in this example) goes in the `values` list, with a `None` at the corresponding position in `keys`.

class Ellipsis

Represents the `...` syntax for the `Ellipsis` singleton.

class NameConstant (*value*)

`True`, `False` or `None`. `value` holds one of those constants.

New in version 3.4: Previously, these constants were instances of `Name`.

Variables

class Name (*id, ctx*)

A variable name. `id` holds the name as a string, and `ctx` is one of the following types.

class Load

class Store

class Del

Variable references can be used to load the value of a variable, to assign a new value to it, or to delete it. Variable references are given a context to distinguish these cases.

```
>>> parseprint("a")          # Loading a
Module(body=[
  Expr(value=Name(id='a', ctx=Load())),
  ])

>>> parseprint("a = 1")     # Storing a
Module(body=[
  Assign(targets=[

```

```

        Name(id='a', ctx=Store()),
    ], value=Num(n=1)),
])

>>> parseprint("del a") # Deleting a
Module(body=[
    Delete(targets=[
        Name(id='a', ctx=Del()),
    ]),
])

```

Note: The pretty-printer used in these examples is available in the [source repository](#) for Green Tree Snakes.

class Starred (*value, ctx*)

A **var* variable reference. *value* holds the variable, typically a *Name* node.

Note that this *isn't* used to define a function with **args* - *FunctionDef* nodes have special fields for that. In Python 3.5 and above, though, *Starred* is needed when building a *Call* node with **args*.

```

>>> parseprint("a, *b = it")
Module(body=[
    Assign(targets=[
        Tuple(elts=[
            Name(id='a', ctx=Store()),
            Starred(value=Name(id='b', ctx=Store()), ctx=Store()),
        ], ctx=Store()),
    ], value=Name(id='it', ctx=Load())),
])

```

Expressions

class Expr (*value*)

When an expression, such as a function call, appears as a statement by itself (an *expression statement*), with its return value not used or stored, it is wrapped in this container. *value* holds one of the other nodes in this section, or a literal, a *Name*, a *Lambda*, or a *Yield* or *YieldFrom* node.

```

>>> parseprint('-a')
Module(body=[
    Expr(value=UnaryOp(op=USub(), operand=Name(id='a', ctx=Load()))),
])

```

class UnaryOp (*op, operand*)

A unary operation. *op* is the operator, and *operand* any expression node.

class UAdd

class USub

class Not

class Invert

Unary operator tokens. *Not* is the not keyword, *Invert* is the ~ operator.

class BinOp (*left, op, right*)

A binary operation (like addition or division). *op* is the operator, and *left* and *right* are any expression nodes.

```
class Add
class Sub
class Mult
class Div
class FloorDiv
class Mod
class Pow
class LShift
class RShift
class BitOr
class BitXor
class BitAnd
class MatMult
```

Binary operator tokens.

New in version 3.5: *MatMult* - the @ operator for matrix multiplication.

```
class BoolOp (op, values)
```

A boolean operation, 'or' or 'and'. *op* is *Or* or *And*. *values* are the values involved. Consecutive operations with the same operator, such as `a or b or c`, are collapsed into one node with several values.

This doesn't include `not`, which is a *UnaryOp*.

```
class And
```

```
class Or
```

Boolean operator tokens.

```
class Compare (left, ops, comparators)
```

A comparison of two or more values. *left* is the first value in the comparison, *ops* the list of operators, and *comparators* the list of values after the first. If that sounds awkward, that's because it is:

```
>>> parseprint("1 < a < 10")
Module (body=[
  Expr (value=Compare (left=Num (n=1), ops=[
    Lt (),
    Lt (),
  ], comparators=[
    Name (id='a', ctx=Load()),
    Num (n=10),
  ])),
])
```

```
class Eq
```

```
class NotEq
```

```
class Lt
```

```
class LtE
```

```
class Gt
```

```
class GtE
```

```
class Is
```

```
class IsNot
```

```
class In
```

```
class NotIn
```

Comparison operator tokens.

```
class Call (func, args, keywords, starargs, kwargs)
```

A function call. *func* is the function, which will often be a *Name* or *Attribute* object. Of the arguments:

- *args* holds a list of the arguments passed by position.

- `keywords` holds a list of *keyword* objects representing arguments passed by keyword.
- `starargs` and `kwargs` each hold a single node, for arguments passed as `*args` and `**kwargs`. These are removed in Python 3.5 - see below for details.

When compiling a `Call` node, `args` and `keywords` are required, but they can be empty lists. `starargs` and `kwargs` are optional.

```
>>> parseprint("func(a, b=c, *d, **e)") # Python 3.4
Module(body=[
  Expr(value=Call(func=Name(id='func', ctx=Load()),
    args=[Name(id='a', ctx=Load())],
    keywords=[keyword(arg='b', value=Name(id='c', ctx=Load()))],
    starargs=Name(id='d', ctx=Load()), # gone in 3.5
    kwargs=Name(id='e', ctx=Load()), # gone in 3.5
  ])

>>> parseprint("func(a, b=c, *d, **e)") # Python 3.5
Module(body=[
  Expr(value=Call(func=Name(id='func', ctx=Load()),
    args=[
      Name(id='a', ctx=Load()),
      Starred(value=Name(id='d', ctx=Load()), ctx=Load()) # new in 3.5
    ],
    keywords=[
      keyword(arg='b', value=Name(id='c', ctx=Load())),
      keyword(arg=None, value=Name(id='e', ctx=Load())) # new in 3.5
    ])
  ])

```

You can see here that the signature of `Call` has changed in Python 3.5. Instead of `starargs`, `Starred` nodes can now appear in `args`, and `kwargs` is replaced by `keyword` nodes in `keywords` for which `arg` is `None`.

class `keyword` (*arg, value*)

A keyword argument to a function call or class definition. `arg` is a raw string of the parameter name, `value` is a node to pass in.

class `IfExp` (*test, body, or else*)

An expression such as `a if b else c`. Each field holds a single node, so in that example, all three are `Name` nodes.

class `Attribute` (*value, attr, ctx*)

Attribute access, e.g. `d.keys`. `value` is a node, typically a `Name`. `attr` is a bare string giving the name of the attribute, and `ctx` is `Load`, `Store` or `Del` according to how the attribute is acted on.

```
>>> parseprint('snake.colour')
Module(body=[
  Expr(value=Attribute(value=Name(id='snake', ctx=Load()), attr='colour',
↳ ctx=Load()),
  ])

```

Subscripting

class `Subscript` (*value, slice, ctx*)

A subscript, such as `l[1]`. `value` is the object, often a `Name`. `slice` is one of `Index`, `Slice` or `ExtSlice`. `ctx` is `Load`, `Store` or `Del` according to what it does with the subscript.

class Index (*value*)

Simple subscripting with a single value:

```
>>> parseprint("l[1]")
Module(body=[
  Expr(value=Subscript(value=Name(id='l', ctx=Load()),
                       slice=Index(value=Num(n=1), ctx=Load())),
  ])

```

class Slice (*lower, upper, step*)

Regular slicing:

```
>>> parseprint("l[1:2]")
Module(body=[
  Expr(value=Subscript(value=Name(id='l', ctx=Load()),
                       slice=Slice(lower=Num(n=1), upper=Num(n=2), step=None),
                       ctx=Load())),
  ])

```

class ExtSlice (*dims*)

Advanced slicing. *dims* holds a list of *Slice* and *Index* nodes:

```
>>> parseprint("l[1:2, 3]")
Module(body=[
  Expr(value=Subscript(value=Name(id='l', ctx=Load()), slice=ExtSlice(dims=[
    Slice(lower=Num(n=1), upper=Num(n=2), step=None),
    Index(value=Num(n=3)),
  ]), ctx=Load())),
  ])

```

Comprehensions

class ListComp (*elt, generators*)

class SetComp (*elt, generators*)

class GeneratorExp (*elt, generators*)

class DictComp (*key, value, generators*)

List and set comprehensions, generator expressions, and dictionary comprehensions. *elt* (or *key* and *value*) is a single node representing the part that will be evaluated for each item.

generators is a list of *comprehension* nodes. Comprehensions with more than one *for* part are legal, if tricky to get right - see the example below.

class comprehension (*target, iter, ifs, is_async*)

One *for* clause in a comprehension. *target* is the reference to use for each element - typically a *Name* or *Tuple* node. *iter* is the object to iterate over. *ifs* is a list of test expressions: each *for* clause can have multiple *ifs*.

New in version 3.6: *is_async* indicates a comprehension is asynchronous (using an *async for* instead of *for*).

```
>>> parseprint("[ord(c) for line in file for c in line]", mode='eval') # Multiple_
↳comprehensions in one.
Expression(body=ListComp(elt=Call(func=Name(id='ord', ctx=Load()), args=[
  Name(id='c', ctx=Load()),
  ], keywords=[], starargs=None, kwargs=None), generators=[
  comprehension(target=Name(id='line', ctx=Store()), iter=Name(id='file', _
↳ctx=Load()), ifs=[], is_async=0),

```

```

        comprehension(target=Name(id='c', ctx=Store()), iter=Name(id='line',
↪ctx=Load()), ifs=[], is_async=0),
    ))

>>> parseprint("(n**2 for n in it if n>5 if n<10)", mode='eval')      # Multiple_
↪if clauses
Expression(body=GeneratorExp(elt=BinOp(left=Name(id='n', ctx=Load()), op=Pow(),
↪right=Num(n=2)), generators=[
    comprehension(target=Name(id='n', ctx=Store()), iter=Name(id='it', ctx=Load()),
↪ifs=[
        Compare(left=Name(id='n', ctx=Load()), ops=[
            Gt(),
        ], comparators=[
            Num(n=5),
        ]),
        Compare(left=Name(id='n', ctx=Load()), ops=[
            Lt(),
        ], comparators=[
            Num(n=10),
        ]),
    ],
    is_async=0),
    ))

>>> parseprint(("async def f():"
                "    return [i async for i in soc]")) # Async comprehension.
Module(body=[
    AsyncFunctionDef(name='f', args=arguments(args=[], vararg=None, kwonlyargs=[], kw_
↪defaults=[], kwarg=None, defaults=[]), body=[
        Return(value=ListComp(elt=Name(id='i', ctx=Load()), generators=[
            comprehension(target=Name(id='i', ctx=Store()), iter=Name(id='soc',
↪ctx=Load()), ifs=[], is_async=1),
        ])),
    ], decorator_list=[], returns=None),
])

```

Statements

class Assign (*targets, value*)

An assignment. *targets* is a list of nodes, and *value* is a single node.

Multiple nodes in *targets* represents assigning the same value to each. Unpacking is represented by putting a *Tuple* or *List* within *targets*.

```

>>> parseprint("a = b = 1")      # Multiple assignment
Module(body=[
    Assign(targets=[
        Name(id='a', ctx=Store()),
        Name(id='b', ctx=Store()),
    ], value=Num(n=1)),
])

```

```

>>> parseprint("a,b = c")      # Unpacking
Module(body=[
    Assign(targets=[

```

```
    Tuple(elts=[
        Name(id='a', ctx=Store()),
        Name(id='b', ctx=Store()),
    ], ctx=Store()),
], value=Name(id='c', ctx=Load())),
])
```

class AnnAssign (*target, annotation, value, simple*)

New in version 3.6.

An assignment with a type annotation. *target* is a single node and can be a *Name*, a *Attribute* or a *Subscript*. *annotation* is the annotation, such as a *Str* or *Name* node. *value* is a single optional node. *simple* is a boolean integer set to `True` for a *Name* node in *target* that do not appear in between parenthesis and are hence pure names and not expressions.

```
>>> parseprint("c: int")
Module(body=[
    AnnAssign(target=Name(id='c', ctx=Store()),
              annotation=Name(id='int', ctx=Load()),
              value=None,
              simple=1),
])
```

```
>>> parseprint("(a): int = 1") # Expression like name
Module(body=[
    AnnAssign(target=Name(id='a', ctx=Store()),
              annotation=Name(id='int', ctx=Load()),
              value=Num(n=1),
              simple=0),
])
```

```
>>> parseprint("a.b: int") # Attribute annotation
Module(body=[
    AnnAssign(target=Attribute(value=Name(id='a', ctx=Load()),
                              attr='b', ctx=Store()),
              annotation=Name(id='int', ctx=Load()),
              value=None,
              simple=0),
])
```

```
>>> parseprint("a[1]: int") # Subscript annotation
Module(body=[
    AnnAssign(target=Subscript(value=Name(id='a', ctx=Load()),
                              slice=Index(value=Num(n=1)), ctx=Store()),
              annotation=Name(id='int', ctx=Load()),
              value=None,
              simple=0),
])
```

class AugAssign (*target, op, value*)

Augmented assignment, such as `a += 1`. In that example, *target* is a *Name* node for `a` (with the *Store* context), *op* is *Add*, and *value* is a *Num* node for `1`. *target* can be *Name*, *Subscript* or *Attribute*, but not a *Tuple* or *List* (unlike the targets of *Assign*).

class Print (*dest, values, nl*)

Print statement, Python 2 only. *dest* is an optional destination (for `print >>dest`. *values* is a list of nodes. *nl* (newline) is `True` or `False` depending on whether there's a comma at the end of the statement.

class Raise (*exc, cause*)

Raising an exception, Python 3 syntax. *exc* is the exception object to be raised, normally a *Call* or *Name*, or *None* for a standalone *raise*. *cause* is the optional part for *y* in *raise x from y*.

In Python 2, the parameters are instead *type*, *inst*, *tback*, which correspond to the old *raise x, y, z* syntax.

class Assert (*test, msg*)

An assertion. *test* holds the condition, such as a *Compare* node. *msg* holds the failure message, normally a *Str* node.

class Delete (*targets*)

Represents a *del* statement. *targets* is a list of nodes, such as *Name*, *Attribute* or *Subscript* nodes.

class Pass

A *pass* statement.

Other statements which are only applicable inside functions or loops are described in other sections.

Imports

class Import (*names*)

An import statement. *names* is a list of *alias* nodes.

class ImportFrom (*module, names, level*)

Represents *from x import y*. *module* is a raw string of the ‘from’ name, without any leading dots, or *None* for statements such as *from . import foo*. *level* is an integer holding the level of the relative import (0 means absolute import).

class alias (*name, asname*)

Both parameters are raw strings of the names. *asname* can be *None* if the regular name is to be used.

```
>>> parseprint("from ..foo.bar import a as b, c")
Module(body=[
  ImportFrom(module='foo.bar', names=[
    alias(name='a', asname='b'),
    alias(name='c', asname=None),
  ], level=2),
])
```

Control flow

Note: Optional clauses such as *else* are stored as an empty list if they’re not present.

class If (*test, body, or_else*)

An if statement. *test* holds a single node, such as a *Compare* node. *body* and *or_else* each hold a list of nodes.

elif clauses don’t have a special representation in the AST, but rather appear as extra *If* nodes within the *or_else* section of the previous one.

class For (*target, iter, body, or_else*)

A for loop. *target* holds the variable(s) the loop assigns to, as a single *Name*, *Tuple* or *List* node. *iter* holds the item to be looped over, again as a single node. *body* and *or_else* contain lists of nodes to execute. Those in *or_else* are executed if the loop finishes normally, rather than via a *break* statement.

class While (*test, body, orelse*)

A while loop. *test* holds the condition, such as a *Compare* node.

class Break

class Continue

The break and continue statements.

```
In [2]: %%dump_ast
...: for a in b:
...:     if a > 5:
...:         break
...:     else:
...:         continue
...:
Module (body=[
  For (target=Name (id='a', ctx=Store()), iter=Name (id='b', ctx=Load()), body=[
    If (test=Compare (left=Name (id='a', ctx=Load()), ops=[
      Gt (),
    ], comparators=[
      Num (n=5),
    ]), body=[
      Break (),
    ], orelse=[
      Continue (),
    ]),
  ], orelse=[]),
])
```

class Try (*body, handlers, orelse, finalbody*)

try blocks. All attributes are list of nodes to execute, except for *handlers*, which is a list of *ExceptionHandler* nodes.

New in version 3.3.

class TryFinally (*body, finalbody*)

class TryExcept (*body, handlers, orelse*)

try blocks up to Python 3.2, inclusive. A try block with both *except* and *finally* clauses is parsed as a *TryFinally*, with the body containing a *TryExcept*.

class ExceptionHandler (*type, name, body*)

A single *except* clause. *type* is the exception type it will match, typically a *Name* node (or *None* for a catch-all *except:* clause). *name* is a raw string for the name to hold the exception, or *None* if the clause doesn't have a *foo*. *body* is a list of nodes.

In Python 2, *name* was a *Name* node with *ctx=Store()*, instead of a raw string.

```
In [3]: %%dump_ast
...: try:
...:     a + 1
...: except TypeError:
...:     pass
...:
Module (body=[
  Try (body=[
    Expr (value=BinOp (left=Name (id='a', ctx=Load()), op=Add(), right=Num (n=1))),
  ], handlers=[
    ExceptionHandler (type=Name (id='TypeError', ctx=Load()), name=None, body=[
      Pass (),
    ]),
  ]),
])
```

```
    ], or_else=[], finalbody=[]),
  ])
```

class `With` (*items*, *body*)

A with block. *items* is a list of *withitem* nodes representing the context managers, and *body* is the indented block inside the context.

Changed in version 3.3: Previously, a *With* node had *context_expr* and *optional_vars* instead of *items*. Multiple contexts were represented by nesting a second *With* node as the only item in the body of the first.

class `withitem` (*context_expr*, *optional_vars*)

A single context manager in a with block. *context_expr* is the context manager, often a *Call* node. *optional_vars* is a *Name*, *Tuple* or *List* for the `as foo` part, or `None` if that isn't used.

```
In [3]: %%dump_ast
...: with a as b, c as d:
...:     do_things(b, d)
...:
Module(body=[
  With(items=[
    withitem(context_expr=Name(id='a', ctx=Load()), optional_vars=Name(id='b',
↪ctx=Store())),
    withitem(context_expr=Name(id='c', ctx=Load()), optional_vars=Name(id='d',
↪ctx=Store())),
  ], body=[
    Expr(value=Call(func=Name(id='do_things', ctx=Load()), args=[
      Name(id='b', ctx=Load()),
      Name(id='d', ctx=Load()),
    ], keywords=[], starargs=None, kwargs=None),
  ]),
])
```

Function and class definitions

class `FunctionDef` (*name*, *args*, *body*, *decorator_list*, *returns*)

A function definition.

- *name* is a raw string of the function name.
- *args* is a *arguments* node.
- *body* is the list of nodes inside the function.
- *decorator_list* is the list of decorators to be applied, stored outermost first (i.e. the first in the list will be applied last).
- *returns* is the return annotation (Python 3 only).

class `Lambda` (*args*, *body*)

`lambda` is a minimal function definition that can be used inside an expression. Unlike *FunctionDef*, *body* holds a single node.

class `arguments` (*args*, *vararg*, *kwonlyargs*, *kwarg*, *defaults*, *kw_defaults*)

The arguments for a function. In **Python 3**:

- *args* and *kwonlyargs* are lists of *arg* nodes.

- `vararg` and `kwarg` are single *arg* nodes, referring to the `*args`, `**kwargs` parameters.
- `defaults` is a list of default values for arguments that can be passed positionally. If there are fewer defaults, they correspond to the last `n` arguments.
- `kw_defaults` is a list of default values for keyword-only arguments. If one is `None`, the corresponding argument is required.

Changed in version 3.4: Up to Python 3.3, `vararg` and `kwarg` were raw strings of the argument names, and there were separate `varargannotation` and `kwargannotation` fields to hold their annotations.

In **Python 2**, the attributes for keyword-only arguments are not needed.

class `arg` (*arg*, *annotation*)

A single argument in a list; Python 3 only. `arg` is a raw string of the argument name, `annotation` is its annotation, such as a *Str* or *Name* node.

In Python 2, arguments are instead represented as *Name* nodes, with `ctx=Param()`.

```
In [52]: %%dump_ast
...: @dec1
...: @dec2
...: def f(a: 'annotation', b=1, c=2, *d, e, f=3, **g) -> 'return annotation':
...:     pass
...:
Module (body=[
  FunctionDef (name='f', args=arguments (args=[
    arg (arg='a', annotation=Str (s='annotation')),
    arg (arg='b', annotation=None),
    arg (arg='c', annotation=None),
  ], vararg=arg (arg='d', annotation=None), kwonlyargs=[
    arg (arg='e', annotation=None),
    arg (arg='f', annotation=None),
  ], kw_defaults=[
    None,
    Num (n=3),
  ], kwarg=arg (arg='g', annotation=None), defaults=[
    Num (n=1),
    Num (n=2),
  ]), body=[
    Pass(),
  ], decorator_list=[
    Name (id='dec1', ctx=Load()),
    Name (id='dec2', ctx=Load()),
  ], returns=Str (s='return annotation')),
])
```

class `Return` (*value*)

A return statement.

class `Yield` (*value*)

class `YieldFrom` (*value*)

A `yield` or `yield from` expression. Because these are expressions, they must be wrapped in a *Expr* node if the value sent back is not used.

New in version 3.3: The *YieldFrom* node type.

class `Global` (*names*)

class `Nonlocal` (*names*)

`global` and `nonlocal` statements. `names` is a list of raw strings.

class ClassDef (*name, bases, keywords, starargs, kwargs, body, decorator_list*)

A class definition.

- *name* is a raw string for the class name
- *bases* is a list of nodes for explicitly specified base classes.
- *keywords* is a list of *keyword* nodes, principally for ‘metaclass’. Other keywords will be passed to the metaclass, as per [PEP-3115](#).
- *starargs* and *kwargs* are each a single node, as in a function call. *starargs* will be expanded to join the list of base classes, and *kwargs* will be passed to the metaclass. These are removed in Python 3.5 - see below for details.
- *body* is a list of nodes representing the code within the class definition.
- *decorator_list* is a list of nodes, as in *FunctionDef*.

```
In [59]: %%dump_ast
...: @dec1
...: @dec2
...: class foo(base1, base2, metaclass=meta):
...:     pass
...:
Module (body=[
  ClassDef (name='foo', bases=[
    Name (id='base1', ctx=Load()),
    Name (id='base2', ctx=Load()),
  ], keyword=
    keyword (arg='metaclass', value=Name (id='meta', ctx=Load())),
  ], starargs=None, # gone in 3.5
    kwargs=None, # gone in 3.5
    body=[
      Pass(),
    ], decorator_list=[
      Name (id='dec1', ctx=Load()),
      Name (id='dec2', ctx=Load()),
    ]),
])
```

Async and await

New in version 3.5: All of these nodes were added. See the [What’s New notes](#) on the new syntax.

class AsyncFunctionDef (*name, args, body, decorator_list, returns*)

An async def function definition. Has the same fields as *FunctionDef*.

class Await (*value*)

An await expression. *value* is what it waits for. Only valid in the body of an *AsyncFunctionDef*.

```
In [2]: %%dump_ast
...: async def f():
...:     await g()
...:
Module (body=[
  AsyncFunctionDef (name='f', args=arguments (args=[], vararg=None, kwoonlyargs=[], kw_
↪ defaults=[], kwarg=None, defaults=[]), body=[
    Expr (value=Await (value=Call (func=Name (id='g', ctx=Load()), args=[], ↪
↪ keywords=[]))),
])
```

```
    ], decorator_list=[], returns=None),  
    ])
```

class AsyncFor (*target, iter, body, or else*)

class AsyncWith (*items, body*)

async for loops and async with context managers. They have the same fields as *For* and *With*, respectively. Only valid in the body of an *AsyncFunctionDef*.

Working on the Tree

`ast.NodeVisitor` is the primary tool for ‘scanning’ the tree. To use it, subclass it and override methods `visit_Foo`, corresponding to the node classes (see *Meet the Nodes*).

For example, this visitor will print the names of any functions defined in the given code, including methods and functions defined within other functions:

```
class FuncLister(ast.NodeVisitor):
    def visit_FunctionDef(self, node):
        print(node.name)
        self.generic_visit(node)

FuncLister().visit(tree)
```

Note: If you want child nodes to be visited, remember to call `self.generic_visit(node)` in the methods you override.

Alternatively, you can run through a list of all the nodes in the tree using `ast.walk()`. There are no guarantees about the order in which nodes will appear. The following example again prints the names of any functions defined within the given code:

```
for node in ast.walk(tree):
    if isinstance(node, ast.FunctionDef):
        print(node.name)
```

You can also get the direct children of a node, using `ast.iter_child_nodes()`. Remember that many nodes have children in several sections: for example, an `If` has a node in the `test` field, and list of nodes in `body` and `orelse`. `ast.iter_child_nodes()` will go through all of these.

Finally, you can navigate directly, using the attributes of the nodes. For example, if you want to get the last node within a function’s body, use `node.body[-1]`. Of course, all the normal Python tools for iterating and indexing work. In particular, `isinstance()` is very useful for checking what nodes are.

Inspecting nodes

The `ast` module has a couple of functions for inspecting nodes:

- `ast.iter_fields()` iterates over the fields defined for a node.
- `ast.get_docstring()` gets the docstring of a `FunctionDef`, `ClassDef` or `Module` node.
- `ast.dump()` returns a string showing the node and any children. See also [the pretty printer](#) used in this guide.

Modifying the tree

The key tool is `ast.NodeTransformer`. Like `ast.NodeVisitor`, you subclass this and override `visit_Foo` methods. The method should return the original node, a replacement node, or `None` to remove that node from the tree.

The `ast` module docs have this example, which rewrites name lookups, so `foo` becomes `data['foo']`:

```
class RewriteName(ast.NodeTransformer):

    def visit_Name(self, node):
        return ast.copy_location(ast.Subscript(
            value=ast.Name(id='data', ctx=ast.Load()),
            slice=ast.Index(value=ast.Str(s=node.id)),
            ctx=node.ctx
        ), node)

tree = RewriteName().visit(tree)
```

When replacing a node, the new node doesn't automatically have the `lineno` and `col_offset` parameters. The example above doesn't deal with this completely: it copies the location to the `Subscript` node, but not to any of the newly created children of that node. See [Fixing locations](#).

Be careful when removing nodes. You can quite easily remove a node from a required field, such as the `test` field of an `If` node. Python won't complain about the invalid AST until you try to `compile()` it, when a `TypeError` is raised.

Examples of working with ASTs

Working versions of these examples are in the `examples` directory of the source repository.

Wrapping integers

In Python code, `1/3` would normally be evaluated to a floating-point number, that can never be exactly one third. Mathematical software, like `SymPy` or `Sage`, often wants to use exact fractions instead. One way to make `1/3` produce an exact fraction is to wrap the integer literals 1 and 3 in a class:

```
class IntegerWrapper(ast.NodeTransformer):
    """Wraps all integers in a call to Integer()"""
    def visit_Num(self, node):
        if isinstance(node.n, int):
            return ast.Call(func=ast.Name(id='Integer', ctx=ast.Load()),
                             args=[node], keywords=[])
        return node

tree = ast.parse("1/3")
tree = IntegerWrapper().visit(tree)
# Add lineno & col_offset to the nodes we created
ast.fix_missing_locations(tree)

# The tree is now equivalent to Integer(1)/Integer(3)
# We would also need to define the Integer class and its __truediv__ method.
```

See `wrap_integers.py` for a working demonstration.

Simple test framework

These two manipulations let you write test scripts as a simple series of `assert` statements. First, we need to run the statements one by one, so execution doesn't stop at the first test failure:

```
tree = ast.parse(code)
lines = [None] + code.splitlines() # None at [0] so we can index lines from 1
test_namespace = {}

for node in tree.body:
    wrapper = ast.Module(body=[node])
    try:
        co = compile(wrapper, "<ast>", 'exec')
        exec(co, test_namespace)
    except AssertionError:
        print("Assertion failed on line", node.lineno, ":")
        print(lines[node.lineno])
        # If the error has a message, show it.
        if e.args:
            print(e)
        print()
```

Next, we transform `assert a == b` into a function call `assert_equal(a, b)`, which can give more information about the failure. We could turn many other assertions into similar function calls.

```
class AssertCmpTransformer(ast.NodeTransformer):
    def visit_Assert(self, node):
        if isinstance(node.test, ast.Compare) and \
            len(node.test.ops) == 1 and \
            isinstance(node.test.ops[0], ast.Eq):
            call = ast.Call(func=ast.Name(id='assert_equal', ctx=ast.Load()),
                            args=[node.test.left, node.test.comparators[0]],
                            keywords=[])
            # Wrap the call in an Expr node, because the return value isn't used.
            newnode = ast.Expr(value=call)
            ast.copy_location(newnode, node)
            ast.fix_missing_locations(newnode)
            return newnode

        # Remember to return the original node if we don't want to change it.
        return node
```

See `test_framework/run.py` for a working demonstration of both parts.

See also:

Instrumenting the AST Using AST tools to assess code coverage.

astviewer A simple GUI for exploring ASTs

Thonny A Python IDE with AST explorer built in (*Main menu => View => AST*).

showast An IPython extension to show ASTs in Jupyter notebooks.

CHAPTER 5

Indices and tables

- `genindex`
- `search`

A

Add (built-in class), 7
alias (built-in class), 13
And (built-in class), 8
AnnAssign (built-in class), 12
arg (built-in class), 16
arguments (built-in class), 15
Assert (built-in class), 13
Assign (built-in class), 11
AsyncFor (built-in class), 18
AsyncFunctionDef (built-in class), 17
AsyncWith (built-in class), 18
Attribute (built-in class), 9
AugAssign (built-in class), 12
Await (built-in class), 17

B

BinOp (built-in class), 7
BitAnd (built-in class), 7
BitOr (built-in class), 7
BitXor (built-in class), 7
BoolOp (built-in class), 8
Break (built-in class), 14
Bytes (built-in class), 6

C

Call (built-in class), 8
ClassDef (built-in class), 16
Compare (built-in class), 8
comprehension (built-in class), 10
Continue (built-in class), 14

D

Del (built-in class), 6
Delete (built-in class), 13
Dict (built-in class), 6
DictComp (built-in class), 10
Div (built-in class), 7

E

Ellipsis (built-in class), 6
Eq (built-in class), 8
ExceptionHandler (built-in class), 14
Expr (built-in class), 7
ExtSlice (built-in class), 10

F

FloorDiv (built-in class), 7
For (built-in class), 13
FormattedValue (built-in class), 5
FunctionDef (built-in class), 15

G

GeneratorExp (built-in class), 10
Global (built-in class), 16
Gt (built-in class), 8
GtE (built-in class), 8

I

If (built-in class), 13
IfExp (built-in class), 9
Import (built-in class), 13
ImportFrom (built-in class), 13
In (built-in class), 8
Index (built-in class), 9
Invert (built-in class), 7
Is (built-in class), 8
IsNot (built-in class), 8

J

JoinedStr (built-in class), 5

K

keyword (built-in class), 9

L

Lambda (built-in class), 15
List (built-in class), 6

ListComp (built-in class), 10
Load (built-in class), 6
LShift (built-in class), 7
Lt (built-in class), 8
LtE (built-in class), 8

M

MatMult (built-in class), 7
Mod (built-in class), 7
Mult (built-in class), 7

N

Name (built-in class), 6
NameConstant (built-in class), 6
Nonlocal (built-in class), 16
Not (built-in class), 7
NotEq (built-in class), 8
NotIn (built-in class), 8
Num (built-in class), 5

O

Or (built-in class), 8

P

Pass (built-in class), 13
Pow (built-in class), 7
Print (built-in class), 12

R

Raise (built-in class), 13
Return (built-in class), 16
RShift (built-in class), 7

S

Set (built-in class), 6
SetComp (built-in class), 10
Slice (built-in class), 10
Starred (built-in class), 7
Store (built-in class), 6
Str (built-in class), 5
Sub (built-in class), 7
Subscript (built-in class), 9

T

Try (built-in class), 14
TryExcept (built-in class), 14
TryFinally (built-in class), 14
Tuple (built-in class), 6

U

UAdd (built-in class), 7
UnaryOp (built-in class), 7
USub (built-in class), 7

W

While (built-in class), 13
With (built-in class), 15
withitem (built-in class), 15

Y

Yield (built-in class), 16
YieldFrom (built-in class), 16