
helper Documentation

Release 2.4.2

Gavin M. Roy

Nov 16, 2017

Contents

1	Documentation	3
1.1	Application Initialization Tool	3
1.2	Getting Started	4
1.3	Configuration Format	5
1.4	Signal Handling	6
1.5	Adding Commandline Arguments	7
1.6	helper API	8
1.7	Troubleshooting	13
1.8	Version History	13
2	Indices and tables	15
	Python Module Index	17

helper is a command-line/daemon application wrapper package with the aim of creating a consistent and fast way to creating applications. It is available on the Python Package Index as [helper](#). helper supports both UNIX (Posix) and Windows applications (in process) and works with Python 2.6+ and 3.2+.

1.1 Application Initialization Tool

helper comes with a command line tool *new-helper* which will create a stub helper application project with the following items:

- Python package for the application
- Stub application controller
- Basic configuration file
- RHEL based init.d script
- setup.py file for distributing the application

Usage:

```
usage: new-helper [-h] [--version] PROJECT
```

When you run the application, a tree resembling the following is created:

```
PROJECT/  
  etc/  
    PROJECT.initd  
    PROJECT.yml  
  PROJECT/  
    __init__.py  
    controller.py  
  setup.py
```

Where **PROJECT** is the value you specify when running *new-helper*.

1.2 Getting Started

Creating your first helper application is a fairly straightforward process:

1. Download and install helper via pip:

```
pip install helper
```

2. Create a new application with the `new-helper` script which will create a stub project including the package directory, configuration file, init.d script for RHEL systems, and setup.py file:

```
new-helper -p myapp
```

3. Open the `controller.py` file in `myapp/myapp/` and you should have a file that looks similar to the following:

```
"""myapp

Helper boilerplate project

"""

import helper
import logging
from helper import parser

DESCRIPTION = 'Project Description'
LOGGER = logging.getLogger(__name__)

class Controller(helper.Controller):
    """The core application controller which is created by invoking
    helper.run().

    """

    def setup(self):
        """Place setup and initialization steps in this method."""
        LOGGER.info('setup invoked')

    def process(self):
        """This method is invoked every wake interval as specified in the
        application configuration. It is fully wrapped and you do not need to
        manage state within it.

        """
        LOGGER.info('process invoked')

    def cleanup(self):
        """Place shutdown steps in this method."""
        LOGGER.info('cleanup invoked')

def main():
    parser.description(DESCRIPTION)
    helper.start(Controller)
```

4. Extend the `Controller.process` method to put your core logic in place.
5. If you want to test your app without installing it, I often make a small script in the project directory, something like `myapp/myapp.py` that looks like the following:

```
#!/usr/bin/env
from myapp import controller
controller.main()
```

6. Change the mode of the file to u+x and run it:

```
chmod u+x myapp.py
./myapp.py -c etc/myapp.yml -f
```

That's about all there is to it. If you don't want to use the sleep/wake/process pattern but want to use an IOloop, instead of extending `Controller.process`, extend `Controller.run`.

1.3 Configuration Format

helper has a standard configuration file format for creating consistent, easy to configure applications using the *YAML* <<http://yaml.org>>_ file format. The configuration file has three case-sensitive sections that are required: *Application*, *Daemon*, and *Logging*.

YAML is used for the configuration file for helper based applications and will automatically be loaded and referenced for all the required information to start your application. The configuration may be reloaded at runtime by sending a `USR1` signal to parent process.

1.3.1 Application

As a generalization, this is where your application's configuration directives go. There is only one core configuration attribute for this section, *wake_interval*. The *wake_interval* value is an integer value that is used for the sleep/wake/process flow and tells helper how often to fire the `Controller.process` method.

1.3.2 Daemon

This section contains the settings required to run the application as a daemon. They are as follows:

user The username to run as when the process is daemonized

group [optional] The group name to switch to when the process is daemonized

pidfile The pidfile to write when the process is daemonized

1.3.3 Logging

helper uses `logging.config.dictConfig` module to create a flexible method for configuring the python standard logging module. If Python 2.6 is used, `logutils.dictconfig.dictConfig` is used instead.

The following basic example illustrates all of the required sections in the dictConfig format, implemented in *YAML*:

```
version: 1
formatters: []
verbose:
  format: '%(levelname) -10s %(asctime)s %(process)-6d %(processName) -15s %(name) -
  ↪10s %(funcName) -20s: %(message)s'
  datefmt: '%Y-%m-%d %H:%M:%S'
handlers:
  console:
```

```
class: logging.StreamHandler
formatter: verbose
debug_only: True
loggers:
  helper:
    handlers: [console]
    level: INFO
    propagate: true
  myapp:
    handlers: [console]
    level: DEBUG
    propagate: true
disable_existing_loggers: true
incremental: false
```

Note: The `debug_only` node of the Logging > handlers > console section is not part of the standard dictConfig format. Please see the [Logging Caveats](#) section below for more information.

Logging Caveats

In order to allow for customizable console output when running in the foreground and no console output when daemonized, a “`debug_only`” node has been added to the standard dictConfig format in the handler section. This method is evaluated in the `helper.Logging` and removed, if present, prior to passing the dictionary to dictConfig if present.

If the value is set to true and the application is not running in the foreground, the configuration for the handler and references to it will be removed from the configuration dictionary.

Troubleshooting

If you find that your application is not logging anything or sending output to the terminal, ensure that you have created a logger section in your configuration for your controller. For example if your Controller instance is named `MyController`, make sure there is a `MyController` logger in the logging configuration.

1.4 Signal Handling

The `helper.Controller` class will automatically setup and handle signals for your application.

When the `Controller` extended application starts, helper registers handlers for four signals:

- *Handling SIGTERM*
- *Handling SIGHUP*
- *Handling SIGUSR1*
- *Handling SIGUSR2*

Signals received call registered methods within the `Controller` class. If you are using multiprocessing and have child processes, it is up to you to then signal your child processes appropriately.

1.4.1 Handling SIGTERM

In the event that your application receives a TERM signal, it will change the internal state of the `Controller` class indicating that the application is shutting down. This may be checked for by checking for a True value from the attribute `Controller.is_stopping`. During this type of shutdown, `Controller.cleanup` will be invoked. This method is meant to be extended by your application for the purposes of cleanly shutting down your application.

1.4.2 Handling SIGHUP

The behavior in HUP is to cleanly shutdown the application and then start it back up again. It will, like with TERM, call the `Controller.stop` method. Once the shutdown is complete, it will clear the internal state and configuration and then invoke `Controller.run`.

1.4.3 Handling SIGUSR1

If you would like to reload the configuration, sending a USR1 signal to the parent process of the application will invoke the `Controller.reload_configuration` method, freeing the previously help configuration data from memory and reloading the configuration file from disk. Because it may be desirable to change runtime configuration without restarting the application, it is advised to use the `Controller.config` property method to retrieve configuration values each time instead of holding config values as attributes.

1.4.4 Handling SIGUSR2

This is an unimplemented method within the `Controller` class and is registered for convenience. If have need for custom signal handling, redefine the `Controller.on_sigusr2` method in your child class.

1.5 Adding Commandline Arguments

If you would like to add additional command-line options, access helper's `argparse` based parser adding additional command line arguments as needed. The arguments will be accessible via the `Controller.args` attribute.

Example:

```
from helper import parser

p = parser.get()
p.add_argument('-n', '--newrelic',
               action='store',
               dest='newrelic',
               help='Path to newrelic.init for enabling NewRelic '
                   'instrumentation')
p.add_argument('-p', '--path',
               action='store_true',
               dest='path',
               help='Path to prepend to the Python system path')
```

You can also override the auto-assigned application name:

```
from helper import parser

parser.name('my-app')
```

And the default description:

```
from helper import parser

parser.description('My application rocks!')
```

1.6 helper API

1.6.1 Controller

Extend the *Controller* class with your own application implementing the *Controller.process* method. If you do not want to use sleep based looping but rather an IOloop or some other long-lived blocking loop, redefine the *Controller.run* method.

Controller maintains an internal state which is handy for ensuring the proper things are happening at the proper times. The following are the constants used for state transitions:

- *Initializing*
- *Active*
- *Idle*
- *Sleeping*
- *Stop Requested*
- *Stopping*
- *Stopped*

When extending *Controller*, if your class requires initialization or setup setups, extend the *Controller.setup* method.

If your application requires cleanup steps prior to stopping, extend the *Controller.cleanup* method.

class helper.**Controller** (*args, operating_system*)

Extend this class to implement your core application controller. Key methods to implement are *Controller.setup*, *Controller.process* and *Controller.cleanup*.

If you do not want to use the sleep/wake structure but rather something like a blocking IOloop, overwrite the *Controller.run* method.

APPNAME = 'sphinx-build'

SLEEP_UNIT = 0.5

When shutting down, how long should sleeping block the interpreter while waiting for the state to indicate the class is no longer active.

STATE_ACTIVE = 4

The active state should be set whenever the implementing class is performing a task that can not be interrupted.

STATE_IDLE = 3

The idle state is available to implementing classes to indicate that while they are not actively performing tasks, they are not sleeping. Objects in the idle state can be shutdown immediately.

STATE_INITIALIZING = 1

Initializing state is only set during initial object creation

STATE_SLEEPING = 2

When helper has set the signal timer and is paused, it will be in the sleeping state.

STATE_STOPPED = 7

Once the application has fully stopped, the state is set to stopped.

STATE_STOPPING = 6

Once the application has started to shutdown, it will set the state to stopping and then invoke the `Controller.stopping()` method.

STATE_STOP_REQUESTED = 5

The stop requested state is set when a signal is received indicating the process should stop. The app will invoke the `Controller.stop()` method which will wait for the process state to change from `STATE_ACTIVE`

VERSION = '2.4.2'**WAKE_INTERVAL = 60**

How often should `Controller.process()` be invoked

cleanup()

Override this method to cleanly shutdown the application.

configuration_reloaded()

Override to provide any steps when the configuration is reloaded.

current_state

Property method that return the string description of the runtime state.

Return type `str`

is_active

Property method that returns a bool specifying if the process is currently active.

Return type `bool`

is_idle

Property method that returns a bool specifying if the process is currently idle.

Return type `bool`

is_initializing

Property method that returns a bool specifying if the process is currently initializing.

Return type `bool`

is_running

Property method that returns a bool specifying if the process is currently running. This will return true if the state is active, idle or initializing.

Return type `bool`

is_sleeping

Property method that returns a bool specifying if the process is currently sleeping.

Return type `bool`

is_stopped

Property method that returns a bool specifying if the process is stopped.

Return type `bool`

is_stopping

Property method that returns a bool specifying if the process is stopping.

Return type `bool`

is_waiting_to_stop

Property method that returns a `bool` specifying if the process is waiting for the current process to finish so it can stop.

Return type `bool`

on_sighup (*signal_unused, frame_unused*)

Called when `SIGHUP` is received, shutdown internal runtime state, reloads configuration and then calls `Controller.run()`. Can be extended to implement other behaviors.

on_sigterm (*signal_unused, frame_unused*)

Called when `SIGTERM` is received, calling `self.stop()`. Override to implement a different behavior.

on_sigusr1 (*signal_unused, frame_unused*)

Called when `SIGUSR1` is received, does not have any attached behavior. Override to implement a behavior for this signal.

on_sigusr2 (*signal_unused, frame_unused*)

Called when `SIGUSR2` is received, does not have any attached behavior. Override to implement a behavior for this signal.

process ()

To be implemented by the extending class. Is called after every sleep interval in the main application loop.

run ()

The core method for starting the application. Will setup logging, toggle the runtime state flag, block on loop, then call shutdown.

Redefine this method if you intend to use an IO Loop or some other long running process.

set_state (*state*)

Set the runtime state of the Controller. Use the internal constants to ensure proper state values:

- `Controller.STATE_INITIALIZING`
- `Controller.STATE_ACTIVE`
- `Controller.STATE_IDLE`
- `Controller.STATE_SLEEPING`
- `Controller.STATE_STOP_REQUESTED`
- `Controller.STATE_STOPPING`
- `Controller.STATE_STOPPED`

Parameters `state` (*int*) – The runtime state

Raises `ValueError`

setup ()

Override to provide any required setup steps.

setup_signals ()

shutdown ()

Override to provide any required shutdown steps.

start ()

Important:

Do not extend this method, rather redefine `Controller.run`

stop()

Override to implement shutdown steps.

system_platform

Return a tuple containing the operating system, python implementation (CPython, pypy, etc), and python version.

Return type `tuple(str, str, str)`

wake_interval

Property method that returns the wake interval in seconds.

Return type `int`

1.6.2 Logging

The `Logging` class is included as a convenient wrapper to handle Python 2.6 and Python 2.7 dictConfig differences as well as to manage the helper specific `debug_only` Handler setting.

If you want to use the default console only logging for helper, you do not need to implement this configuration section. Any configuration you specify merges with the default configuration.

Default Configuration

```

disable_existing_loggers: true
filters: {}
formatters:
  verbose:
    datefmt: '%Y-%m-%d %H:%M:%S'
    format: '%(levelname) -10s %(asctime)s %(process)-6d %(processName) -15s
↳ %(threadName)-10s %(name) -25s %(funcName) -25sL%(lineno)-6d: %(message)s'
handlers:
  console:
    class: logging.StreamHandler
    debug_only: true
    formatter: verbose
incremental: false
loggers:
  helper:
    handlers: [console]
    level: INFO
    propagate: true
root:
  handlers: []
  level: 50
  propagate: true
version: 1

```

class `helper.config.LoggingConfig` (*configuration, debug=None*)

The `Logging` class is used for abstracting away dictConfig logging semantics and can be used by sub-processes to ensure consistent logging rule application.

configure()

Configure the Python stdlib logger

update (*configuration, debug=None*)

Update the internal configuration values, removing `debug_only` handlers if `debug` is `False`. Returns `True` if the configuration has changed from previous configuration values.

Parameters

- **configuration** (*dict*) – The logging configuration
- **debug** (*bool*) – Toggles use of debug_only loggers

Return type `bool`

1.6.3 parser

The parser module is used for interacting with argparse, setting up the argument parser and the default values. Command line argument parsing

`helper.parser.description` (*value*)

A string providing a description of the application (default: none)

Parameters **value** (*str*) – Description value

`helper.parser.epilog` (*value*)

Text to display after the description of the arguments (default: none)

Parameters **value** (*str*) – Epilog value

`helper.parser.get` ()

Return the handle to the argument parser.

Return type `argparse.ArgumentParser`

`helper.parser.name` (*value*)

A string providing an override of the name of the application from what is obtained from `sys.argv[0]`. (default: `sys.argv[0]`)

Parameters **value** (*str*) – Name value

`helper.parser.parse` ()

Parse the command line arguments and return the result

Return type `argparse.Namespace`

`helper.parser.usage` (*value*)

The string describing the program usage (default: generated from arguments added to parser)

Parameters **value** (*str*) – Usage value

1.6.4 Setup Tools Integration

Helper installs an additional `distutils` command named `run_helper` that will run a `Controller` directly from your `setup.py`. This is a nice alternative to writing your own shell wrapper for use during development. If `setup.py` is executable, then you can run `myapp.Controller` with:

```
./setup.py run_helper -c etc/myapp.yml -C myapp.Controller
```

This functionality is a standard `distutils` entry point so it follows all of the same rules as other extensions such as `build_sphinx` or `nosetests`. The command line arguments can be included in the `[run_helper]` section of `setup.cfg`:

```
[run_helper]
configuration = etc/myapp.yml
controller = myapp.Controller
```

1.7 Troubleshooting

If you find that you start your application and it immediately dies without any output on the screen, be sure to check for *Unhandled Exceptions*.

1.7.1 Unhandled Exceptions

By default helper will write any unhandled exceptions to a file in one of the following paths:

UNIX: - /var/log/<APPNAME>.errors - /var/tmp/<APPNAME>.errors - /tmp/<APPNAME>.errors

Windows: - Not implemented yet.

1.8 Version History

- **2.4.2 - 2015-11-04 - Allow for ‘root’ section in logging config**
 - Import reduce from functools to support Python 3
- 2.4.1 - 2013-03-14 - Fix fchmod literal call in Python 3
- 2.4.0 - 2013-03-13 - Better startup exception reporting, improved pidfile ownership handling, new run_helper command
- 2.3.0 - 2013-02-07 - Fix for umask handling
- 2.2.3 - 2013-10-21 - Minor MANIFEST.in fix for setup.py
- 2.2.2 - 2013-10-21 - Minor MANIFEST.in fix for README.rst
- 2.2.1 - 2013-10-21 - Minor setup.py version number fix
- 2.2.0 - 2013-10-21 - Add new attribute to describe operating system and environment to helper.Controller and helper.unix, helper.windows.
- 2.1.1 - 2013-10-10 - Bugfix for dealing with stale pids
- 2.1.0 - 2013-09-24 - Bugfixes: Use pidfile from configuration if specified, don't show warning about not having a logger in helper.unix if no logger is defined, config obj default/value assignment methodology
- 2.0.2 - 2013-08-28 - Fix a bug where wake_interval default was not used if wake_interval was not provided in the config. Make logging config an overlay of the default logging config.
- 2.0.1 - 2013-08-28 - setup.py bugfix
- 2.0.0 - 2013-08-28 - clihelper renamed to helper with a major refactor. Windows support still pending.

Version: 2.4.2

GitHub Page: <https://github.com/gmr/helper>

Author: Gavin M. Roy <gavinmroy@gmail.com>

License: Released under the BSD license

CHAPTER 2

Indices and tables

- `genindex`
- `modindex`
- `search`

h

`helper.parser`, 12

A

APPNAME (helper.Controller attribute), 8

C

cleanup() (helper.Controller method), 9
configuration_reloaded() (helper.Controller method), 9
configure() (helper.config.LoggingConfig method), 11
Controller (class in helper), 8
current_state (helper.Controller attribute), 9

D

description() (in module helper.parser), 12

E

epilog() (in module helper.parser), 12

G

get() (in module helper.parser), 12

H

helper.parser (module), 12

I

is_active (helper.Controller attribute), 9
is_idle (helper.Controller attribute), 9
is_initializing (helper.Controller attribute), 9
is_running (helper.Controller attribute), 9
is_sleeping (helper.Controller attribute), 9
is_stopped (helper.Controller attribute), 9
is_stopping (helper.Controller attribute), 9
is_waiting_to_stop (helper.Controller attribute), 10

L

LoggingConfig (class in helper.config), 11

N

name() (in module helper.parser), 12

O

on_sighup() (helper.Controller method), 10
on_sigterm() (helper.Controller method), 10
on_sigusr1() (helper.Controller method), 10
on_sigusr2() (helper.Controller method), 10

P

parse() (in module helper.parser), 12
process() (helper.Controller method), 10

R

run() (helper.Controller method), 10

S

set_state() (helper.Controller method), 10
setup() (helper.Controller method), 10
setup_signals() (helper.Controller method), 10
shutdown() (helper.Controller method), 10
SLEEP_UNIT (helper.Controller attribute), 8
start() (helper.Controller method), 10
STATE_ACTIVE (helper.Controller attribute), 8
STATE_IDLE (helper.Controller attribute), 8
STATE_INITIALIZING (helper.Controller attribute), 8
STATE_SLEEPING (helper.Controller attribute), 8
STATE_STOP_REQUESTED (helper.Controller attribute), 9
STATE_STOPPED (helper.Controller attribute), 9
STATE_STOPPING (helper.Controller attribute), 9
stop() (helper.Controller method), 10
system_platform (helper.Controller attribute), 11

U

update() (helper.config.LoggingConfig method), 11
usage() (in module helper.parser), 12

V

VERSION (helper.Controller attribute), 9

W

WAKE_INTERVAL (helper.Controller attribute), 9

wake_interval (helper.Controller attribute), 11