

---

# **jira-python Documentation**

*Release 2.0.1.dev9*

**Atlassian Pty Ltd.**



---

## Contents

---

<b>1</b>	<b>Installation</b>	<b>3</b>
1.1	Dependencies . . . . .	3
<b>2</b>	<b>Examples</b>	<b>5</b>
2.1	Quickstart . . . . .	7
<b>3</b>	<b>jirashell</b>	<b>15</b>
<b>4</b>	<b>Advanced</b>	<b>17</b>
4.1	Resource Objects and Properties . . . . .	17
<b>5</b>	<b>Contributing</b>	<b>19</b>
5.1	Discussion and support . . . . .	19
5.2	Contributing Code . . . . .	19
5.3	Testing . . . . .	19
5.4	Issues and Feature Requests . . . . .	20
5.5	Issues . . . . .	20
5.6	Pull Requests . . . . .	21
<b>6</b>	<b>API Documentation</b>	<b>23</b>
6.1	JIRA . . . . .	23
6.2	Issue . . . . .	42
6.3	Priority . . . . .	43
6.4	Comment . . . . .	43
6.5	Worklog . . . . .	43
6.6	Watchers . . . . .	44
6.7	JIRAError . . . . .	44
<b>7</b>	<b>Indices and tables</b>	<b>45</b>
	<b>Python Module Index</b>	<b>47</b>



Python library to work with JIRA APIs



### Contents

- *Dependencies*

The easiest (and best) way to install jira-python is through `pip`:

```
$ pip install jira
```

This will handle the client itself as well as the requirements.

If you're going to run the client standalone, we strongly recommend using a `virtualenv`, which `pip` can also set up for you:

```
$ pip -E jira_python install jira
$ workon jira_python
```

Doing this creates a private Python “installation” that you can freely upgrade, degrade or break without putting the critical components of your system at risk.

Source packages are also available at PyPI:

<https://pypi.python.org/pypi/jira/>

## 1.1 Dependencies

Python 2.7 and Python 3.x are both supported.

- `requests` - `python-requests` library handles the HTTP business. Usually, the latest version available at time of release is the minimum version required; at this writing, that version is 1.2.0, but any version `>= 1.0.0` should work.
- `requests-oauthlib` - Used to implement OAuth. The latest version as of this writing is 0.3.3.
- `requests-kerberos` - Used to implement Kerberos.
- `ipython` - The `IPython enhanced Python interpreter` provides the fancy chrome used by *Issues*.

- `filemagic` - This library handles content-type autodetection for things like image uploads. This will only work on a system that provides `libmagic`; Mac and Unix will almost always have it preinstalled, but Windows users will have to use Cygwin or compile it natively. If your system doesn't have `libmagic`, you'll have to manually specify the `contentType` parameter on methods that take an image object, such as project and user avatar creation.
- `pycrypto` - This is required for the RSA-SHA1 used by OAuth. Please note that it's **not** installed automatically, since it's a fairly cumbersome process in Windows. On Linux and OS X, a `pip install pycrypto` should do it.

Installing through `pip` takes care of these dependencies for you.

#### Contents

- *Quickstart*
  - *Initialization*
  - *Authentication*
    - \* *Cookie Based Authentication*
    - \* *HTTP BASIC*
    - \* *OAuth*
    - \* *Kerberos*
  - *Issues*
  - *Fields*
  - *Searching*
  - *Comments*
  - *Transitions*
  - *Projects*
  - *Watchers*
  - *Attachments*

Here's a quick usage example:

```
# This script shows how to use the client in anonymous mode
# against jira.atlassian.com.
from jira import JIRA
import re

# By default, the client will connect to a JIRA instance started from the
↔Atlassian Plugin SDK
# (see https://developer.atlassian.com/display/DOCS/
↔Installing+the+Atlassian+Plugin+SDK+for+details).
```

(continues on next page)

(continued from previous page)

```

# Override this with the options parameter.
options = {
    'server': 'https://jira.atlassian.com'}
jira = JIRA(options)

# Get all projects viewable by anonymous users.
projects = jira.projects()

# Sort available project keys, then return the second, third, and fourth keys.
keys = sorted([project.key for project in projects])[2:5]

# Get an issue.
issue = jira.issue('JRA-1330')

# Find all comments made by Atlassians on this issue.
atl_comments = [comment for comment in issue.fields.comment.comments
                 if re.search(r'@atlassian.com$', comment.author.emailAddress)]

# Add a comment to the issue.
jira.add_comment(issue, 'Comment text')

# Change the issue's summary and description.
issue.update(
    summary="I'm different!", description='Changed the summary to be different.')

# Change the issue without sending updates
issue.update(notify=False, description='Quiet summary update.')

# You can update the entire labels field like this
issue.update(labels=['AAA', 'BBB'])

# Or modify the List of existing labels. The new label is unicode with no
# spaces
issue.fields.labels.append(u'new_text')
issue.update(fields={"labels": issue.fields.labels})

# Send the issue away for good.
issue.delete()

# Linking a remote jira issue (needs applinks to be configured to work)
issue = jira.issue('JRA-1330')
issue2 = jira.issue('XX-23') # could also be another instance
jira.add_remote_link(issue, issue2)

```

Another example shows how to authenticate with your JIRA username and password:

```

# This script shows how to connect to a JIRA instance with a
# username and password over HTTP BASIC authentication.

from collections import Counter
from jira import JIRA

# By default, the client will connect to a JIRA instance started from the
↪Atlassian Plugin SDK.
# See
# https://developer.atlassian.com/display/DOCS/Installing+the+Atlassian+Plugin+SDK
# for details.
jira = JIRA(basic_auth=('admin', 'admin')) # a username/password tuple

# Get the mutable application properties for this server (requires
# jira-system-administrators permission)

```

(continues on next page)

(continued from previous page)

```

props = jira.application_properties()

# Find all issues reported by the admin
issues = jira.search_issues('assignee=admin')

# Find the top three projects containing issues reported by admin
top_three = Counter(
    [issue.fields.project.key for issue in issues]).most_common(3)

```

This example shows how to work with GreenHopper:

```

# This script shows how to use the client in anonymous mode
# against jira.atlassian.com.
from jira.client import GreenHopper

# By default, the client will connect to a JIRA instance started from the
↳Atlassian Plugin SDK
# (see https://developer.atlassian.com/display/DOCS/
↳Installing+the+Atlassian+Plugin+SDK for details).
# Override this with the options parameter.
# GreenHopper is a plugin in a JIRA instance
options = {
    'server': 'https://jira.atlassian.com'}
gh = GreenHopper(options)

# Get all boards viewable by anonymous users.
boards = gh.boards()

# Get the sprints in a specific board
board_id = 441
print("GreenHopper board: %s (%s)" % (boards[0].name, board_id))
sprints = gh.sprints(board_id)

# List the incomplete issues in each sprint
for sprint in sprints:
    sprint_id = sprint.id
    print("Sprint: %s" % sprint.name)
    incompletd_issues = gh.incompletd_issues(board_id, sprint_id)
    print("Incomplete issues: %s" %
        ', '.join(issue.key for issue in incompletd_issues))

```

## 2.1 Quickstart

### 2.1.1 Initialization

Everything goes through the JIRA object, so make one:

```

from jira import JIRA

jira = JIRA()

```

This connects to a JIRA started on your local machine at <http://localhost:2990/jira>, which not coincidentally is the default address for a JIRA instance started from the Atlassian Plugin SDK.

You can manually set the JIRA server to use:

```

jac = JIRA('https://jira.atlassian.com')

```

## 2.1.2 Authentication

At initialization time, jira-python can optionally create an HTTP BASIC or use OAuth 1.0a access tokens for user authentication. These sessions will apply to all subsequent calls to the JIRA object.

The library is able to load the credentials from inside the ~/.netrc file, so put them there instead of keeping them in your source code.

### Cookie Based Authentication

Pass a tuple of (username, password) to the `auth` constructor argument:

```
auth_jira = JIRA(auth=('username', 'password'))
```

Using this method, authentication happens during then initialization of the object. If the authentication is successful, the retrieved session cookie will be used in future requests. Upon cookie expiration, authentication will happen again transparently.

### HTTP BASIC

Pass a tuple of (username, password) to the `basic_auth` constructor argument:

```
auth_jira = JIRA(basic_auth=('username', 'password'))
```

### OAuth

Pass a dict of OAuth properties to the `oauth` constructor argument:

```
# all values are samples and won't work in your code!
key_cert_data = None
with open(key_cert, 'r') as key_cert_file:
    key_cert_data = key_cert_file.read()

oauth_dict = {
    'access_token': 'foo',
    'access_token_secret': 'bar',
    'consumer_key': 'jira-oauth-consumer',
    'key_cert': key_cert_data
}
auth_jira = JIRA(oauth=oauth_dict)
```

---

**Note:** The OAuth access tokens must be obtained and authorized ahead of time through the standard OAuth dance. For interactive use, `jirashell` can perform the dance with you if you don't already have valid tokens.

---

**Note:** OAuth in Jira uses RSA-SHA1 which requires the PyCrypto library. PyCrypto is **not** installed automatically when installing jira-python. See also the *Dependencies*. section above.

---

- The access token and token secret uniquely identify the user.
- The consumer key must match the OAuth provider configured on the JIRA server.
- The key cert data must be the private key that matches the public key configured on the JIRA server's OAuth provider.

See <https://confluence.atlassian.com/display/JIRA/Configuring+OAuth+Authentication+for+an+Application+Link> for details on configuring an OAuth provider for JIRA.

## Kerberos

To enable Kerberos auth, set `kerberos=True`:

```
auth_jira = JIRA(kerberos=True)
```

To pass additional options to Kerberos auth use dict `kerberos_options`, e.g.:

```
auth_jira = JIRA(kerberos=True, kerberos_options={'mutual_authentication':
↪ 'DISABLED'})
```

## 2.1.3 Issues

Issues are objects. You get hold of them through the JIRA object:

```
issue = jira.issue('JRA-1330')
```

Issue JSON is marshaled automatically and used to augment the returned Issue object, so you can get direct access to fields:

```
summary = issue.fields.summary          # 'Field level security permissions'
votes = issue.fields.votes.votes        # 440 (at least)
```

If you only want a few specific fields, save time by asking for them explicitly:

```
issue = jira.issue('JRA-1330', fields='summary,comment')
```

Reassign an issue:

```
# requires issue assign permission, which is different from issue editing_
↪permission!
jira.assign_issue(issue, 'newassignee')
```

Creating issues is easy:

```
new_issue = jira.create_issue(project='PROJ_key_or_id', summary='New issue from_
↪jira-python',
                               description='Look into this one', issuetype={'name':
↪ 'Bug'})
```

Or you can use a dict:

```
issue_dict = {
    'project': {'id': 123},
    'summary': 'New issue from jira-python',
    'description': 'Look into this one',
    'issuetype': {'name': 'Bug'},
}
new_issue = jira.create_issue(fields=issue_dict)
```

You can even bulk create multiple issues:

```
issue_list = [
{
    'project': {'id': 123},
    'summary': 'First issue of many',
    'description': 'Look into this one',
    'issuetype': {'name': 'Bug'},
},
{
```

(continues on next page)

(continued from previous page)

```

    'project': {'key': 'FOO'},
    'summary': 'Second issue',
    'description': 'Another one',
    'issuetype': {'name': 'Bug'},
  },
  {
    'project': {'name': 'Bar'},
    'summary': 'Last issue',
    'description': 'Final issue of batch.',
    'issuetype': {'name': 'Bug'},
  }
]
issues = jira.create_issues(field_list=issue_list)

```

**Note:** Project, summary, description and issue type are always required when creating issues. Your JIRA may require additional fields for creating issues; see the `jira.createmeta` method for getting access to that information.

**Note:** Using bulk create will not throw an exception for a failed issue creation. It will return a list of dicts that each contain a possible error signature if that issue had invalid fields. Successfully created issues will contain the issue object as a value of the `issue` key.

You can also update an issue's fields with keyword arguments:

```

issue.update(summary='new summary', description='A new summary was added')
issue.update(assignee={'name': 'new_user'}) # reassigning in update requires_
↪issue edit permission

```

or with a dict of new field values:

```

issue.update(fields={'summary': 'new summary', 'description': 'A new summary was_
↪added'})

```

You can suppress notifications:

```

issue.update(notify=False, description='A quiet description change was made')

```

and when you're done with an issue, you can send it to the great hard drive in the sky:

```

issue.delete()

```

Updating components:

```

existingComponents = []
for component in issue.fields.components:
    existingComponents.append({"name" : component.name})
issue.update(fields={"components": existingComponents})

```

## 2.1.4 Fields

Example about accessing the worklogs:

```

issue.fields.worklog.worklogs # list of Worklog_
↪objects
issue.fields.worklog.worklogs[0].author
issue.fields.worklog.worklogs[0].comment

```

(continues on next page)

(continued from previous page)

```

issue.fields.worklog.worklogs[0].created
issue.fields.worklog.worklogs[0].id
issue.fields.worklog.worklogs[0].self
issue.fields.worklog.worklogs[0].started
issue.fields.worklog.worklogs[0].timeSpent
issue.fields.worklog.worklogs[0].timeSpentSeconds
issue.fields.worklog.worklogs[0].updateAuthor           # dictionary
issue.fields.worklog.worklogs[0].updated

issue.fields.timetracking.remainingEstimate             # may be NULL or string ("0m
↪", "2h"...))
issue.fields.timetracking.remainingEstimateSeconds     # may be NULL or integer
issue.fields.timetracking.timeSpent                   # may be NULL or string
issue.fields.timetracking.timeSpentSeconds            # may be NULL or integer

```

## 2.1.5 Searching

Leverage the power of JQL to quickly find the issues you want:

```

# Search returns first 50 results, `maxResults` must be set to exceed this
issues_in_proj = jira.search_issues('project=PROJ')
all_proj_issues_but_mine = jira.search_issues('project=PROJ and assignee !=_
↪currentUser()')

# my top 5 issues due by the end of the week, ordered by priority
oh_crap = jira.search_issues('assignee = currentUser() and due < endOfWeek() order_
↪by priority desc', maxResults=5)

# Summaries of my last 3 reported issues
for issue in jira.search_issues('reporter = currentUser() order by created desc',_
↪maxResults=3):
    print('{}: {}'.format(issue.key, issue.fields.summary))

```

## 2.1.6 Comments

Comments, like issues, are objects. Get at issue comments through the parent Issue object or the JIRA object's dedicated method:

```

comments_a = issue.fields.comment.comments
comments_b = jira.comments(issue) # comments_b == comments_a

```

Get an individual comment if you know its ID:

```

comment = jira.comment('JRA-1330', '10234')

```

Adding, editing and deleting comments is similarly straightforward:

```

comment = jira.add_comment('JRA-1330', 'new comment') # no Issue object required
comment = jira.add_comment(issue, 'new comment', visibility={'type': 'role', 'value
↪': 'Administrators'}) # for admins only

comment.update(body = 'updated comment body')
comment.delete()

```

## 2.1.7 Transitions

Learn what transitions are available on an issue:

```
issue = jira.issue('PROJ-1')
transitions = jira.transitions(issue)
[(t['id'], t['name']) for t in transitions] # [(u'5', u'Resolve Issue'), (u'2', u'Close Issue')]
```

---

**Note:** Only the transitions available to the currently authenticated user will be returned!

---

Then perform a transition on an issue:

```
# Resolve the issue and assign it to 'pm_user' in one step
jira.transition_issue(issue, '5', assignee={'name': 'pm_user'}, resolution={'id': '3'})

# The above line is equivalent to:
jira.transition_issue(issue, '5', fields={'assignee':{'name': 'pm_user'},
    'resolution':{'id': '3'}})
```

## 2.1.8 Projects

Projects are objects, just like issues:

```
projects = jira.projects()
```

Also, just like issue objects, project objects are augmented with their fields:

```
jra = jira.project('JRA')
print(jra.name) # 'JIRA'
print(jra.lead.displayName) # 'John Doe [ACME Inc.]'
```

It's no trouble to get the components, versions or roles either (assuming you have permission):

```
components = jira.project_components(jra)
[c.name for c in components] # 'Accessibility', 'Activity Stream',
    'Administration', etc.

jira.project_roles(jra) # 'Administrators', 'Developers', etc.

versions = jira.project_versions(jra)
[v.name for v in reversed(versions)] # '5.1.1', '5.1', '5.0.7', '5.0.6', etc.
```

## 2.1.9 Watchers

Watchers are objects, represented by `jira.resources.Watchers`:

```
watcher = jira.watchers(issue)
print("Issue has {} watcher(s)".format(watcher.watchCount))
for watcher in watcher.watchers:
    print(watcher)
    # watcher is instance of jira.resources.User:
    print(watcher.emailAddress)
```

You can add users to watchers by their name:

```
jira.add_watcher(issue, 'username')
jira.add_watcher(issue, user_resource.name)
```

And of course you can remove users from watcher:

```
jira.remove_watcher(issue, 'username')
jira.remove_watcher(issue, user_resource.name)
```

## 2.1.10 Attachments

Attachments let user add files to issues. First you'll need an issue to which the attachment will be uploaded. Next, you'll need file itself, that is going to be attachment. File could be file-like object or string, representing path on local machine. Also you can select final name of the attachment if you don't like original. Here are some examples:

```
# upload file from `/some/path/attachment.txt`
jira.add_attachment(issue=issue, attachment='/some/path/attachment.txt')

# read and upload a file (note binary mode for opening, it's important):
with open('/some/path/attachment.txt', 'rb') as f:
    jira.add_attachment(issue=issue, attachment=f)

# attach file from memory (you can skip IO operations). In this case you MUST
↪provide `filename`.
import StringIO
attachment = StringIO.StringIO()
attachment.write(data)
jira.add_attachment(issue=issue, attachment=attachment, filename='content.txt')
```

If you would like to list all available attachment, you can do it with through attachment field:

```
for attachment in issue.fields.attachment:
    print("Name: '{filename}', size: {size}".format(
        filename=attachment.filename, size=attachment.size))
    # to read content use `get` method:
    print("Content: '{}'.format(attachment.get())
```

You can delete attachment by id:

```
# Find issues with attachments:
query = jira.search_issues(jql_str="attachments is not EMPTY", json_result=True,
↪fields="key, attachment")

# And remove attachments one by one
for i in query['issues']:
    for a in i['fields']['attachment']:
        print("For issue {0}, found attach: '{1}' [{2}].".format(i['key'], a[
↪'filename'], a['id']))
        jira.delete_attachment(a['id'])
```



There is no substitute for play. The only way to really know a service, an API or a package is to explore it, poke at it, and bang your elbows – trial and error. A REST design is especially well-suited to active exploration, and the `jirashell` script (installed automatically when you use `pip`) is designed to help you do exactly that.

Run it from the command line:

```
$ jirashell -s http://jira.atlassian.com
<JIRA Shell (http://jira.atlassian.com)>

*** JIRA shell active; client is in 'jira'. Press Ctrl-D to exit.

In [1]:
```

This is a specialized Python interpreter (built on IPython) that lets you explore JIRA as a service. Any legal Python code is acceptable input. The shell builds a JIRA client object for you (based on the launch parameters) and stores it in the `jira` object.

Try getting an issue:

```
In [1]: issue = jira.issue('JRA-1330')
```

`issue` now contains a reference to an issue Resource. To see the available properties and methods, hit the **TAB** key:

```
In [2]: issue.
issue.delete  issue.fields  issue.id      issue.raw     issue.update
issue.expand  issue.find    issue.key    issue.self

In [2]: issue.fields.
issue.fields.aggregateprogress          issue.fields.customfield_11531
issue.fields.aggregateestimate         issue.fields.customfield_11631
issue.fields.aggregateoriginalestimate issue.fields.customfield_11930
issue.fields.aggregatetimespent        issue.fields.customfield_12130
issue.fields.assignee                  issue.fields.customfield_12131
issue.fields.attachment                 issue.fields.description
issue.fields.comment                    issue.fields.environment
issue.fields.components                  issue.fields.fixVersions
issue.fields.created                     issue.fields.issueLinks
issue.fields.customfield_10150          issue.fields.issueType
```

(continues on next page)

(continued from previous page)

<code>issue.fields.customfield_10160</code>	<code>issue.fields.labels</code>
<code>issue.fields.customfield_10161</code>	<code>issue.fields.mro</code>
<code>issue.fields.customfield_10180</code>	<code>issue.fields.progress</code>
<code>issue.fields.customfield_10230</code>	<code>issue.fields.project</code>
<code>issue.fields.customfield_10575</code>	<code>issue.fields.reporter</code>
<code>issue.fields.customfield_10610</code>	<code>issue.fields.resolution</code>
<code>issue.fields.customfield_10650</code>	<code>issue.fields.resolutiondate</code>
<code>issue.fields.customfield_10651</code>	<code>issue.fields.status</code>
<code>issue.fields.customfield_10680</code>	<code>issue.fields.subtasks</code>
<code>issue.fields.customfield_10723</code>	<code>issue.fields.summary</code>
<code>issue.fields.customfield_11130</code>	<code>issue.fields.timeestimate</code>
<code>issue.fields.customfield_11230</code>	<code>issue.fields.timeoriginalestimate</code>
<code>issue.fields.customfield_11431</code>	<code>issue.fields.timespent</code>
<code>issue.fields.customfield_11433</code>	<code>issue.fields.updated</code>
<code>issue.fields.customfield_11434</code>	<code>issue.fields.versions</code>
<code>issue.fields.customfield_11435</code>	<code>issue.fields.votes</code>
<code>issue.fields.customfield_11436</code>	<code>issue.fields.watches</code>
<code>issue.fields.customfield_11437</code>	<code>issue.fields.workratio</code>

Since the *Resource* class maps the server's JSON response directly into a Python object with attribute access, you can see exactly what's in your resources.

## 4.1 Resource Objects and Properties

The library distinguishes between two kinds of data in the JIRA REST API: *resources* and *properties*.

A *resource* is a REST entity that represents the current state of something that the server owns; for example, the issue called “ABC-123” is a concept managed by JIRA which can be viewed as a resource obtainable at the URL <http://jira-server/rest/api/latest/issue/ABC-123>. All resources have a *self link*: a root-level property called *self* which contains the URL the resource originated from. In `jira-python`, resources are instances of the *Resource* object (or one of its subclasses) and can only be obtained from the server using the `find()` method. Resources may be connected to other resources: the issue *Resource* is connected to a user *Resource* through the `assignee` and `reporter` fields, while the project *Resource* is connected to a project lead through another user *Resource*.

---

**Important:** A resource is connected to other resources, and the client preserves this connection. In the above example, the object inside the `issue` object at `issue.fields.assignee` is not just a dict – it is a full-fledged user *Resource* object. Whenever a resource contains other resources, the client will attempt to convert them to the proper subclass of *Resource*.

---

A *properties object* is a collection of values returned by JIRA in response to some query from the REST API. Their structure is freeform and modeled as a Python dict. Client methods return this structure for calls that do not produce resources. For example, the properties returned from the URL <http://jira-server/rest/api/latest/issue/createmeta> are designed to inform users what fields (and what values for those fields) are required to successfully create issues in the server’s projects. Since these properties are determined by JIRA’s configuration, they are not resources.

The JIRA client’s methods document whether they will return a *Resource* or a *properties object*.



The client is an open source project under the BSD license. Contributions of any kind are welcome!

<https://github.com/pycontribs/jira/>

If you find a bug or have an idea for a useful feature, file it at the GitHub project. Extra points for source code patches – fork and send a pull request.

### 5.1 Discussion and support

We encourage all who wish to discuss by using <https://community.atlassian.com/t5/tag/jira-python/tg-p>

Keep in mind to use the jira-python tag when you add a new question. This will assure that the project maintainers will get notified about your question.

### 5.2 Contributing Code

- **Patches should be:**
  - concise
  - works across all supported versions of Python.
  - follows the existing style of the code base (PEP-8).
  - has comments included as needed.
- **Great Patch has:**
  - A test case that demonstrates the previous flaw that now passes with the included patch.
  - Documentation for those changes to a public API

### 5.3 Testing

To test code run:

```
make test-all
```

This will run the code in a virtual environment, and will test across the versions of python which are installed. It will also install tox if it is not already installed.

Alternatively if you do not have make you can always run:

```
pip install tox
tox
```

## 5.4 Issues and Feature Requests

- Check to see if there's an existing issue/pull request for the bug/feature. All issues are at <https://github.com/pycontribs/jira/issues> and pull requests are at <https://github.com/pycontribs/jira/pulls>.
- If there isn't an existing issue there, please file an issue. The ideal report includes:
  - A description of the problem/suggestion.
  - How to recreate the bug.
  - If relevant, including the versions of your:
    - \* Python interpreter (2.7, 3.5, etc)
    - \* jira-python
    - \* Operating System and Version (Windows 7, OS X 10.10, Ubuntu 14.04, etc.)
    - \* IPython if using jirashell
    - \* Optionally of the other dependencies involved
  - If possible, create a pull request with a (failing) test case demonstrating what's wrong. This makes the process for fixing bugs quicker & gets issues resolved sooner.
  - Here is an template

```
Description: <SUMMARIZE ISSUE>

Python Interpreter: <VERSION>
jira-python: <VERSION>
OS: <OPERATING SYSTEM>
IPython (Optional): <VERSION>
Other Dependencies:

Steps To Reproduce:
  1. <STEP>
  2. <STEP>
  3. <STEP>
  ...

Stack Trace:
  <TRACE>
```

## 5.5 Issues

Here are the best ways to help with open issues:

- **For issues without reproduction steps**

- Try to reproduce the issue, comment with the minimal amount of steps to reproduce the bug (a code snippet would be ideal).
- If there is not a set of steps that can be made to reproduce the issue, at least make sure there are debug logs that capture the unexpected behavior.
- Submit pull requests for open issues.

## 5.6 Pull Requests

There are some key points that are needed to be met before a pull request can be merged:

- **All tests must pass for all python versions. (Once the Test Framework is fixed)**
  - For now, no new failures should occur
- All pull requests require tests that either test the new feature or test that the specific bug is fixed. Pull requests for minor things like adding a new region or fixing a typo do not need tests.
- Must follow PEP8 conventions.
- Within a major version changes must be backwards compatible.

The best way to help with pull requests is to comment on pull requests by noting if any of these key points are missing, it will both help get feedback sooner to the issuer of the pull request and make it easier to determine for an individual with write permissions to the repository if a pull request is ready to be merged.



**Contents**

- *JIRA*
- *Issue*
- *Priority*
- *Comment*
- *Worklog*
- *Watchers*
- *JIRAError*

## 6.1 JIRA

```
class jira.JIRA(server=None, options=None, basic_auth=None, oauth=None, jwt=None, kerberos=False, kerberos_options=None, validate=False, get_server_info=True, async_=False, async_workers=5, logging=True, max_retries=3, proxies=None, timeout=None, auth=None)
```

Bases: `object`

User interface to JIRA.

Clients interact with JIRA by constructing an instance of this object and calling its methods. For addressable resources in JIRA – those with “self” links – an appropriate subclass of `Resource` will be returned with customized `update()` and `delete()` methods, along with attribute access to fields. This means that calls of the form `issue.fields.summary` will be resolved into the proper lookups to return the JSON value at that mapping. Methods that do not return resources will return a dict constructed from the JSON response or a scalar value; see each method’s documentation for details on what that method returns.

Without any arguments, this client will connect anonymously to the JIRA instance started by the Atlassian Plugin SDK from one of the `atlas-run`, `atlas-debug`, or `atlas-run-standalone` commands. By default, this instance runs at `http://localhost:2990/jira`. The `options` argument can be used to set the JIRA instance to use.

Authentication is handled with the `basic_auth` argument. If authentication is supplied (and is accepted by JIRA), the client will remember it for subsequent requests.

For quick command line access to a server, see the `jirashell` script included with this distribution.

The easiest way to instantiate is using `j = JIRA("https://jira.atlassian.com")`

### Parameters

- **options** – Specify the server and properties this client will use. Use a dict with any of the following properties:
  - `server` – the server address and context path to use. Defaults to `http://localhost:2990/jira`.
  - `rest_path` – the root REST path to use. Defaults to `api`, where the JIRA REST resources live.
  - `rest_api_version` – the version of the REST resources under `rest_path` to use. Defaults to 2.
  - **agile\_rest\_path - the REST path to use for JIRA Agile requests. Defaults to `greenhopper` (old, private API). Check `GreenHopperResource` for other supported values.**
  - `verify` – Verify SSL certs. Defaults to `True`.
  - `client_cert` – a tuple of (cert,key) for the requests library for client side SSL
  - `check_update` – Check whether using the newest python-jira library version.
  - `cookies` – A dict of custom cookies that are sent in all requests to the server.
- **basic\_auth** – A tuple of username and password to use when establishing a session via HTTP BASIC authentication.
- **oauth** – A dict of properties for OAuth authentication. The following properties are required:
  - `access_token` – OAuth access token for the user
  - `access_token_secret` – OAuth access token secret to sign with the key
  - `consumer_key` – key of the OAuth application link defined in JIRA
  - `key_cert` – private key file to sign requests with (should be the pair of the public key supplied to JIRA in the OAuth application link)
- **kerberos** – If true it will enable Kerberos authentication.
- **kerberos\_options** – A dict of properties for Kerberos authentication. The following properties are possible:
  - `mutual_authentication` – string `DISABLED` or `OPTIONAL`.Example `kerberos_options` structure: 

```
{'mutual_authentication': 'DISABLED'}
```
- **jwt** – A dict of properties for JWT authentication supported by Atlassian Connect. The following properties are required:
  - `secret` – shared secret as delivered during ‘installed’ lifecycle event (see <https://developer.atlassian.com/static/connect/docs/latest/modules/lifecycle.html> for details)
  - `payload` – dict of fields to be inserted in the JWT payload, e.g. ‘iss’Example `jwt` structure: 

```
{'secret': SHARED_SECRET, 'payload': {'iss': PLUGIN_KEY}}
```
- **validate** – If true it will validate your credentials first. Remember that if you are accessing JIRA as anonymous it will fail to instantiate.

- **get\_server\_info** – If true it will fetch server version info first to determine if some API calls are available.
- **async** – To enable asynchronous requests for those actions where we implemented it, like `issue update()` or `delete()`.
- **async\_workers** – Set the number of worker threads for async operations.
- **timeout** – Set a read/connect timeout for the underlying calls to JIRA (default: None) Obviously this means that you cannot rely on the return code when this is enabled.

```
AGILE_BASE_URL = '{server}/rest/{agile_rest_path}/{agile_rest_api_version}/{path}'
```

```
DEFAULT_OPTIONS = {'agile_rest_api_version': '1.0', 'agile_rest_path': 'greenhoppo
```

```
JIRA_BASE_URL = '{server}/rest/{rest_path}/{rest_api_version}/{path}'
```

**add\_attachment** (*issue, attachment, filename=None*)

Attach an attachment to an issue and returns a Resource for it.

The client will *not* attempt to open or validate the attachment; it expects a file-like object to be ready for its use. The user is still responsible for tidying up (e.g., closing the file, killing the socket, etc.)

#### Parameters

- **issue** – the issue to attach the attachment to
- **attachment** – file-like object to attach to the issue, also works if it is a string with the filename.
- **filename** – optional name for the attached file. If omitted, the file object’s `name` attribute is used. If you acquired the file-like object by any other method than `open()`, make sure that a name is specified in one way or the other.

**Return type** an Attachment Resource

**add\_comment** (*issue, body, visibility=None, is\_internal=False*)

Add a comment from the current authenticated user on the specified issue and return a Resource for it.

The issue identifier and comment body are required.

#### Parameters

- **issue** – ID or key of the issue to add the comment to
- **body** – Text of the comment to add
- **visibility** – a dict containing two entries: “type” and “value”. “type” is ‘role’ (or ‘group’ if the JIRA server has configured comment visibility for groups) and ‘value’ is the name of the role (or group) to which viewing of this comment will be restricted.
- **is\_internal** – defines whether a comment has to be marked as ‘Internal’ in Jira Service Desk

**add\_group** (*groupname*)

Create a new group in JIRA.

**Parameters** *groupname* – The name of the group you wish to create.

**Returns** Boolean - True if successful.

**add\_issues\_to\_epic** (*epic\_id, issue\_keys, ignore\_epics=True*)

Add the issues in *issue\_keys* to the *epic\_id*.

#### Parameters

- **epic\_id** – the epic to add issues to
- **issue\_keys** – the issues to add to the epic
- **ignore\_epics** – ignore any issues listed in *issue\_keys* that are epics

**add\_issues\_to\_sprint** (*sprint\_id, issue\_keys*)

Add the issues in *issue\_keys* to the *sprint\_id*.

The sprint must be started but not completed.

If a sprint was completed, then have to also edit the history of the issue so that it was added to the sprint before it was completed, preferably before it started. A completed sprint's issues also all have a resolution set before the completion date.

If a sprint was not started, then have to edit the marker and copy the rank of each issue too.

#### Parameters

- **sprint\_id** (*int*) – the sprint to add issues to
- **issue\_keys** (*list of str*) – the issues to add to the sprint

**add\_remote\_link** (*issue, destination, globalId=None, application=None, relationship=None*)

Add a remote link from an issue to an external application and returns a remote link Resource for it.

*object* should be a dict containing at least *url* to the linked external URL and *title* to display for the link inside JIRA.

For definitions of the allowable fields for *object* and the keyword arguments *globalId*, *application* and *relationship*, see <https://developer.atlassian.com/display/JIRADEV/JIRA+REST+API+for+Remote+Issue+Links>.

#### Parameters

- **issue** – the issue to add the remote link to
- **destination** – the link details to add (see the above link for details)
- **globalId** – unique ID for the link (see the above link for details)
- **application** – application information for the link (see the above link for details)
- **relationship** – relationship description for the link (see the above link for details)

**add\_simple\_link** (*issue, object*)

Add a simple remote link from an issue to web resource.

**This avoids the admin access problems from `add_remote_link` by just** using a simple *object* and presuming all fields are correct and not requiring more complex *application* data.

***object* should be a dict containing at least `url` to the** linked external URL and *title* to display for the link inside JIRA.

For definitions of the allowable fields for *object*, see <https://developer.atlassian.com/display/JIRADEV/JIRA+REST+API+for+Remote+Issue+Links>.

#### Parameters

- **issue** – the issue to add the remote link to
- **object** – the dictionary used to create remotelink data

**add\_user** (*username, email, directoryId=1, password=None, fullname=None, notify=False, activate=True, ignore\_existing=False, application\_keys=None*)

Create a new JIRA user.

#### Parameters

- **username** (*str*) – the username of the new user
- **email** (*str*) – email address of the new user
- **directoryId** (*int*) – the directory ID the new user should be a part of
- **password** (*str*) – Optional, the password for the new user
- **fullname** (*str*) – Optional, the full name of the new user

- **notify** (`bool`) – Whether or not to send a notification to the new user
- **active** (`bool`) – Whether or not to make the new user active upon creation
- **applicationKeys** (`list`) – Keys of products user should have access to

**add\_user\_to\_group** (*username, group*)

Add a user to an existing group.

**Parameters**

- **username** – Username that will be added to specified group.
- **group** – Group that the user will be added to.

**Returns** json response from Jira server for success or a value that evaluates as False in case of failure.

**add\_vote** (*issue*)

Register a vote for the current authenticated user on an issue.

**Parameters** **issue** – ID or key of the issue to vote on

**add\_watcher** (*issue, watcher*)

Add a user to an issue's watchers list.

**Parameters**

- **issue** – ID or key of the issue affected
- **watcher** – username of the user to add to the watchers list

**add\_worklog** (*issue, timeSpent=None, timeSpentSeconds=None, adjustEstimate=None, newEstimate=None, reduceBy=None, comment=None, started=None, user=None*)

Add a new worklog entry on an issue and return a Resource for it.

**Parameters**

- **issue** – the issue to add the worklog to
- **timeSpent** – a worklog entry with this amount of time spent, e.g. "2d"
- **adjustEstimate** – (optional) allows the user to provide specific instructions to update the remaining time estimate of the issue. The value can either be `new`, `leave`, `manual` or `auto` (default).
- **newEstimate** – the new value for the remaining estimate field. e.g. "2d"
- **reduceBy** – the amount to reduce the remaining estimate by e.g. "2d"
- **started** – Moment when the work is logged, if not specified will default to now
- **comment** – optional worklog comment

**application\_properties** (*key=None*)

Return the mutable server application properties.

**Parameters** **key** – the single property to return a value for

**applicationlinks** (*cached=True*)

List of application links.

**Returns** json

**assign\_issue** (*issue, assignee*)

Assign an issue to a user. None will set it to unassigned. -1 will set it to Automatic.

**Parameters**

- **issue** (*int or str*) – the issue ID or key to assign
- **assignee** (*str*) – the user to assign the issue to

**Return type** `bool`

**async\_do** (*size=10*)

Execute all asynchronous jobs and wait for them to finish. By default it will run on 10 threads.

**Parameters** **size** – number of threads to run on.

**attachment** (*id*)

Get an attachment Resource from the server for the specified ID.

**attachment\_meta** ()

Get the attachment metadata.

**backup** (*filename='backup.zip', attachments=False*)

Will call jira export to backup as zipped xml. Returning with success does not mean that the backup process finished.

**backup\_complete** ()

Return boolean based on 'alternativePercentage' and 'size' returned from backup\_progress (cloud only).

**backup\_download** (*filename=None*)

Download backup file from WebDAV (cloud only).

**backup\_progress** ()

Return status of cloud backup as a dict.

Is there a way to get progress for Server version?

**boards** (*startAt=0, maxResults=50, type=None, name=None*)

Get a list of board resources.

**Parameters**

- **startAt** – The starting index of the returned boards. Base index: 0.
- **maxResults** – The maximum number of boards to return per page. Default: 50
- **type** – Filters results to boards of the specified type. Valid values: scrum, kanban.
- **name** – Filters results to boards that match or partially match the specified name.

**Return type** ResultList[Board]

When old GreenHopper private API is used, paging is not enabled and all parameters are ignored.

**checked\_version = False**

**client\_info** ()

Get the server this client is connected to.

**close** ()

**comment** (*issue, comment*)

Get a comment Resource from the server for the specified ID.

**Parameters**

- **issue** – ID or key of the issue to get the comment from
- **comment** – ID of the comment to get

**comments** (*issue*)

Get a list of comment Resources.

**Parameters** **issue** – the issue to get comments from

**component** (*id*)

Get a component Resource from the server.

**Parameters** **id** – ID of the component to get

**component\_count\_related\_issues** (*id*)

Get the count of related issues for a component.

**Parameters** `id` (*integer*) – ID of the component to use

**confirm\_project\_avatar** (*project, cropping\_properties*)

Confirm the temporary avatar image previously uploaded with the specified cropping.

After a successful registry with `create_temp_project_avatar()`, use this method to confirm the avatar for use. The final avatar can be a subarea of the uploaded image, which is customized with the `cropping_properties`: the return value of `create_temp_project_avatar()` should be used for this argument.

#### Parameters

- **project** – ID or key of the project to confirm the avatar in
- **cropping\_properties** – a dict of cropping properties from `create_temp_project_avatar()`

**confirm\_user\_avatar** (*user, cropping\_properties*)

Confirm the temporary avatar image previously uploaded with the specified cropping.

After a successful registry with `create_temp_user_avatar()`, use this method to confirm the avatar for use. The final avatar can be a subarea of the uploaded image, which is customized with the `cropping_properties`: the return value of `create_temp_user_avatar()` should be used for this argument.

#### Parameters

- **user** – the user to confirm the avatar for
- **cropping\_properties** – a dict of cropping properties from `create_temp_user_avatar()`

**create\_board** (*name, project\_ids, preset='scrum', location\_type='user', location\_id=None*)

Create a new board for the `project_ids`.

#### Parameters

- **name** – name of the board
- **project\_ids** – the projects to create the board in
- **preset** (`'kanban'`, `'scrum'`, `'diy'`) – what preset to use for this board
- **location\_type** (`'user'`, `'project'`) – the location type. Available in cloud.
- **location\_id** – the id of project that the board should be located under. Omit this for a `'user'` `location_type`. Available in cloud.

**create\_component** (*name, project, description=None, leadUserName=None, assigneeType=None, isAssigneeTypeValid=False*)

Create a component inside a project and return a Resource for it.

#### Parameters

- **name** – name of the component
- **project** – key of the project to create the component in
- **description** – a description of the component
- **leadUserName** – the username of the user responsible for this component
- **assigneeType** – see the `ComponentBean.AssigneeType` class for valid values
- **isAssigneeTypeValid** – boolean specifying whether the assignee type is acceptable

**create\_customer** (*email, displayName*)

Create a new customer and return an issue Resource for it.

**create\_customer\_request** (*fields=None, prefetch=True, \*\*fieldargs*)

Create a new customer request and return an issue Resource for it.

Each keyword argument (other than the predefined ones) is treated as a field name and the argument's value is treated as the intended value for that field – if the `fields` argument is used, all other keyword arguments will be ignored.

By default, the client will immediately reload the issue Resource created by this method in order to return a complete Issue object to the caller; this behavior can be controlled through the 'prefetch' argument.

JIRA projects may contain many different issue types. Some issue screens have different requirements for fields in a new issue. This information is available through the 'createmeta' method. Further examples are available here: <https://developer.atlassian.com/display/JIRADEV/JIRA+REST+API+Example+-+Create+Issue>

#### Parameters

- **fields** – a dict containing field names and the values to use. If present, all other keyword arguments will be ignored
- **prefetch** – whether to reload the created issue Resource so that all of its data is present in the value returned from this method

**create\_filter** (*name=None, description=None, jql=None, favourite=None*)

Create a new filter and return a filter Resource for it.

#### Parameters

- **name** – name of the new filter
- **description** – useful human readable description of the new filter
- **jql** – query string that defines the filter
- **favourite** – whether to add this filter to the current user's favorites

**create\_issue** (*fields=None, prefetch=True, \*\*fieldargs*)

Create a new issue and return an issue Resource for it.

Each keyword argument (other than the predefined ones) is treated as a field name and the argument's value is treated as the intended value for that field – if the `fields` argument is used, all other keyword arguments will be ignored.

By default, the client will immediately reload the issue Resource created by this method in order to return a complete Issue object to the caller; this behavior can be controlled through the 'prefetch' argument.

JIRA projects may contain many different issue types. Some issue screens have different requirements for fields in a new issue. This information is available through the 'createmeta' method. Further examples are available here: <https://developer.atlassian.com/display/JIRADEV/JIRA+REST+API+Example+-+Create+Issue>

#### Parameters

- **fields** – a dict containing field names and the values to use. If present, all other keyword arguments will be ignored
- **prefetch** – whether to reload the created issue Resource so that all of its data is present in the value returned from this method

**create\_issue\_link** (*type, inwardIssue, outwardIssue, comment=None*)

Create a link between two issues.

#### Parameters

- **type** – the type of link to create
- **inwardIssue** – the issue to link from

- **outwardIssue** – the issue to link to
- **comment** – a comment to add to the issues with the link. Should be a dict containing `body` and `visibility` fields: `body` being the text of the comment and `visibility` being a dict containing two entries: `type` and `value`. `type` is `role` (or `group` if the JIRA server has configured comment visibility for groups) and `value` is the name of the role (or group) to which viewing of this comment will be restricted.

**create\_issues** (*field\_list*, *prefetch=True*)

Bulk create new issues and return an issue Resource for each successfully created issue.

See *create\_issue* documentation for field information.

#### Parameters

- **field\_list** – a list of dicts each containing field names and the values to use. Each dict is an individual issue to create and is subject to its minimum requirements.
- **prefetch** – whether to reload the created issue Resource for each created issue so that all of its data is present in the value returned from this method.

**create\_project** (*key*, *name=None*, *assignee=None*, *type='Software'*, *template\_name=None*)

Key is mandatory and has to match JIRA project key requirements, usually only 2-10 uppercase characters.

If name is not specified it will use the key value. If assignee is not specified it will use current user. Parameter `template_name` is used to create a project based on one of the existing project templates. If `template_name` is not specified, then it should use one of the default values. The returned value should evaluate to `False` if it fails otherwise it will be the new project id.

**create\_sprint** (*name*, *board\_id*, *startDate=None*, *endDate=None*)

Create a new sprint for the `board_id`.

#### Parameters

- **name** – name of the sprint
- **board\_id** – the board to add the sprint to

**create\_temp\_project\_avatar** (*project*, *filename*, *size*, *avatar\_img*, *contentType=None*, *auto\_confirm=False*)

Register an image file as a project avatar.

**The avatar created is temporary and must be confirmed before it can** be used.

**Avatar images are specified by a filename, size, and file object. By default, the client will attempt to** autodetect the picture's content type: this mechanism relies on libmagic and will not work out of the box on Windows systems (see <http://filemagic.readthedocs.org/en/latest/guide.html> for details on how to install support). The `contentType` argument can be used to explicitly set the value (note that JIRA will reject any type other than the well-known ones for images, e.g. `image/jpeg`, `image/png`, etc.)

**This method returns a dict of properties that can be used to crop a subarea of a larger image for use. This** dict should be saved and passed to `confirm_project_avatar()` to finish the avatar creation process. If you want to cut out the middleman and confirm the avatar with JIRA's default cropping, pass the 'auto\_confirm' argument with a truthy value and `confirm_project_avatar()` will be called for you before this method returns.

#### Parameters

- **project** – ID or key of the project to create the avatar in
- **filename** – name of the avatar file
- **size** – size of the avatar file
- **avatar\_img** – file-like object holding the avatar

- **contentType** – explicit specification for the avatar image’s content-type
- **auto\_confirm** (*boolean*) – whether to automatically confirm the temporary avatar by calling `confirm_project_avatar()` with the return value of this method.

**create\_temp\_user\_avatar** (*user, filename, size, avatar\_img, contentType=None, auto\_confirm=False*)

Register an image file as a user avatar.

The avatar created is temporary and must be confirmed before it can be used.

Avatar images are specified by a filename, size, and file object. By default, the client will attempt to autodetect the picture’s content type: this mechanism relies on `libmagic` and will not work out of the box on Windows systems (see <http://filemagic.readthedocs.org/en/latest/guide.html> for details on how to install support). The `contentType` argument can be used to explicitly set the value (note that JIRA will reject any type other than the well-known ones for images, e.g. `image/jpeg`, `image/png`, etc.)

This method returns a dict of properties that can be used to crop a subarea of a larger image for use. This dict should be saved and passed to `confirm_user_avatar()` to finish the avatar creation process. If you want to cut out the middleman and confirm the avatar with JIRA’s default cropping, pass the `auto_confirm` argument with a truthy value and `confirm_user_avatar()` will be called for you before this method returns.

#### Parameters

- **user** – user to register the avatar for
- **filename** – name of the avatar file
- **size** – size of the avatar file
- **avatar\_img** – file-like object containing the avatar
- **contentType** – explicit specification for the avatar image’s content-type
- **auto\_confirm** – whether to automatically confirm the temporary avatar by calling `confirm_user_avatar()` with the return value of this method.

**create\_version** (*name, project, description=None, releaseDate=None, startDate=None, archived=False, released=False*)

Create a version in a project and return a Resource for it.

#### Parameters

- **name** – name of the version to create
- **project** – key of the project to create the version in
- **description** – a description of the version
- **releaseDate** – the release date assigned to the version
- **startDate** – The start date for the version

**createmeta** (*projectKeys=None, projectIds=[], issuetypeIds=None, issuetypeNames=None, expand=None*)

Get the metadata required to create issues, optionally filtered by projects and issue types.

#### Parameters

- **projectKeys** – keys of the projects to filter the results with. Can be a single value or a comma-delimited string. May be combined with `projectIds`.
- **projectIds** – IDs of the projects to filter the results with. Can be a single value or a comma-delimited string. May be combined with `projectKeys`.
- **issuetypeIds** – IDs of the issue types to filter the results with. Can be a single value or a comma-delimited string. May be combined with `issuetypeNames`.

- **issuetypeNames** – Names of the issue types to filter the results with. Can be a single value or a comma-delimited string. May be combined with `issuetypeIds`.
- **expand** – extra information to fetch inside each resource.

**current\_user** ()

**custom\_field\_option** (*id*)

Get a custom field option Resource from the server.

**Parameters** **id** – ID of the custom field to use

**dashboard** (*id*)

Get a dashboard Resource from the server.

**Parameters** **id** – ID of the dashboard to get.

**dashboards** (*filter=None, startAt=0, maxResults=20*)

Return a ResultList of Dashboard resources and a `total` count.

**Parameters**

- **filter** – either “favourite” or “my”, the type of dashboards to return
- **startAt** – index of the first dashboard to return
- **maxResults** – maximum number of dashboards to return. If `maxResults` evaluates as `False`, it will try to get all items in batches.

**Return type** ResultList

**deactivate\_user** (*username*)

Disable/deactivate the user.

**delete\_attachment** (*id*)

Delete attachment by id.

**Parameters** **id** – ID of the attachment to delete

**delete\_board** (*id*)

Delete an agile board.

**delete\_component** (*id*)

Delete component by id.

**Parameters** **id** – ID of the component to use

**delete\_issue\_link** (*id*)

Delete a link between two issues.

**Parameters** **id** – ID of the issue link to delete

**delete\_project** (*pid*)

Delete project from Jira.

**Parameters** **pid** (*str*) – JIRA projectID or Project or slug

**Returns** **bool** True if project was deleted

**Raises**

- **JIRAError** – If project not found or not enough permissions
- **ValueError** – If `pid` parameter is not Project, slug or ProjectID

**delete\_project\_avatar** (*project, avatar*)

Delete a project’s avatar.

**Parameters**

- **project** – ID or key of the project to delete the avatar from
- **avatar** – ID of the avatar to delete

**delete\_user** (*username*)

**delete\_user\_avatar** (*username, avatar*)

Delete a user's avatar.

**Parameters**

- **username** – the user to delete the avatar from
- **avatar** – ID of the avatar to remove

**editmeta** (*issue*)

Get the edit metadata for an issue.

**Parameters** **issue** – the issue to get metadata for

**favourite\_filters** ()

Get a list of filter Resources which are the favourites of the currently authenticated user.

**fields** ()

Return a list of all issue fields.

**filter** (*id*)

Get a filter Resource from the server.

**Parameters** **id** – ID of the filter to get.

**find** (*resource\_format, ids=None*)

Find Resource object for any addressable resource on the server.

This method is a universal resource locator for any REST-ful resource in JIRA. The argument `resource_format` is a string of the form `resource`, `resource/{0}`, `resource/{0}/sub`, `resource/{0}/sub/{1}`, etc. The format placeholders will be populated from the `ids` argument if present. The existing authentication session will be used.

The return value is an untyped Resource object, which will not support specialized `Resource.update()` or `Resource.delete()` behavior. Moreover, it will not know to return an issue Resource if the client uses the resource issue path. For this reason, it is intended to support resources that are not included in the standard Atlassian REST API.

**Parameters**

- **resource\_format** – the subpath to the resource string
- **ids** (*tuple or None*) – values to substitute in the `resource_format` string

**find\_transitionid\_by\_name** (*issue, transition\_name*)

Get a transitionid available on the specified issue to the current user.

Look at <https://developer.atlassian.com/static/rest/jira/6.1.html#d2e1074> for json reference

**Parameters**

- **issue** – ID or key of the issue to get the transitions from
- **trans\_name** – iname of transition we are looking for

**get\_igrid** (*issueid, customfield, schemeid*)

**group\_members** (*group*)

Return a hash or users with their information. Requires JIRA 6.0 or will raise `NotImplemented`.

**groups** (*query=None, exclude=None, maxResults=9999*)

Return a list of groups matching the specified criteria.

**Parameters**

- **query** – filter groups by name with this string
- **exclude** – filter out groups by name with this string
- **maxResults** – maximum results to return. defaults to 9999

**incompletedIssuesEstimateSum** (*board\_id, sprint\_id*)

Return the total incompleted points this sprint.

**issue** (*id, fields=None, expand=None*)

Get an issue Resource from the server.

**Parameters**

- **id** – ID or key of the issue to get
- **fields** – comma-separated string of issue fields to include in the results
- **expand** – extra information to fetch inside each resource

**issue\_link** (*id*)

Get an issue link Resource from the server.

**Parameters** **id** – ID of the issue link to get

**issue\_link\_type** (*id*)

Get an issue link type Resource from the server.

**Parameters** **id** – ID of the issue link type to get

**issue\_link\_types** ()

Get a list of issue link type Resources from the server.

**issue\_type** (*id*)

Get an issue type Resource from the server.

**Parameters** **id** – ID of the issue type to get

**issue\_type\_by\_name** (*name*)

**issue\_types** ()

Get a list of issue type Resources from the server.

**kill\_session** ()

Destroy the session of the current authenticated user.

**kill\_websudo** ()

Destroy the user's current WebSudo session.

Works only for non-cloud deployments, for others does nothing.

**move\_to\_backlog** (*issue\_keys*)

Move issues in *issue\_keys* to the backlog, removing them from all sprints that have not been completed.

**Parameters** **issue\_keys** – the issues to move to the backlog

**move\_version** (*id, after=None, position=None*)

Move a version within a project's ordered version list and return a new version Resource for it.

One, but not both, of *after* and *position* must be specified.

**Parameters**

- **id** – ID of the version to move
- **after** – the self attribute of a version to place the specified version after (that is, higher in the list)
- **position** – the absolute position to move this version to: must be one of *First*, *Last*, *Earlier*, or *Later*

**my\_permissions** (*projectKey=None, projectId=None, issueKey=None, issueId=None*)

Get a dict of all available permissions on the server.

**Parameters**

- **projectKey** – limit returned permissions to the specified project

- **projectId** – limit returned permissions to the specified project
- **issueKey** – limit returned permissions to the specified issue
- **issueId** – limit returned permissions to the specified issue

**myself** ()

Get a dict of server information for this JIRA instance.

**priorities** ()

Get a list of priority Resources from the server.

**priority** (*id*)

Get a priority Resource from the server.

**Parameters** **id** – ID of the priority to get

**project** (*id*)

Get a project Resource from the server.

**Parameters** **id** – ID or key of the project to get

**project\_avatars** (*project*)

Get a dict of all avatars for a project visible to the current authenticated user.

**Parameters** **project** – ID or key of the project to get avatars for

**project\_components** (*project*)

Get a list of component Resources present on a project.

**Parameters** **project** – ID or key of the project to get components from

**project\_role** (*project, id*)

Get a role Resource.

**Parameters**

- **project** – ID or key of the project to get the role from
- **id** – ID of the role to get

**project\_roles** (*project*)

Get a dict of role names to resource locations for a project.

**Parameters** **project** – ID or key of the project to get roles from

**project\_versions** (*project*)

Get a list of version Resources present on a project.

**Parameters** **project** – ID or key of the project to get versions from

**projects** ()

Get a list of project Resources from the server visible to the current authenticated user.

**rank** (*issue, next\_issue*)

Rank an issue before another using the default Ranking field, the one named 'Rank'.

**Parameters**

- **issue** – issue key of the issue to be ranked before the second one.
- **next\_issue** – issue key of the second issue.

**reindex** (*force=False, background=True*)

Start jira re-indexing. Returns True if reindexing is in progress or not needed, or False.

If you call reindex() without any parameters it will perform a background reindex only if JIRA thinks it should do it.

**Parameters**

- **force** – reindex even if JIRA doesn't say this is needed, False by default.

- **background** – reindex in background, slower but does not impact the users, defaults to True.

**remote\_link** (*issue, id*)

Get a remote link Resource from the server.

**Parameters**

- **issue** – the issue holding the remote link
- **id** – ID of the remote link

**remote\_links** (*issue*)

Get a list of remote link Resources from an issue.

**Parameters** **issue** – the issue to get remote links from

**remove\_group** (*groupname*)

Delete a group from the JIRA instance.

**Parameters** **groupname** – The group to be deleted from the JIRA instance.

**Returns** Boolean. Returns True on success.

**remove\_user\_from\_group** (*username, groupname*)

Remove a user from a group.

**Parameters**

- **username** – The user to remove from the group.
- **groupname** – The group that the user will be removed from.

**remove\_vote** (*issue*)

Remove the current authenticated user's vote from an issue.

**Parameters** **issue** – ID or key of the issue to remove vote on

**remove\_watcher** (*issue, watcher*)

Remove a user from an issue's watch list.

**Parameters**

- **issue** – ID or key of the issue affected
- **watcher** – username of the user to remove from the watchers list

**removedIssuesEstimateSum** (*board\_id, sprint\_id*)

Return the total incompletd points this sprint.

**removed\_issues** (*board\_id, sprint\_id*)

Return the completed issues for the sprint.

**rename\_user** (*old\_user, new\_user*)

Rename a JIRA user.

**Parameters**

- **old\_user** – string with username login
- **new\_user** – string with username login

**request\_type\_by\_name** (*service\_desk, name*)

**request\_types** (*service\_desk*)

**resolution** (*id*)

Get a resolution Resource from the server.

**Parameters** **id** – ID of the resolution to get

**resolutions** ()

Get a list of resolution Resources from the server.

**search\_allowed\_users\_for\_issue** (*user, issueKey=None, projectKey=None, startAt=0, maxResults=50*)

Get a list of user Resources that match a username string and have browse permission for the issue or project.

#### Parameters

- **user** – a string to match usernames against.
- **issueKey** – find users with browse permission for this issue.
- **projectKey** – find users with browse permission for this project.
- **startAt** – index of the first user to return.
- **maxResults** – maximum number of users to return. If `maxResults` evaluates as `False`, it will try to get all items in batches.

**search\_assignable\_users\_for\_issues** (*username, project=None, issueKey=None, expand=None, startAt=0, maxResults=50*)

Get a list of user Resources that match the search string for assigning or creating issues.

This method is intended to find users that are eligible to create issues in a project or be assigned to an existing issue. When searching for eligible creators, specify a project. When searching for eligible assignees, specify an issue key.

#### Parameters

- **username** – a string to match usernames against
- **project** – filter returned users by permission in this project (expected if a result will be used to create an issue)
- **issueKey** – filter returned users by this issue (expected if a result will be used to edit this issue)
- **expand** – extra information to fetch inside each resource
- **startAt** – index of the first user to return
- **maxResults** – maximum number of users to return. If `maxResults` evaluates as `False`, it will try to get all items in batches.

**search\_assignable\_users\_for\_projects** (*username, projectKeys, startAt=0, maxResults=50*)

Get a list of user Resources that match the search string and can be assigned issues for projects.

#### Parameters

- **username** – a string to match usernames against
- **projectKeys** – comma-separated list of project keys to check for issue assignment permissions
- **startAt** – index of the first user to return
- **maxResults** – maximum number of users to return. If `maxResults` evaluates as `False`, it will try to get all users in batches.

**search\_issues** (*jql\_str, startAt=0, maxResults=50, validate\_query=True, fields=None, expand=None, json\_result=None*)

Get a `ResultList` of issue Resources matching a JQL search string.

#### Parameters

- **jql\_str** (*str*) – the JQL search string to use
- **startAt** (*int*) – index of the first issue to return
- **maxResults** (*int*) – maximum number of issues to return. Total number of results is available in the `total` attribute of the returned `ResultList`. If `maxResults` evaluates as `False`, it will try to get all issues in batches.

- **fields** (*str*) – comma-separated string of issue fields to include in the results
- **expand** (*str*) – extra information to fetch inside each resource
- **json\_result** (*bool*) – JSON response will be returned when this parameter is set to True. Otherwise, `ResultList` will be returned.

**Return type** dict or `ResultList`

**search\_users** (*user, startAt=0, maxResults=50, includeActive=True, includeInactive=False*)  
Get a list of user Resources that match the specified search string.

**Parameters**

- **user** – a string to match usernames, name or email against.
- **startAt** – index of the first user to return.
- **maxResults** – maximum number of users to return. If `maxResults` evaluates as False, it will try to get all items in batches.
- **includeActive** – If true, then active users are included in the results.
- **includeInactive** – If true, then inactive users are included in the results.

**security\_level** (*id*)  
Get a security level Resource.

**Parameters** **id** – ID of the security level to get

**server\_info** ()  
Get a dict of server information for this JIRA instance.

**service\_desk** (*id*)  
Get a Service Desk Resource from the server.

**Parameters** **id** – ID or key of the Service Desk to get

**service\_desks** ()  
Get a list of ServiceDesk Resources from the server visible to the current authenticated user.

**session** (*auth=None*)  
Get a dict of the current authenticated user's session information.

**set\_application\_property** (*key, value*)  
Set the application property.

**Parameters**

- **key** – key of the property to set
- **value** – value to assign to the property

**set\_project\_avatar** (*project, avatar*)  
Set a project's avatar.

**Parameters**

- **project** – ID or key of the project to set the avatar on
- **avatar** – ID of the avatar to set

**set\_user\_avatar** (*username, avatar*)  
Set a user's avatar.

**Parameters**

- **username** – the user to set the avatar for
- **avatar** – ID of the avatar to set

**sprint** (*id*)  
Return the information about a sprint.

**Parameters** `sprint_id` (*int*) – the sprint retrieving issues from

**Return type** `Sprint`

**sprint\_info** (*board\_id, sprint\_id*)

Return the information about a sprint.

**Parameters**

- **board\_id** – the board retrieving issues from. Deprecated and ignored.
- **sprint\_id** – the sprint retrieving issues from

**sprints** (*board\_id, extended=False, startAt=0, maxResults=50, state=None*)

Get a list of sprint `GreenHopperResources`.

**Parameters**

- **board\_id** (*int*) – the board to get sprints from
- **extended** (*bool*) – Used only by old `GreenHopper` API to fetch additional information like `startDate`, `endDate`, `completeDate`, much slower because it requires an additional requests for each sprint. New `JIRA Agile` API always returns this information without a need for additional requests.
- **startAt** (*int*) – the index of the first sprint to return (0 based)
- **maxResults** (*int*) – the maximum number of sprints to return
- **state** (*str*) – Filters results to sprints in specified states. Valid values: *future*, *active*, *closed*. You can define multiple states separated by commas

**Return type** list of `Sprint`

**Returns** (content depends on API version, but always contains `id`, `name`, `state`, `startDate` and `endDate`) When old `GreenHopper` private API is used, paging is not enabled, and `startAt`, `maxResults` and `state` parameters are ignored.

**sprints\_by\_name** (*id, extended=False*)

**status** (*id*)

Get a status `Resource` from the server.

**Parameters** `id` – ID of the status resource to get

**statuscategories** ()

Get a list of status category `Resources` from the server.

**statuscategory** (*id*)

Get a status category `Resource` from the server.

**Parameters** `id` – ID of the status category resource to get

**statuses** ()

Get a list of status `Resources` from the server.

**supports\_service\_desk** ()

**transition\_issue** (*issue, transition, fields=None, comment=None, worklog=None, \*\*field-args*)

Perform a transition on an issue.

Each keyword argument (other than the predefined ones) is treated as a field name and the argument's value is treated as the intended value for that field – if the `fields` argument is used, all other keyword arguments will be ignored. Field values will be set on the issue as part of the transition process.

**Parameters**

- **issue** – ID or key of the issue to perform the transition on
- **transition** – ID or name of the transition to perform

- **comment** – *Optional* String to add as comment to the issue when performing the transition.
- **fields** – a dict containing field names and the values to use. If present, all other keyword arguments will be ignored

**transitions** (*issue, id=None, expand=None*)

Get a list of the transitions available on the specified issue to the current user.

**Parameters**

- **issue** – ID or key of the issue to get the transitions from
- **id** – if present, get only the transition matching this ID
- **expand** – extra information to fetch inside each transition

**update\_filter** (*filter\_id, name=None, description=None, jql=None, favourite=None*)

Update a filter and return a filter Resource for it.

**Parameters**

- **name** – name of the new filter
- **description** – useful human readable description of the new filter
- **jql** – query string that defines the filter
- **favourite** – whether to add this filter to the current user's favorites

**update\_sprint** (*id, name=None, startDate=None, endDate=None, state=None*)

**user** (*id, expand=None*)

Get a user Resource from the server.

**Parameters**

- **id** – ID of the user to get
- **expand** – extra information to fetch inside each resource

**user\_avatars** (*username*)

Get a dict of avatars for the specified user.

**Parameters** **username** – the username to get avatars for

**version** (*id, expand=None*)

Get a version Resource.

**Parameters**

- **id** – ID of the version to get
- **expand** – extra information to fetch inside each resource

**version\_count\_related\_issues** (*id*)

Get a dict of the counts of issues fixed and affected by a version.

**Parameters** **id** – the version to count issues for

**version\_count\_unresolved\_issues** (*id*)

Get the number of unresolved issues for a version.

**Parameters** **id** – ID of the version to count issues for

**votes** (*issue*)

Get a votes Resource from the server.

**Parameters** **issue** – ID or key of the issue to get the votes for

**watchers** (*issue*)

Get a watchers Resource from the server for an issue.

**Parameters** **issue** – ID or key of the issue to get the watchers for

**worklog** (*issue, id*)

Get a specific worklog Resource from the server.

**Parameters**

- **issue** – ID or key of the issue to get the worklog from
- **id** – ID of the worklog to get

**worklogs** (*issue*)

Get a list of worklog Resources from the server for an issue.

**Parameters** **issue** – ID or key of the issue to get worklogs from

## 6.2 Issue

**class** `jira.Issue` (*options, session, raw=None*)

Bases: `jira.resources.Resource`

A JIRA issue.

**add\_field\_value** (*field, value*)

Add a value to a field that supports multiple values, without resetting the existing values.

This should work with: labels, multiple checkbox lists, multiple select

**Parameters**

- **field** (*str*) – The field name
- **value** – The field's value

**delete** (*deleteSubtasks=False*)

Delete this issue from the server.

**Parameters** **deleteSubtasks** (*bool*) – if the issue has subtasks, this argument must be set to true for the call to succeed.

**fields** = None

**Type** `_IssueFields`

**id** = None

**Type** `int`

**key** = None

**Type** `str`

**permalink** ()

Get the URL of the issue, the browsable one not the REST one.

**Returns** URL of the issue

**Return type** `str`

**update** (*fields=None, update=None, async\_=None, jira=None, notify=True, \*\*fieldargs*)

Update this issue on the server.

Each keyword argument (other than the predefined ones) is treated as a field name and the argument's value is treated as the intended value for that field – if the `fields` argument is used, all other keyword arguments will be ignored.

JIRA projects may contain many different issue types. Some issue screens have different requirements for fields in an issue. This information is available through the `JIRA.editmeta()` method. Further examples are available here: <https://developer.atlassian.com/display/JIRADEV/JIRA+REST+API+Example+-+Edit+issues>

**Parameters**

- **fields** (*dict*) – a dict containing field names and the values to use
- **update** (*dict*) – a dict containing update operations to apply
- **notify** – query parameter notifyUsers. If true send the email with notification that the issue was updated to users that watch it. Admin or project admin permissions are required to disable the notification.
- **fieldargs** – keyword arguments will generally be merged into fields, except lists, which will be merged into updates

## 6.3 Priority

**class** `jira.Priority` (*options, session, raw=None*)

Bases: `jira.resources.Resource`

Priority that can be set on an issue.

## 6.4 Comment

**class** `jira.Comment` (*options, session, raw=None*)

Bases: `jira.resources.Resource`

An issue comment.

**update** (*fields=None, async\_=None, jira=None, body="", visibility=None*)

Update this resource on the server.

Keyword arguments are marshalled into a dict before being sent. If this resource doesn't support PUT, a `JIRAError` will be raised; subclasses that specialize this method will only raise errors in case of user error.

**Parameters** **async** – if true the request will be added to the queue so it can be executed later using `async_run()`

## 6.5 Worklog

**class** `jira.Worklog` (*options, session, raw=None*)

Bases: `jira.resources.Resource`

Worklog on an issue.

**delete** (*adjustEstimate=None, newEstimate=None, increaseBy=None*)

Delete this worklog entry from its associated issue.

**Parameters**

- **adjustEstimate** – one of `new`, `leave`, `manual` or `auto`. `auto` is the default and adjusts the estimate automatically. `leave` leaves the estimate unchanged by this deletion.
- **newEstimate** – combined with `adjustEstimate=new`, set the estimate to this value
- **increaseBy** – combined with `adjustEstimate>manual`, increase the remaining estimate by this amount

## 6.6 Watchers

**class** `jira.Watchers` (*options, session, raw=None*)

Bases: `jira.resources.Resource`

Watcher information on an issue.

**delete** (*username*)

Remove the specified user from the watchers list.

## 6.7 JIRAError

**class** `jira.JIRAError` (*status\_code=None, text=None, url=None, request=None, response=None, \*\*kwargs*)

Bases: `Exception`

General error raised for all problems in operation of the client.

**log\_to\_tempfile = True**

This documents the `jira` python package (version 2.0.1.dev9), a Python library designed to ease the use of the JIRA REST API. Some basic support for the GreenHopper REST API also exists.

Documentation is also available in [Dash](#) format.

The source is stored at <https://github.com/pycontribs/jira>.

Until someone will find a better way to generate the release notes you can read <https://github.com/pycontribs/jira/blob/master/CHANGELOG> which is generated based on git commit messages.

## CHAPTER 7

---

### Indices and tables

---

- `genindex`
- `modindex`
- `search`



**j**

jira, 23



**A**

add\_attachment() (jira.JIRA method), 25  
 add\_comment() (jira.JIRA method), 25  
 add\_field\_value() (jira.Issue method), 42  
 add\_group() (jira.JIRA method), 25  
 add\_issues\_to\_epic() (jira.JIRA method), 25  
 add\_issues\_to\_sprint() (jira.JIRA method), 25  
 add\_remote\_link() (jira.JIRA method), 26  
 add\_simple\_link() (jira.JIRA method), 26  
 add\_user() (jira.JIRA method), 26  
 add\_user\_to\_group() (jira.JIRA method), 27  
 add\_vote() (jira.JIRA method), 27  
 add\_watcher() (jira.JIRA method), 27  
 add\_worklog() (jira.JIRA method), 27  
 AGILE\_BASE\_URL (jira.JIRA attribute), 25  
 application\_properties() (jira.JIRA method), 27  
 applicationlinks() (jira.JIRA method), 27  
 assign\_issue() (jira.JIRA method), 27  
 async\_do() (jira.JIRA method), 27  
 attachment() (jira.JIRA method), 28  
 attachment\_meta() (jira.JIRA method), 28

**B**

backup() (jira.JIRA method), 28  
 backup\_complete() (jira.JIRA method), 28  
 backup\_download() (jira.JIRA method), 28  
 backup\_progress() (jira.JIRA method), 28  
 boards() (jira.JIRA method), 28

**C**

checked\_version (jira.JIRA attribute), 28  
 client\_info() (jira.JIRA method), 28  
 close() (jira.JIRA method), 28  
 Comment (class in jira), 43  
 comment() (jira.JIRA method), 28  
 comments() (jira.JIRA method), 28  
 component() (jira.JIRA method), 28  
 component\_count\_related\_issues() (jira.JIRA method),  
 28  
 confirm\_project\_avatar() (jira.JIRA method), 29  
 confirm\_user\_avatar() (jira.JIRA method), 29  
 create\_board() (jira.JIRA method), 29  
 create\_component() (jira.JIRA method), 29

create\_customer() (jira.JIRA method), 29  
 create\_customer\_request() (jira.JIRA method), 29  
 create\_filter() (jira.JIRA method), 30  
 create\_issue() (jira.JIRA method), 30  
 create\_issue\_link() (jira.JIRA method), 30  
 create\_issues() (jira.JIRA method), 31  
 create\_project() (jira.JIRA method), 31  
 create\_sprint() (jira.JIRA method), 31  
 create\_temp\_project\_avatar() (jira.JIRA method), 31  
 create\_temp\_user\_avatar() (jira.JIRA method), 32  
 create\_version() (jira.JIRA method), 32  
 createmeta() (jira.JIRA method), 32  
 current\_user() (jira.JIRA method), 33  
 custom\_field\_option() (jira.JIRA method), 33

**D**

dashboard() (jira.JIRA method), 33  
 dashboards() (jira.JIRA method), 33  
 deactivate\_user() (jira.JIRA method), 33  
 DEFAULT\_OPTIONS (jira.JIRA attribute), 25  
 delete() (jira.Issue method), 42  
 delete() (jira.Watchers method), 44  
 delete() (jira.Worklog method), 43  
 delete\_attachment() (jira.JIRA method), 33  
 delete\_board() (jira.JIRA method), 33  
 delete\_component() (jira.JIRA method), 33  
 delete\_issue\_link() (jira.JIRA method), 33  
 delete\_project() (jira.JIRA method), 33  
 delete\_project\_avatar() (jira.JIRA method), 33  
 delete\_user() (jira.JIRA method), 33  
 delete\_user\_avatar() (jira.JIRA method), 34

**E**

editmeta() (jira.JIRA method), 34

**F**

favourite\_filters() (jira.JIRA method), 34  
 fields (jira.Issue attribute), 42  
 fields() (jira.JIRA method), 34  
 filter() (jira.JIRA method), 34  
 find() (jira.JIRA method), 34  
 find\_transitionid\_by\_name() (jira.JIRA method), 34

## G

get\_igrid() (jira.JIRA method), 34  
group\_members() (jira.JIRA method), 34  
groups() (jira.JIRA method), 34

## I

id (jira.Issue attribute), 42  
incompletedIssuesEstimateSum() (jira.JIRA method), 34  
Issue (class in jira), 42  
issue() (jira.JIRA method), 35  
issue\_link() (jira.JIRA method), 35  
issue\_link\_type() (jira.JIRA method), 35  
issue\_link\_types() (jira.JIRA method), 35  
issue\_type() (jira.JIRA method), 35  
issue\_type\_by\_name() (jira.JIRA method), 35  
issue\_types() (jira.JIRA method), 35

## J

JIRA (class in jira), 23  
jira (module), 23  
JIRA\_BASE\_URL (jira.JIRA attribute), 25  
JIRAError (class in jira), 44

## K

key (jira.Issue attribute), 42  
kill\_session() (jira.JIRA method), 35  
kill\_websudo() (jira.JIRA method), 35

## L

log\_to\_tempfile (jira.JIRAError attribute), 44

## M

move\_to\_backlog() (jira.JIRA method), 35  
move\_version() (jira.JIRA method), 35  
my\_permissions() (jira.JIRA method), 35  
myself() (jira.JIRA method), 36

## P

permalink() (jira.Issue method), 42  
priorities() (jira.JIRA method), 36  
Priority (class in jira), 43  
priority() (jira.JIRA method), 36  
project() (jira.JIRA method), 36  
project\_avatars() (jira.JIRA method), 36  
project\_components() (jira.JIRA method), 36  
project\_role() (jira.JIRA method), 36  
project\_roles() (jira.JIRA method), 36  
project\_versions() (jira.JIRA method), 36  
projects() (jira.JIRA method), 36

## R

rank() (jira.JIRA method), 36  
reindex() (jira.JIRA method), 36  
remote\_link() (jira.JIRA method), 37  
remote\_links() (jira.JIRA method), 37  
remove\_group() (jira.JIRA method), 37

remove\_user\_from\_group() (jira.JIRA method), 37  
remove\_vote() (jira.JIRA method), 37  
remove\_watcher() (jira.JIRA method), 37  
removed\_issues() (jira.JIRA method), 37  
removedIssuesEstimateSum() (jira.JIRA method), 37  
rename\_user() (jira.JIRA method), 37  
request\_type\_by\_name() (jira.JIRA method), 37  
request\_types() (jira.JIRA method), 37  
resolution() (jira.JIRA method), 37  
resolutions() (jira.JIRA method), 37

## S

search\_allowed\_users\_for\_issue() (jira.JIRA method), 37  
search\_assignable\_users\_for\_issues() (jira.JIRA method), 38  
search\_assignable\_users\_for\_projects() (jira.JIRA method), 38  
search\_issues() (jira.JIRA method), 38  
search\_users() (jira.JIRA method), 39  
security\_level() (jira.JIRA method), 39  
server\_info() (jira.JIRA method), 39  
service\_desk() (jira.JIRA method), 39  
service\_desks() (jira.JIRA method), 39  
session() (jira.JIRA method), 39  
set\_application\_property() (jira.JIRA method), 39  
set\_project\_avatar() (jira.JIRA method), 39  
set\_user\_avatar() (jira.JIRA method), 39  
sprint() (jira.JIRA method), 39  
sprint\_info() (jira.JIRA method), 40  
sprints() (jira.JIRA method), 40  
sprints\_by\_name() (jira.JIRA method), 40  
status() (jira.JIRA method), 40  
statuscategories() (jira.JIRA method), 40  
statuscategory() (jira.JIRA method), 40  
statuses() (jira.JIRA method), 40  
supports\_service\_desk() (jira.JIRA method), 40

## T

transition\_issue() (jira.JIRA method), 40  
transitions() (jira.JIRA method), 41

## U

update() (jira.Comment method), 43  
update() (jira.Issue method), 42  
update\_filter() (jira.JIRA method), 41  
update\_sprint() (jira.JIRA method), 41  
user() (jira.JIRA method), 41  
user\_avatars() (jira.JIRA method), 41

## V

version() (jira.JIRA method), 41  
version\_count\_related\_issues() (jira.JIRA method), 41  
version\_count\_unresolved\_issues() (jira.JIRA method), 41  
votes() (jira.JIRA method), 41

## W

- Watchers (class in jira), 44
- watchers() (jira.JIRA method), 41
- Worklog (class in jira), 43
- worklog() (jira.JIRA method), 42
- worklogs() (jira.JIRA method), 42