
markdown-guide Documentation

Release 0.1

Daniel Greenfeld

Jun 09, 2017

Contents

1	Markdown Basics	3
1.1	Blockquotes	3
1.2	Code: Block	3
1.3	Code: Inline	4
1.4	Emphasis: Italics	4
1.5	Emphasis: Strong	4
1.6	Headers	4
1.7	Horizontal rules	5
1.8	Images: Inline	5
1.9	Line Return	6
1.10	Links: Inline	6
1.11	Links: Inline with title	6
1.12	Links: Reference	6
1.13	Lists: Simple	7
1.14	Lists: Nested	7
1.15	Paragraphs	7
1.16	Images: Reference	8
2	Indices and tables	9

Markdown is a lightweight markup language, originally created by John Gruber and Aaron Swartz allowing people “to write using an easy-to-read, easy-to-write plain text format, then convert it to structurally valid XHTML (or HTML).

Source: <http://en.wikipedia.org/wiki/Markdown>

This is a syntax guide designed to provide very clear, understandable examples of Markdown usage. It borrows from several sources including:

- <http://en.wikipedia.org/wiki/Markdown>
- <http://daringfireball.net/projects/markdown/>

Contents:

This should cover 99% of your Markdown needs.

Blockquotes

To enclose a segment of text in blockquotes, one must prefix each written line with a greater-than sign.

Markdown:

```
> ## Blockquoted header
>
> This is blockquoted text.
>
> This is a second paragraph within the blockquoted text.
```

Output:

```
<blockquote>
  <h2>Blockquoted header</h2>

  <p>This is blockquoted text.</p>

  <p>This is a second paragraph within the blockquoted text.</p>
</blockquote>
```

Code: Block

To specify an entire block of pre-formatted code, indent every line of the block by 1 tab or 4 spaces. Ampersands and angle brackets will automatically be translated into HTML entities.

Markdown:

```
If you want to mark something as code, indent it by 4 spaces.
```

```
<p>This has been indented 4 spaces.</p>
```

```
<p>If you want to mark something as code, indent it by 4 spaces.</p>
```

```
&lt;p&gt;This has been indented 4 spaces.&lt;/p&gt;
```

Code: Inline

Inline code descriptions can be done via the use of the backtick quotes. Any ampersands and angle brackets will automatically be translated into HTML entities.

Markdown:

```
Markdown is a `text-to-html` conversion tool for writers.
```

Output:

```
<p>Markdown is a `&lt;em&gt;text-to-html&lt;/em&gt;` conversion tool for writers.</p>
```

Emphasis: Italics

To emphasize text wrap it with either a asterisk or underscore.

Markdown:

```
This is *emphasized* _text_.
```

Output:

```
<p>This is <em>emphasized</em> <em>text</em>.</p>
```

Emphasis: Strong

To boldly emphasize text, wrap it with either double asterisks or double underscores.

Markdown:

```
This is very heavily **emphasized** __text__.
```

Output:

```
<p>This is very heavily <strong>emphasized</strong> <strong>text</strong>.</p>
```

Headers

HTML headings are produced by placing a number of hashes before the header text corresponding to the level of heading desired (HTML offers six levels of headings).

Markdown:

```
# First-level heading

#### Fourth-level heading
```

Output:

```
<h1>First-level heading</h1>

<h4>Fourth-level heading</h4>
```

Horizontal rules

You can create a horizontal rule (`<hr />`) by placing 3 or more phens, asterisks, or underscores on a single line. You can also place spaces between them.

Markdown:

```
* * *

***

*****

- - -

-----
```

Output:

```
<hr />

<hr />

<hr />

<hr />

<hr />
```

Images: Inline

Image syntax is very similar to Link syntax, but prefixed with an exclamation point.

Markdown:

```
![alt text] (http://path/to/img.jpg "Title")
```

Output:

```

```

Line Return

To force a line return, place two empty spaces at the end of a line.

Markdown:

```
Forcing a line-break\s\s
Next line in the list
```

Output:

```
Forcing a line-break<br>
Next line in the list
```

Links: Inline

Inline-style links use parentheses immediately after the link text.

Markdown:

```
This is an [example link](http://example.com/).
```

Output:

```
<p>This is an <a href="http://example.com/">example link</a>.</p>
```

Links: Inline with title

Markdown:

```
This is an [example link](http://example.com/ "With a Title").
```

Output:

```
<p>This is an <a href="http://example.com/"
  title="With a Title">example link</a>.</p>
```

Links: Reference

Reference-style links allow you to refer to your links by names, which you define elsewhere.

Markdown:

```
This is a guide on Markdown [Markdown][1].
[1]: http://en.wikipedia.org/wiki/Markdown "Markdown"
```

Output:

```
<p>This is a guide on <a href="http://en.wikipedia.org/wiki/Markdown">Markdown</a>.</p>
```

Lists: Simple

Creating simple lists is done by using plus, hyphens or asterisks as list markers. These list markers are interchangeable.

Markdown:

```
+ One
- Two
* Three
```

Output:

```
<ul>
  <li>One</li>
  <li>Two</li>
  <li>Three</li>
</ul>
```

Lists: Nested

Nest a list requires you to indent by **exactly** four spaces.

Markdown:

```
+ One
+ Two
+ Three
  - Nested One
  - Nested Two
```

Output:

```
<ul>
  <li>One</li>
  <li>Two</li>
  <li>Three
    <ul>
      <li>Nested One</li>
      <li>Nested Two</li>
    </ul>
  </li>
</ul>
```

Paragraphs

A paragraph is one or more consecutive lines of text separated by one or more blank lines. Normal paragraphs should not be indented with spaces or tabs.

Markdown:

```
This is a paragraph. It has two sentences.

This is another paragraph. It also has two sentences.
```

Output:

```
<p>This is a paragraph. It has two sentences.</p>  
<p>This is another paragraph. It also has two sentences.</p>
```

Images: Reference

TODO

CHAPTER 2

Indices and tables

- `genindex`
- `modindex`
- `search`