
pygbif Documentation

Release 0.1.2

Scott Chamberlain

Jun 21, 2017

Contents

1	Installation	3
2	Registry module	5
3	Species module	7
4	Occurrences module	9
5	Meta	11
5.1	Contents	11
5.2	License	23
5.3	Indices and tables	23
	Python Module Index	25

Python client for the GBIF API.

Source on GitHub at [sckott/pygbif](https://github.com/sckott/pygbif)

pygbif is split up into modules for each of the major groups of API methods.

- Registry - Datasets, Nodes, Installations, Networks, Organizations - [Registry API Docs](#)
- Species - Taxonomic names - [Species API Docs](#)
- Occurrences - Occurrence data, including the download API - [Occurrences API Docs](#)

Note that GBIF maps [API](#) is not included in *pygbif*.

Other GBIF clients:

- R: [rgbif](#)

CHAPTER 1

Installation

```
pip install pygbif
```


CHAPTER 2

Registry module

```
from pygbif import registry
registry.dataset_metrics(uuid='3f8a1297-3259-4700-91fc-acc4170b27ce')
```


CHAPTER 3

Species module

```
from pygbif import species
species.name_suggest(q='Puma concolor')
```


CHAPTER 4

Occurrences module

```
from pygbif import occurrences
occurrences.search(taxonKey = 3329049)
occurrences.get(taxonKey = 252408386)
occurrences.count(isGeoreferenced = True)
```


- License: MIT, see LICENSE file
- Please note that this project is released with a Contributor Code of Conduct. By participating in this project you agree to abide by its terms.

Contents

occurrences module

`occurrences.search` (*taxonKey=None, scientificName=None, country=None, publishingCountry=None, hasCoordinate=None, typeStatus=None, recordNumber=None, lastInterpreted=None, continent=None, geometry=None, recordedBy=None, basisOfRecord=None, datasetKey=None, eventDate=None, catalogNumber=None, year=None, month=None, decimalLatitude=None, decimalLongitude=None, elevation=None, depth=None, institutionCode=None, collectionCode=None, hasGeospatialIssue=None, issue=None, q=None, mediatype=None, limit=500, offset=0, **kwargs*)

Search GBIF occurrences

Parameters

- **taxonKey** – [Fixnum] A GBIF occurrence identifier
- **scientificName** – A scientific name from the GBIF backbone. All included and synonym taxa are included in the search.
- **datasetKey** – The occurrence dataset key (a uuid)
- **catalogNumber** – An identifier of any form assigned by the source within a physical collection or digital dataset for the record which may not be unique, but should be fairly unique in combination with the institution and collection code.
- **recordedBy** – The person who recorded the occurrence.

- **collectionCode** – An identifier of any form assigned by the source to identify the physical collection or digital dataset uniquely within the text of an institution.
- **institutionCode** – An identifier of any form assigned by the source to identify the institution the record belongs to. Not guaranteed to be que.
- **country** – The 2-letter country code (as per ISO-3166-1) of the country in which the occurrence was recorded. See here http://en.wikipedia.org/wiki/ISO_3166-1_alpha-2
- **basisOfRecord** – Basis of record, as defined in our BasisOfRecord enum here <http://gbif.github.io/gbif-api/apidocs/org/gbif/api/vocabulary/BasisOfRecord.html> Acceptable values are:
 - FOSSIL_SPECIMEN An occurrence record describing a fossilized specimen.
 - HUMAN_OBSERVATION An occurrence record describing an observation made by one or more people.
 - LITERATURE An occurrence record based on literature alone.
 - LIVING_SPECIMEN An occurrence record describing a living specimen, e.g.
 - MACHINE_OBSERVATION An occurrence record describing an observation made by a machine.
 - OBSERVATION An occurrence record describing an observation.
 - PRESERVED_SPECIMEN An occurrence record describing a preserved specimen.
 - UNKNOWN Unknown basis for the record.
- **eventDate** – Occurrence date in ISO 8601 format: yyyy, yyyy-MM, yyyy-MM-dd, or MM-dd. Supports range queries, smaller,larger (e.g., ‘1990,1991’, whereas ‘1991,1990’ wouldn’t work)
- **year** – The 4 digit year. A year of 98 will be interpreted as AD 98. Supports range queries, smaller,larger (e.g., ‘1990,1991’, whereas ‘1991,1990’ wouldn’t work)
- **month** – The month of the year, starting with 1 for January. Supports range queries, smaller,larger (e.g., ‘1,2’, whereas ‘2,1’ wouldn’t work)
- **q** – Query terms. The value for this parameter can be a simple word or a phrase.
- **decimalLatitude** – Latitude in decimals between -90 and 90 based on WGS 84. Supports range queries, smaller,larger (e.g., ‘25,30’, whereas ‘30,25’ wouldn’t work)
- **decimalLongitude** – Longitude in decimals between -180 and 180 based on WGS 84. Supports range queries (e.g., ‘-0.4,-0.2’, whereas ‘-0.2,-0.4’ wouldn’t work).
- **publishingCountry** – The 2-letter country code (as per ISO-3166-1) of the country in which the occurrence was recorded.
- **elevation** – Elevation in meters above sea level. Supports range queries, smaller,larger (e.g., ‘5,30’, whereas ‘30,5’ wouldn’t work)
- **depth** – Depth in meters relative to elevation. For example 10 meters below a lake surface with given elevation. Supports range queries, smaller,larger (e.g., ‘5,30’, whereas ‘30,5’ wouldn’t work)
- **geometry** – Searches for occurrences inside a polygon described in Well Known Text (WKT) format. A WKT shape written as either POINT, LINESTRING, LINEARRING or POLYGON. Example of a polygon: ((30.1 10.1, 20, 20 40, 40 40, 30.1 10.1)) would be queried as <http://bit.ly/1BzNwDq>).

- **hasGeospatialIssue** – (logical) Includes/excludes occurrence records which contain spatial issues (as determined in our record interpretation), i.e. `{hasGeospatialIssue=TRUE}` returns only those records with spatial issues while `{hasGeospatialIssue=FALSE}` includes only records without spatial issues. The absence of this parameter returns any record with or without spatial issues.
- **issue** – (character) One or more of many possible issues with each occurrence record. See Details. Issues passed to this parameter filter results by the issue.
- **hasCoordinate** – (logical) Return only occurrence records with lat/long data (TRUE) or all records (FALSE, default).
- **typeStatus** – Type status of the specimen. One of many options. See `?typesstatus`
- **recordNumber** – Number recorded by collector of the data, different from GBIF record number. See <http://rs.tdwg.org/dwc/terms/#recordNumber> for more info
- **lastInterpreted** – Date the record was last modified in GBIF, in ISO 8601 format: yyyy, yyyy-MM, yyyy-MM-dd, or MM-dd. Supports range queries, smaller,larger (e.g., '1990,1991', whereas '1991,1990' wouldn't work)
- **continent** – Continent. One of africa, antarctica, asia, europe, north_america (North America includes the Caribbean and reaches down and includes Panama), oceania, or south_america
- **fields** – (character) Default ('all') returns all fields. 'minimal' returns just taxon name, key, latitude, and longitude. Or specify each field you want returned by name, e.g. `fields = c('name','latitude','elevation')`.
- **return** – One of data, hier, meta, or all. If data, a data.frame with the data. hier returns the classifications in a list for each record. meta returns the metadata for the entire call. all gives all data back in a list.
- **mediatype** – Media type. Default is NULL, so no filtering on mediatype. Options: NULL, 'MovingImage', 'Sound', and 'StillImage'.
- **limit** – [Fixnum] Number of results to return.
- **offset** – [Fixnum] Start at record X

Returns A dictionary, of results

Usage:

```

from pygbif import occurrences
occurrences.search(taxonKey = 3329049)

# Return 2 results, this is the default by the way
occurrences.search(taxonKey=3329049, limit=2)

# Instead of getting a taxon key first, you can search for a name directly
## However, note that using this approach (with \code{scientificName="..."})
## you are getting synonyms too. The results for using \code{scientificName} and
## \code{taxonKey} parameters are the same in this case, but I wouldn't be_
→surprised if for some
## names they return different results
occurrences.search(scientificName = 'Ursus americanus')
from pygbif import species
key = species.name_backbone(name = 'Ursus americanus', rank='species')['usageKey']
occurrences.search(taxonKey = key)

# Search by dataset key

```

```

occurrences.search(datasetKey='7b5d6a48-f762-11e1-a439-00145eb45e9a', limit=20)

# Search by catalog number
occurrences.search(catalogNumber="49366", limit=20)
# occurrences.search(catalogNumber=["49366","Bird.27847588"], limit=20)

# Use paging parameters (limit and start) to page. Note the different results
# for the two queries below.
occurrences.search(datasetKey='7b5d6a48-f762-11e1-a439-00145eb45e9a', offset=10,
↳limit=5)
occurrences.search(datasetKey='7b5d6a48-f762-11e1-a439-00145eb45e9a', offset=20,
↳limit=5)

# Many dataset keys
# occurrences.search(datasetKey=["50c9509d-22c7-4a22-a47d-8c48425ef4a7",
↳"7b5d6a48-f762-11e1-a439-00145eb45e9a"], limit=20)

# Search by collector name
res = occurrences.search(recordedBy="smith", limit=20)
[ x['recordedBy'] for x in res['results'] ]

# Many collector names
# occurrences.search(recordedBy=["smith","BJ Stacey"], limit=20)

# Search for many species
splist = ['Cyanocitta stelleri', 'Junco hyemalis', 'Aix sponsa']
keys = [ species.name_suggest(x)[0]['key'] for x in splist ]
out = [ occurrences.search(taxonKey = x, limit=1) for x in keys ]
[ x['results'][0]['speciesKey'] for x in out ]

# Search - q parameter
occurrences.search(q="kingfisher", limit=2)

# Search on latitude and longitude
occurrences.search(decimalLatitude=50, decimalLongitude=10, limit=2)

# Search on a bounding box
## in well known text format
occurrences.search(geometry='POLYGON((30.1 10.1, 10 20, 20 40, 40 40, 30.1 10.1))
↳', limit=20)
from pygbif import species
key = species.name_suggest(q='Aesculus hippocastanum')[0]['key']
occurrences.search(taxonKey=key, geometry='POLYGON((30.1 10.1, 10 20, 20 40, 40
↳40, 30.1 10.1))', limit=20)

# Search on country
occurrences.search(country='US', limit=20)
occurrences.search(country='FR', limit=20)
occurrences.search(country='DE', limit=20)

# Get only occurrences with lat/long data
occurrences.search(taxonKey=key, hasCoordinate=True, limit=20)

# Get only occurrences that were recorded as living specimens
occurrences.search(taxonKey=key, basisOfRecord="LIVING_SPECIMEN",
↳hasCoordinate=True, limit=20)

# Get occurrences for a particular eventDate

```

```

occurrences.search(taxonKey=key, eventDate="2013", limit=20)
occurrences.search(taxonKey=key, year="2013", limit=20)
occurrences.search(taxonKey=key, month="6", limit=20)

# Get occurrences based on depth
key = species.name_backbone(name='Salmo salar', kingdom='animals')['usageKey']
occurrences.search(taxonKey=key, depth="5", limit=20)

# Get occurrences based on elevation
key = species.name_backbone(name='Puma concolor', kingdom='animals')['usageKey']
occurrences.search(taxonKey=key, elevation=50, hasCoordinate=True, limit=20)

# Get occurrences based on institutionCode
occurrences.search(institutionCode="TLMF", limit=20)

# Get occurrences based on collectionCode
occurrences.search(collectionCode="Floristic Databases MV - Higher Plants",
↳limit=20)

# Get only those occurrences with spatial issues
occurrences.search(taxonKey=key, hasGeospatialIssue=True, limit=20)

# Search using a query string
occurrences.search(q="kingfisher", limit=20)

# Range queries
## See Detail for parameters that support range queries
### this is a range depth, with lower/upper limits in character string
occurrences.search(depth='50,100')

## Range search with year
occurrences.search(year='1999,2000', limit=20)

## Range search with latitude
occurrences.search(decimalLatitude='29.59,29.6')

# Search by specimen type status
## Look for possible values of the typeStatus parameter looking at the tpestatus_
↳dataset
occurrences.search(typeStatus = 'allotype')

# Search by specimen record number
## This is the record number of the person/group that submitted the data, not GBIF
↳'s numbers
## You can see that many different groups have record number 1, so not super_
↳helpful
occurrences.search(recordNumber = 1)

# Search by last time interpreted: Date the record was last modified in GBIF
## The lastInterpreted parameter accepts ISO 8601 format dates, including
## yyyy, yyyy-MM, yyyy-MM-dd, or MM-dd. Range queries are accepted for_
↳lastInterpreted
occurrences.search(lastInterpreted = '2014-04-01')

# Search by continent
## One of africa, antarctica, asia, europe, north_america, oceania, or south_
↳america
occurrences.search(continent = 'south_america')

```

```

occurrences.search(continent = 'africa')
occurrences.search(continent = 'oceania')
occurrences.search(continent = 'antarctica')

# Search for occurrences with images
occurrences.search(mediatype = 'StillImage')
occurrences.search(mediatype = 'MovingImage')
x = occurrences.search(mediatype = 'Sound')
[z['media'] for z in x['results']]

# Query based on issues
occurrences.search(taxonKey=1, issue='DEPTH_UNLIKELY')
occurrences.search(taxonKey=1, issue=['DEPTH_UNLIKELY', 'COORDINATE_ROUNDED'])
# Show all records in the Arizona State Lichen Collection that cant be matched to
↳the GBIF
# backbone properly:
occurrences.search(datasetKey='84c0e1a0-f762-11e1-a439-00145eb45e9a', issue=[
↳'TAXON_MATCH_NONE', 'TAXON_MATCH_HIGHERRANK'])

# If you pass in an invalid polygon you get hopefully informative errors
### the WKT string is fine, but GBIF says bad polygon
wkt = 'POLYGON((-178.59375 64.83258989321493,-165.9375 59.24622380205539,
-147.3046875 59.065977905449806,-130.78125 51.04484764446178,-125.859375 36.
↳70806354647625,
-112.1484375 23.367471303759686,-105.1171875 16.093320185359257,-86.8359375 9.
↳23767076398516,
-82.96875 2.9485268155066175,-82.6171875 -14.812060061226388,-74.8828125 -18.
↳849111862023985,
-77.34375 -47.661687803329166,-84.375 -49.975955187343295,174.7265625 -50.
↳649460483096114,
179.296875 -42.19189902447192,-176.8359375 -35.634976650677295,176.8359375 -31.
↳835565983656227,
163.4765625 -6.528187613695323,152.578125 1.894796132058301,135.703125 4.
↳702353722559447,
127.96875 15.077427674847987,127.96875 23.689804541429606,139.921875 32.
↳06861069132688,
149.4140625 42.65416193033991,159.2578125 48.3160811030533,168.3984375 57.
↳019804336633165,
178.2421875 59.95776046458139,-179.6484375 61.16708631440347,-178.59375 64.
↳83258989321493))'
occurrences.search(geometry = wkt)

```

`occurrences.get` (*key*, ***kwargs*)

Gets details for a single, interpreted occurrence

Parameters *key* – [Fixnum] A GBIF occurrence key

Returns A dictionary, of results

Usage:

```

from pygbif import occurrences
occurrences.get(key = 252408386)

```

`occurrences.get_verbatim` (*key*, ***kwargs*)

Gets a verbatim occurrence record without any interpretation

Parameters *key* – [Fixnum] A GBIF occurrence key

Returns A dictionary, of results

Usage:

```
from pygbif import occurrences
occurrences.get_verbatim(key = 252408386)
```

`occurrences.get_fragment(key, **kwargs)`

Get a single occurrence fragment in its raw form (xml or json)

Parameters `key` – [Fixnum] A GBIF occurrence key

Returns A dictionary, of results

Usage:

```
from pygbif import occurrences
occurrences.get_fragment(key = 1052909293)
```

`occurrences.count(taxonKey=None, basisOfRecord=None, country=None, isGeoreferenced=None, datasetKey=None, publishingCountry=None, typeStatus=None, issue=None, year=None, **kwargs)`

Returns occurrence counts for a predefined set of dimensions

Parameters

- **taxonKey** – [int] A GBIF occurrence identifier
- **basisOfRecord** – [str] A GBIF occurrence identifier
- **country** – [str] A GBIF occurrence identifier
- **isGeoreferenced** – [bool] A GBIF occurrence identifier
- **datasetKey** – [str] A GBIF occurrence identifier
- **publishingCountry** – [str] A GBIF occurrence identifier
- **typeStatus** – [str] A GBIF occurrence identifier
- **issue** – [str] A GBIF occurrence identifier
- **year** – [int] A GBIF occurrence identifier

Returns dict

Usage:

```
from pygbif import occurrences
occurrences.count(taxonKey = 3329049)
occurrences.count(country = 'CA')
occurrences.count(isGeoreferenced = True)
occurrences.count(basisOfRecord = 'OBSERVATION')
```

`occurrences.count_basisofrecord(**kwargs)`

Lists occurrence counts by basis of record.

Returns dict

Usage:

```
from pygbif import occurrences
occurrences.count_basisofrecord()
```

`occurrences.count_year(year, **kwargs)`

Lists occurrence counts by year

Parameters `year` – [int] year range, e.g., “1990,2000”. Does not support ranges like “asterisk,2010”

Returns dict

Usage:

```
from pygbif import occurrences
occurrences.count_year(year = '1990,2000')
```

`occurrences.count_datasets` (*taxonKey=None, country=None, **kwargs*)

Lists occurrence counts for datasets that cover a given taxon or country

Parameters

- **taxonKey** – [int] Taxon key
- **country** – [str] A country, two letter code

Returns dict

Usage:

```
from pygbif import occurrences
occurrences.count_datasets(country = "DE")
```

`occurrences.count_countries` (*publishingCountry, **kwargs*)

Lists occurrence counts for all countries covered by the data published by the given country

Parameters **publishingCountry** – [str] A two letter country code

Returns dict

Usage:

```
from pygbif import occurrences
occurrences.count_countries(publishingCountry = "DE")
```

`occurrences.count_schema` (***kwargs*)

List the supported metrics by the service

Returns dict

Usage:

```
from pygbif import occurrences
occurrences.count_schema()
```

`occurrences.count_publishingcountries` (*country, **kwargs*)

Lists occurrence counts for all countries that publish data about the given country

Parameters **country** – [str] A country, two letter code

Returns dict

Usage:

```
from pygbif import occurrences
occurrences.count_publishingcountries(country = "DE")
```

registry module

`registry.datasets` (*data='all', type=None, uuid=None, query=None, id=None, limit=100, start=None, **kwargs*)

Search for datasets and dataset metadata.

Parameters

- **data** – The type of data to get. Default is all data.
- **type** – Type of dataset, options include OCCURRENCE, etc.
- **uuid** – UUID of the data node provider. This must be specified if data is anything other than 'all'.
- **query** – Query term(s). Only used when data='all'
- **id** – A metadata document id.

References <http://www.gbif.org/developer/registry#datasets>

Usage:

```
from pygbif import registry
registry.datasets(limit=5)
registry.datasets(type="OCCURRENCE")
registry.datasets(uuid="a6998220-7e3a-485d-9cd6-73076bd85657")
registry.datasets(data='contact', uuid="a6998220-7e3a-485d-9cd6-73076bd85657")
registry.datasets(data='metadata', uuid="a6998220-7e3a-485d-9cd6-73076bd85657")
registry.datasets(data='metadata', uuid="a6998220-7e3a-485d-9cd6-73076bd85657",
↳ id=598)
registry.datasets(data=['deleted', 'duplicate'])
registry.datasets(data=['deleted', 'duplicate'], limit=1)
```

`registry.dataset_metrics` (*uuid, **kwargs*)

Get details on a GBIF dataset.

Parameters **uuid** – (character) One or more dataset UUIDs. See examples.

References: <http://www.gbif.org/developer/registry#datasetMetrics>

Usage:

```
from pygbif import registry
registry.dataset_metrics(uuid='3f8a1297-3259-4700-91fc-acc4170b27ce')
registry.dataset_metrics(uuid='66dd0960-2d7d-46ee-a491-87b9adcfe7b1')
registry.dataset_metrics(uuid=['3f8a1297-3259-4700-91fc-acc4170b27ce', '66dd0960-
↳ 2d7d-46ee-a491-87b9adcfe7b1'])
```

`registry.installations` (*data='all', uuid=None, query=None, identifier=None, identifierType=None, limit=100, start=None, **kwargs*)

Installations metadata.

Parameters

- **data** – The type of data to get. Default is all data. If not 'all', then one or more of 'contact', 'endpoint', 'dataset', 'comment', 'deleted', 'nonPublishing'.
- **uuid** – UUID of the data node provider. This must be specified if data is anything other than 'all'.
- **query** – Query nodes. Only used when data='all'. Ignored otherwise.

References: <http://www.gbif.org/developer/registry#installations>

Usage:

```

from pygbif import registry
registry.installations(limit=5)
registry.installations(query="france")
registry.installations(uuid="b77901f9-d9b0-47fa-94e0-dd96450aa2b4")
registry.installations(data='contact', uuid="b77901f9-d9b0-47fa-94e0-dd96450aa2b4
↵")
registry.installations(data='contact', uuid="2e029a0c-87af-42e6-87d7-f38a50b78201
↵")
registry.installations(data='endpoint', uuid="b77901f9-d9b0-47fa-94e0-dd96450aa2b4
↵")
registry.installations(data='dataset', uuid="b77901f9-d9b0-47fa-94e0-dd96450aa2b4
↵")
registry.installations(data='deleted')
registry.installations(data='deleted', limit=2)
registry.installations(data=['deleted', 'nonPublishing'], limit=2)
registry.installations(identifierType='DOI', limit=2)

```

`registry.networks` (*data='all', uuid=None, query=None, identifier=None, identifierType=None, limit=100, start=None, **kwargs*)

Networks metadata.

Parameters

- **data** – The type of data to get. Default is all data.
- **uuid** – UUID of the data network provider. This must be specified if data is anything other than ‘all’.
- **query** – Query networks. Only used when data=‘all’. Ignored otherwise.

References: <http://www.gbif.org/developer/registry#networks>

Returns A dict

Usage:

```

from pygbif import registry
registry.networks(limit=5)
registry.networks(uuid='16ab5405-6c94-4189-ac71-16ca3b753df7')
registry.networks(data='endpoint', uuid='16ab5405-6c94-4189-ac71-16ca3b753df7')

```

`registry.nodes` (*data='all', uuid=None, query=None, identifier=None, identifierType=None, limit=100, start=None, isocode=None, **kwargs*)

Nodes metadata.

Parameters

- **data** – The type of data to get. Default is all data.
- **uuid** – UUID of the data node provider. This must be specified if data is anything other than ‘all’.
- **query** – Query nodes. Only used when data=‘all’
- **isocode** – A 2 letter country code. Only used if data=‘country’.

References <http://www.gbif.org/developer/registry#nodes>

Usage:


```

from pygbif import registry
registry.nodes(limit=5)
registry.nodes(uuid="1193638d-32d1-43f0-a855-8727c94299d8")
registry.nodes(data='identifier', uuid="03e816b3-8f58-49ae-bc12-4e18b358d6d9")
registry.nodes(data=['identifier', 'organization', 'comment'], uuid="03e816b3-8f58-
↪49ae-bc12-4e18b358d6d9")

uuids = ["8cb55387-7802-40e8-86d6-d357a583c596", "02c40d2a-1cba-4633-90b7-
↪e36e5e97aba8",
"7a17efec-0a6a-424c-b743-f715852c3c1f", "b797ce0f-47e6-4231-b048-6b62ca3b0f55",
"1193638d-32d1-43f0-a855-8727c94299d8", "d3499f89-5bc0-4454-8cdb-60bead228a6d",
"cdc9736d-5ff7-4ece-9959-3c744360cdb3", "a8b16421-d80b-4ef3-8f22-098b01a89255",
"8df8d012-8e64-4c8a-886e-521a3bdfa623", "b35cf8f1-748d-467a-adca-4f9170f20a4e",
"03e816b3-8f58-49ae-bc12-4e18b358d6d9", "073d1223-70b1-4433-bb21-dd70afe3053b",
"07dfe2f9-5116-4922-9a8a-3e0912276a72", "086f5148-c0a8-469b-84cc-cce5342f9242",
"0909d601-bda2-42df-9e63-a6d51847ebce", "0e0181bf-9c78-4676-bdc3-54765e661bb8",
"109aea14-c252-4a85-96e2-f5f4d5d088f4", "169eb292-376b-4cc6-8e31-9c2c432de0ad",
"1e789bc9-79fc-4e60-a49e-89dfc45a7188", "1f94b3ca-9345-4d65-afe2-4bace93aa0fe"]

[ registry.nodes(data='identifier', uuid=x) for x in uuids ]

```

species module

`species.name_backbone` (*name*, *rank=None*, *kingdom=None*, *phylum=None*, *clazz=None*, *order=None*, *family=None*, *genus=None*, *strict=False*, *verbose=False*, *start=None*, *limit=100*, ***kwargs*)

Lookup names in the GBIF backbone taxonomy.

Parameters

- **name** – [str] Full scientific name potentially with authorship (required)
- **rank** – [str] The rank given as our rank enum. (optional)
- **kingdom** – [str] If provided default matching will also try to match against this if no direct match is found for the name alone. (optional)
- **phylum** – [str] If provided default matching will also try to match against this if no direct match is found for the name alone. (optional)
- **class** – [str] If provided default matching will also try to match against this if no direct match is found for the name alone. (optional)
- **order** – [str] If provided default matching will also try to match against this if no direct match is found for the name alone. (optional)
- **family** – [str] If provided default matching will also try to match against this if no direct match is found for the name alone. (optional)
- **genus** – [str] If provided default matching will also try to match against this if no direct match is found for the name alone. (optional)
- **strict** – [bool] If True it (fuzzy) matches only the given name, but never a taxon in the upper classification (optional)
- **verbose** – [bool] If True show alternative matches considered which had been rejected.

A list for a single taxon with many slots (with `verbose=False` - default), or a list of length two, first element for the suggested taxon match, and a data.frame with alternative name suggestions resulting from fuzzy matching (with `verbose=True`).

If you don't get a match GBIF gives back a list of length 3 with slots synonym, confidence, and matchType='NONE'.

reference: <http://www.gbif.org/developer/species#searching>

Usage:

```
from pygbif import species
species.name_backbone(name='Helianthus annuus', kingdom='plants')
species.name_backbone(name='Helianthus', rank='genus', kingdom='plants')
species.name_backbone(name='Poa', rank='genus', family='Poaceae')

# Verbose - gives back alternatives
species.name_backbone(name='Helianthus annuus', kingdom='plants', verbose=True)

# Strictness
species.name_backbone(name='Poa', kingdom='plants', verbose=True, strict=False)
species.name_backbone(name='Helianthus annuus', kingdom='plants', verbose=True,
↳strict=True)

# Non-existent name
species.name_backbone(name='Aso')

# Multiple equal matches
species.name_backbone(name='Oenante')
```

`species.name_suggest` (*q=None, datasetKey=None, rank=None, fields=None, start=None, limit=100, **kwargs*)

A quick and simple autocomplete service that returns up to 20 name usages by doing prefix matching against the scientific name. Results are ordered by relevance.

References: <http://www.gbif.org/developer/species#searching>

Parameters

- **q** – [str] Simple search parameter. The value for this parameter can be a simple word or a phrase. Wildcards can be added to the simple word parameters only, e.g. `q=*puma*` (Required)
- **datasetKey** – [str] Filters by the checklist dataset key (a uuid, see examples)
- **rank** – [str] A taxonomic rank. One of class, cultivar, cultivar_group, domain, family, form, genus, informal, infrageneric_name, infraorder, infraspecific_name, infrasubspecific_name, kingdom, order, phylum, section, series, species, strain, subclass, subfamily, subform, subgenus, subkingdom, suborder, subphylum, subsection, subseries, subspecies, subtribe, subvariety, superclass, superfamily, superorder, superphylum, suprageneric_name, tribe, unranked, or variety.

Returns A dictionary, of results

Usage:

```
from pygbif import species
species.name_suggest(q='Puma concolor')
x = species.name_suggest(q='Puma')
x['data']
x['hierarchy']
species.name_suggest(q='Puma', rank="genus")
species.name_suggest(q='Puma', rank="subspecies")
species.name_suggest(q='Puma', rank="species")
```

```
species.name_suggest(q='Puma', rank="infraspecific_name")
species.name_suggest(q='Puma', limit=2)
```

Changelog

0.1.4 (2015-12-05)

- Added more registry methods (#11)
- Fixed wheel to be universal for 2 and 3 (#10)
- Improved documentation a lot, autodoc methods now

0.1.1 (2015-11-03)

- Fixed distribution for pypi

0.1.0 (2015-11-02)

- First release

License

MIT

Indices and tables

- [genindex](#)
- [modindex](#)
- [search](#)

p

`pygbif`, 21

C

count() (pygbif.occurrences method), 17
count_basisofrecord() (pygbif.occurrences method), 17
count_countries() (pygbif.occurrences method), 18
count_datasets() (pygbif.occurrences method), 18
count_publishingcountries() (pygbif.occurrences method), 18
count_schema() (pygbif.occurrences method), 18
count_year() (pygbif.occurrences method), 17

D

dataset_metrics() (pygbif.registry method), 19
datasets() (pygbif.registry method), 19

G

get() (pygbif.occurrences method), 16
get_fragment() (pygbif.occurrences method), 17
get_verbatim() (pygbif.occurrences method), 16

I

installations() (pygbif.registry method), 19

N

name_backbone() (pygbif.species method), 21
name_suggest() (pygbif.species method), 22
networks() (pygbif.registry method), 20
nodes() (pygbif.registry method), 20

P

pygbif (module), 11, 19, 21

S

search() (pygbif.occurrences method), 11