
pyiso8601 Documentation

Release 0.1.10

Michael Twomey

Jul 27, 2017

Contents

1	Parsed Formats	3
1.1	Dates	3
1.2	Times	3
1.3	Time Zones	3
2	Where it Differs From ISO 8601	5
3	Installation	7
4	API	9
5	Authors	11

This module parses the most common forms of ISO 8601 date strings (e.g. 2007-01-14T20:34:22+00:00) into datetime objects.

```
>>> import iso8601
>>> iso8601.parse_date("2007-01-25T12:00:00Z")
datetime.datetime(2007, 1, 25, 12, 0, tzinfo=<iso8601.Utc>)
>>>
```

This module is released under a MIT license.

If you want more full featured parsing look at:

- <http://labix.org/python-dateutil> - python-dateutil

You can parse full date + times, or just the date. In both cases a datetime instance is returned but with missing times defaulting to 0, and missing days / months defaulting to 1.

Dates

- YYYY-MM-DD
- YYYYMMDD
- YYYY-MM (defaults to 1 for the day)
- YYYY (defaults to 1 for month and day)

Times

- hh:mm:ss.nn
- hhmmss.nn
- hh:mm (defaults to 0 for seconds)
- hhmm (defaults to 0 for seconds)
- hh (defaults to 0 for minutes and seconds)

Time Zones

- Nothing uses the default timezone given (UTC).
- Z (UTC)
- +/-hh:mm

- +/-hhmm
- +/-hh

CHAPTER 2

Where it Differs From ISO 8601

Known differences from the ISO 8601 spec:

- You can use a " " (space) instead of T for separating date from time.
- Days and months without a leading 0 (2 vs 02) will be parsed.
- If time zone information is omitted the default time zone given is used (which in turn defaults to UTC). Use a default of None to yield naive datetime instances.

CHAPTER 3

Installation

To install simply use pip:

```
pip install iso8601
```


`iso8601.parse_date` (*datestring*, *default_timezone=datetime.timezone.utc*)

Parses ISO 8601 dates into datetime objects

The timezone is parsed from the date string. However it is quite common to have dates without a timezone (not strictly correct). In this case the default timezone specified in `default_timezone` is used. This is UTC by default.

Parameters

- **datestring** – The date to parse as a string
- **default_timezone** – A datetime tzinfo instance to use when no timezone is specified in the datestring. If this is set to None then a naive datetime object is returned.

Returns A datetime.datetime instance

Raises ParseError when there is a problem parsing the date or constructing the datetime instance.

exception `iso8601.ParseError`

Raised when there is a problem parsing a date string

CHAPTER 5

Authors

Currently active committers:

- Michael Twomey
- Julien Danjou

P

`parse_date()` (in module `iso8601`), 9

`ParseError`, 9