
Rocket Python Documentation

Release 1.2.3

Derek Stegelman

Jul 24, 2017

Contents

1	Installation	3
2	Main API Documentation	5
3	Detailed Module Docs	11
	Python Module Index	13

Rocket Python is a Python 2 and 3 library to access the [REST API](#) in RocketChat instances. The goal is to implement the entire REST API provided by [RocketChat](#).

CHAPTER 1

Installation

First step is to install via pip:

```
pip install rocket-python
```

You'll need to create an instance of the Rocket API by logging in:

```
from rocketchat.api import RocketChatAPI

api = RocketChatAPI(settings={'username': 'someuser', 'password': 'somepassword',
                              'domain': 'https://myrocketchatdomain.com'})
```


rocketchat package

Subpackages

rocketchat.calls package

Subpackages

rocketchat.calls.auth package

Submodules

rocketchat.calls.auth.get_me module

```
class rocketchat.calls.auth.get_me.GetMe (settings=None, *args, **kwargs)  
    Bases: rocketchat.calls.base.RocketChatBase  
    build_endpoint (**kwargs)  
    endpoint = '/api/v1/me'  
    post_response (result)
```

Module contents

rocketchat.calls.channels package

Submodules

rocketchat.calls.channels.get_history module

```
class rocketchat.calls.channels.get_history.GetRoomHistory (settings=None, *args,
                                                         **kwargs)
    Bases: rocketchat.calls.base.RocketChatBase
    build_endpoint (**kwargs)
    endpoint = '/api/v1/channels.history'
    post_response (result)
```

rocketchat.calls.channels.get_public_rooms module

```
class rocketchat.calls.channels.get_public_rooms.GetPublicRooms (settings=None,
                                                                    *args, **kwargs)
    Bases: rocketchat.calls.base.RocketChatBase
    build_endpoint ()
    endpoint = '/api/v1/channels.list'
    post_response (result)
```

rocketchat.calls.channels.get_room_info module

```
class rocketchat.calls.channels.get_room_info.GetRoomInfo (settings=None, *args,
                                                             **kwargs)
    Bases: rocketchat.calls.base.RocketChatBase
    build_endpoint (**kwargs)
    endpoint = '/api/v1/channels.info'
    post_response (result)
```

Module contents

rocketchat.calls.chat package

Submodules

rocketchat.calls.chat.send_message module

```
class rocketchat.calls.chat.send_message.SendMessage (settings=None, *args, **kwargs)
    Bases: rocketchat.calls.base.PostMixin, rocketchat.calls.base.RocketChatBase
    build_endpoint (**kwargs)
    build_payload (**kwargs)
    endpoint = '/api/v1/chat.postMessage'
```

Module contents

Submodules

rocketchat.calls.base module

class `rocketchat.calls.base.PostMixin`

Bases: `object`

method = `'post'`

class `rocketchat.calls.base.RocketChatBase` (*settings=None, *args, **kwargs*)

Bases: `object`

auth_token = `None`

auth_user_id = `None`

build_endpoint (***kwargs*)

Build the endpoint for the user given some kwargs from the initial calling.

Returns

build_payload (***kwargs*)

Build a payload dict that will be passed directly to the endpoint. If you need to pass this as plain text or whatever you'll need to the dumping here.

Returns

call (**args, **kwargs*)

Parameters

- **args** –
- **kwargs** –

Returns

endpoint = `None`

headers = `{}`

logoff ()

method = `'get'`

post_response (*result*)

set_auth_headers ()

set_auth_token ()

settings = `None`

Module contents

Submodules

rocketchat.api module

`class rocketchat.api.RocketChatAPI (settings=None, *args, **kwargs)`
Bases: object

`get_my_info (**kwargs)`

`get_private_room_history (room_id, oldest=None, **kwargs)`
Get various history of specific private group in this case private

Parameters

- `room_id` –
- `kwargs` –

Returns

`get_private_room_info (room_id, **kwargs)`
Get various information about a specific private group

Parameters

- `room_id` –
- `kwargs` –

Returns

`get_private_rooms (**kwargs)`
Get a listing of all private rooms with their names and IDs

`get_public_rooms (**kwargs)`
Get a listing of all public rooms with their names and IDs

`get_room_history (room_id, oldest=None, latest=datetime.datetime(2017, 7, 24, 14, 5, 36, 192643), inclusive=False, count=20, unreads=False, **kwargs)`
Get various history of specific channel/room

Parameters

- `room_id` –
- `kwargs` –

Returns

`get_room_info (room_id, **kwargs)`
Get various information about a specific channel/room

Parameters

- `room_id` –
- `kwargs` –

Returns

`send_message (message, room_id, **kwargs)`
Send a message to a given room

`settings = None`

Module contents

rocketchat.calls.groups package

Submodules

rocketchat.calls.groups.get_private_room_history module

```
class rocketchat.calls.groups.get_private_room_history.GetPrivateRoomHistory (settings=None,  
                                                                           *args,  
                                                                           **kwargs)
```

Bases: *rocketchat.calls.base.RocketChatBase*

build_endpoint (***kwargs*)

endpoint = `‘/api/v1/groups.history’`

post_response (*result*)

rocketchat.calls.groups.get_private_room_info module

```
class rocketchat.calls.groups.get_private_room_info.GetPrivateRoomInfo (settings=None,  
                                                                           *args,  
                                                                           **kwargs)
```

Bases: *rocketchat.calls.base.RocketChatBase*

build_endpoint (***kwargs*)

endpoint = `‘/api/v1/groups.info’`

post_response (*result*)

rocketchat.calls.groups.get_private_rooms module

```
class rocketchat.calls.groups.get_private_rooms.GetPrivateRooms (settings=None,  
                                                                *args, **kwargs)  
    Bases: rocketchat.calls.base.RocketChatBase  
    build_endpoint ()  
    endpoint = '/api/v1/groups.list'  
    post_response (result)
```

Module contents

Licensing

MIT License

Copyright (c) 2016 - 2017 Derek Stegeman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

r

rocketchat, 9
rocketchat.api, 8
rocketchat.calls, 8
rocketchat.calls.auth, 5
rocketchat.calls.auth.get_me, 5
rocketchat.calls.base, 7
rocketchat.calls.channels, 6
rocketchat.calls.channels.get_history,
 6
rocketchat.calls.channels.get_public_rooms,
 6
rocketchat.calls.channels.get_room_info,
 6
rocketchat.calls.chat, 7
rocketchat.calls.chat.send_message, 6
rocketchat.calls.groups, 12
rocketchat.calls.groups.get_private_room_history,
 11
rocketchat.calls.groups.get_private_room_info,
 11
rocketchat.calls.groups.get_private_rooms,
 12

A

auth_token (rocketchat.calls.base.RocketChatBase attribute), 7
 auth_user_id (rocketchat.calls.base.RocketChatBase attribute), 7

B

build_endpoint() (rocketchat.calls.auth.get_me.GetMe method), 5
 build_endpoint() (rocketchat.calls.base.RocketChatBase method), 7
 build_endpoint() (rocketchat.calls.channels.get_history.GetRoomHistory method), 6
 build_endpoint() (rocketchat.calls.channels.get_public_rooms.GetPublicRooms method), 6
 build_endpoint() (rocketchat.calls.channels.get_room_info.GetRoomInfo method), 6
 build_endpoint() (rocketchat.calls.chat.send_message.SendMessage method), 6
 build_endpoint() (rocketchat.calls.groups.get_private_room_history.GetPrivateRoomHistory method), 11
 build_endpoint() (rocketchat.calls.groups.get_private_room_info.GetPrivateRoomInfo method), 11
 build_endpoint() (rocketchat.calls.groups.get_private_rooms.GetPrivateRooms method), 12
 build_payload() (rocketchat.calls.base.RocketChatBase method), 7
 build_payload() (rocketchat.calls.chat.send_message.SendMessage method), 6

C

call() (rocketchat.calls.base.RocketChatBase method), 7

E

endpoint (rocketchat.calls.auth.get_me.GetMe attribute), 5
 endpoint (rocketchat.calls.base.RocketChatBase attribute), 7
 endpoint (rocketchat.calls.channels.get_history.GetRoomHistory attribute), 6
 endpoint (rocketchat.calls.channels.get_public_rooms.GetPublicRooms attribute), 6
 endpoint (rocketchat.calls.channels.get_room_info.GetRoomInfo attribute), 6
 endpoint (rocketchat.calls.chat.send_message.SendMessage attribute), 6
 endpoint (rocketchat.calls.groups.get_private_room_history.GetPrivateRoomHistory attribute), 11
 endpoint (rocketchat.calls.groups.get_private_room_info.GetPrivateRoomInfo attribute), 11
 endpoint (rocketchat.calls.groups.get_private_rooms.GetPrivateRooms attribute), 12

G

get_my_info() (rocketchat.api.RocketChatAPI method), 8
 get_private_room_history() (rocketchat.api.RocketChatAPI method), 8
 get_private_room_info() (rocketchat.api.RocketChatAPI method), 8
 get_private_rooms() (rocketchat.api.RocketChatAPI method), 8
 get_public_rooms() (rocketchat.api.RocketChatAPI method), 8
 get_room_history() (rocketchat.api.RocketChatAPI method), 8
 get_room_info() (rocketchat.api.RocketChatAPI method), 8
 GetMe (class in rocketchat.calls.auth.get_me), 5
 GetPrivateRoomHistory (class in rocketchat.calls.groups.get_private_room_history), 11
 GetPrivateRoomInfo (class in rocketchat.calls.groups.get_private_room_info), 11

etchat.calls.groups.get_private_room_info),
 11
 GetPrivateRooms (class in rock-
 etchat.calls.groups.get_private_rooms), 12
 GetPublicRooms (class in rock-
 etchat.calls.channels.get_public_rooms),
 6
 GetRoomHistory (class in rock-
 etchat.calls.channels.get_history), 6
 GetRoomInfo (class in rock-
 etchat.calls.channels.get_room_info), 6
 rocketchat.calls.channels.get_room_info (module), 6
 rocketchat.calls.chat (module), 7
 rocketchat.calls.chat.send_message (module), 6
 rocketchat.calls.groups (module), 12
 rocketchat.calls.groups.get_private_room_history (mod-
 ule), 11
 rocketchat.calls.groups.get_private_room_info (module),
 11
 rocketchat.calls.groups.get_private_rooms (module), 12
 RocketChatAPI (class in rocketchat.api), 8
 RocketChatBase (class in rocketchat.calls.base), 7

H

headers (rocketchat.calls.base.RocketChatBase attribute),
 7

L

logoff() (rocketchat.calls.base.RocketChatBase method),
 7

M

method (rocketchat.calls.base.PostMixin attribute), 7
 method (rocketchat.calls.base.RocketChatBase attribute),
 7

P

post_response() (rocketchat.calls.auth.get_me.GetMe
 method), 5
 post_response() (rocketchat.calls.base.RocketChatBase
 method), 7
 post_response() (rocketchat.calls.channels.get_history.GetRoomHistory
 method), 6
 post_response() (rocketchat.calls.channels.get_public_rooms.GetPublicRooms
 method), 6
 post_response() (rocketchat.calls.channels.get_room_info.GetRoomInfo
 method), 6
 post_response() (rocketchat.calls.groups.get_private_room_history.GetPrivateRoomHistory
 method), 11
 post_response() (rocketchat.calls.groups.get_private_room_info.GetPrivateRoomInfo
 method), 11
 post_response() (rocketchat.calls.groups.get_private_rooms.GetPrivateRooms
 method), 12
 PostMixin (class in rocketchat.calls.base), 7

R

rocketchat (module), 9
 rocketchat.api (module), 8
 rocketchat.calls (module), 8
 rocketchat.calls.auth (module), 5
 rocketchat.calls.auth.get_me (module), 5
 rocketchat.calls.base (module), 7
 rocketchat.calls.channels (module), 6
 rocketchat.calls.channels.get_history (module), 6
 rocketchat.calls.channels.get_public_rooms (module), 6

S

send_message() (rocketchat.api.RocketChatAPI method),
 8
 SendMessage (class in rock-
 etchat.calls.chat.send_message), 6
 set_auth_headers() (rock-
 etchat.calls.base.RocketChatBase method),
 7
 set_auth_token() (rocketchat.calls.base.RocketChatBase
 method), 7
 settings (rocketchat.api.RocketChatAPI attribute), 8
 settings (rocketchat.calls.base.RocketChatBase attribute),
 7