

---

# **Simple Email Form Documentation**

***Release 2.0***

**Doug Bierer, Andrew Caya and Martin Beaudry**

February 24, 2017



<b>1</b>	<b>Installation</b>	<b>3</b>
<b>2</b>	<b>Basic configuration options</b>	<b>7</b>
2.1	Form type . . . . .	7
2.2	Language . . . . .	7
2.3	Email address . . . . .	8
2.4	Label alignment . . . . .	8
<b>3</b>	<b>Field options</b>	<b>9</b>
3.1	Activate Field X . . . . .	10
3.2	Label for Field X . . . . .	11
3.3	Default Value for Field X . . . . .	11
3.4	Display Size of Field X . . . . .	11
3.5	Maximum Length of Field X . . . . .	11
3.6	Field Type . . . . .	11
3.7	Field X Format . . . . .	12
3.8	Field X Before/After . . . . .	12
3.9	Field types . . . . .	12
<b>4</b>	<b>Advanced configuration options</b>	<b>21</b>
4.1	Caching . . . . .	21
4.2	Form Instance . . . . .	21
4.3	Send Results CC . . . . .	21
4.4	Send Results BCC . . . . .	21
4.5	Reply To this address . . . . .	21
4.6	Activate Reply To . . . . .	21
4.7	Auto Reset Fields . . . . .	22
4.8	Name of CSS Class . . . . .	22
4.9	Space After Labels . . . . .	22
4.10	Redirect URL . . . . .	22
4.11	Captcha Use . . . . .	22
4.12	Directory to Write Captchas . . . . .	23
4.13	URL for Captcha Directory . . . . .	23
4.14	Captcha Word Length . . . . .	23
4.15	Captcha Font Size . . . . .	23
4.16	Captcha Width . . . . .	23
4.17	Captcha Height . . . . .	24
4.18	Captcha Text Color . . . . .	24

4.19	Captcha Lines Color . . . . .	24
4.20	Captcha Background Color . . . . .	24
4.21	Error Text Color . . . . .	24
4.22	Success Text Color . . . . .	24
4.23	Name of Anchor Tag . . . . .	24
4.24	Number of Upload Fields . . . . .	24
4.25	Upload Field Label . . . . .	24
4.26	Allowed Attachment Filenames . . . . .	25
4.27	Are upload fields required? . . . . .	25
4.28	Directory to Save Attachments . . . . .	25
4.29	Send Me A Copy Field Label . . . . .	25
4.30	Send Me A Copy Field . . . . .	25
4.31	Send User a Copy Automatically . . . . .	25
4.32	Email Check . . . . .	25
4.33	Include Article Title . . . . .	25
4.34	Test Mode . . . . .	26
4.35	Override rendering . . . . .	26
4.36	Module Tag . . . . .	26
4.37	Bootstrap Size . . . . .	26
4.38	Header Tag . . . . .	26
4.39	Header Class . . . . .	26
4.40	Module Style . . . . .	26
<b>5</b>	<b>Configuration Example</b>	<b>27</b>
<b>6</b>	<b>Indices and tables</b>	<b>45</b>



**joomla.unlikelysource.org**

Home Page : <http://joomla.unlikelysource.org/>



---

## Installation

---


Here is the installation procedure for Joomla 3.x. The procedure is very similar for Joomla 2.5, but the screens look slightly different.

Download the module on the [Simple Email Form](#) page.

Login as the Joomla administrator



Select Extensions - Manage - Install




Click on **Browse** and locate the Simple Email Form **TAR.GZ** file you downloaded.

Click Upload & Install



## Upload & Install Joomla Extension


---




You should see a friendly message indicating success.

Select Extensions - Manage - Manage






Make sure the Simple Email Form's **Status** is **Published** (green check in the Status column).



Click on Extensions - Modules.



Click on Simple Email Form in the **Title** column to edit the module.

You can edit the **Title** as desired.

Title \*

[Module](#)
[Menu Assignment](#)
[Module Permissions](#)
[Advanced](#)

In **Position** (right column of the **Module** tab), either select a module position as indicated by your template or enter a custom position (e.g. user99) if you plan to load the module into an article.

Position

In the **Menu Assignment** tab, make sure the module is assigned to either **On all pages** or to the pages you choose.

[Module](#) **Menu Assignment** [Module Permissions](#) [Advanced](#)

Module Assignment

**SAVE** your changes.

If you plan to load the module into an article, click on **Close**, then choose `Extensions - Plugins`

Make sure that the **Content - Load Modules** plug-in is enabled.

[Content - Load Modules](#)

You are now ready to configure the basic options in the **Module** tab and the advanced options in the **Advanced** tab.


---

## Basic configuration options

---

**Note:** When you move the pointer over a field label, an explanation box pops up to assist you during module configuration.

---



### Form type

First, the form type must be chosen.

**JForm** is the most recent version that integrates new Joomla requirements.

**Classic** shows the form as it used to be. This option is deprecated and won't be available in version 3.0 of the module.

Form Type

JForm

Classic (DEPRECATED)

### Language

You can then set the language used in the form. Language files can be found and edited at `/path/to/joomla/modules/mod_simpleemailform/language_files`.


Thirty languages are available.

Default Language

Send Results To

Label Alignment

Activate Field 1



A dropdown menu for language selection. The menu is open, showing a search bar at the top with a magnifying glass icon. Below the search bar, a list of languages is displayed: English, Dansk, Deutsch, Ελληνικά (Greek), Español, Eesti, Finnish, Français (highlighted in blue), Hebrew, Italiano, and Latvian. The menu has up and down arrow icons at the top and bottom.

---

**Note:** The module is now integrated with Joomla native language support, so this field has no effect on the JForm type.

---

## Email address

Next to **Send Results To**, you **must** enter an email address where information gathered by the simple email form will be sent. If there's more than one address, separate them with commas or spaces.

Send Results To

info@unlikelysource.com|

An empty **Email address** field will prevent the form from displaying and generate a “SORRY: This email address is invalid! Please re-enter your email address” error.

## Label alignment

Choose to have the labels aligned LEFT, RIGHT or CENTER.

Label Alignment

- Left
- Right
- Center

---

## Field options

---

Eight options can be used to configure each field:

- Activate Field X
- Label for Field X
- Default Value for Field X
- Display Size of Field X
- Maximum Length of Field X
- Field Type
- Field X Format
- Field X Before/After

Activate Field 1  Yes  
 No  
 Required  
 Hidden

Label for Field 1

Default Value for Field 1

Display Size of Field 1

Maximum Length of Field 1

Field Type

Field 1 Format  Horizontal  
 Vertical  
 Use CSS

Field 1 Before/After  Before  
 After

## Activate Field X

Set this option to **Yes** to add field X to your form.

**No** means that field X won't appear in the form.

**Required** means that the user won't be able to submit the form if the field is empty. These fields are marked with an asterisk (\*).

From \*

Subject \*

Field 3

**Hidden** fields don't appear on screen. The value is automatically added in the email that is sent to you.

## Label for Field X

Short description of the information to be entered in this field.

## Default Value for Field X

With field types **Subject**, **Normal** and **Textarea**, the default value appears automatically in the form.

---

**Note:** Since version **1.8.5**, default values don't appear in **Textarea** fields. The HTML5 placeholder attribute is used instead.

---

With field types **Drop**, **Radio** and **Checkbox**, this option populates the answers available to the user in this format:

A=Apple, B=Banana, C=Cantelope

In this case, the user will see Apple, Banana and Cantelope on screen. If "Apple" is chosen, "A" is returned.

---

**Note:** To set a default for a **Drop**, **Radio** or **Checkbox** field, just make sure the desired default value is the first one specified.

---

## Display Size of Field X

Size, in rows and columns, of a **Textarea** field. Size is entered in the following format: row,column

With field types **Radio** and **Checkbox**, you can enter the width, in pixels, of the labels besides each radio button or box.

**Display Size** has no effect on other field types.

---

**Note:** This option is only available with the **Classic** form type.

---

## Maximum Length of Field X

Highest number of characters accepted from the user. This field isn't used with field types **Drop**, **Radio** and **Checkbox**.

## Field Type

Different types of input you may offer to the user. For more details about each one of them, see the **Field Type** section.

## Field X Format

Only works with **Radio** and **Checkbox** field types.

- **Horizontal** means that all radio buttons or checkboxes are on the same row.

Field 3   Apple    Banana    Cantelope

- **Vertical** means that the various button-label pairs are displayed one above the other.

Field 3   Apple   
Banana   
Cantelope

- **Use CSS** means that you use your custom CSS to display the buttons or boxes.

## Field X Before/After

Only used with **Radio** and **Checkbox** field types.

- **Before** means that labels are displayed to the left of their respective buttons or checkboxes.
- **After** means that they are displayed to the right.

## Field types

In version **2.0**, available field types are:

- From
- Subject
- Normal (text)
- Textarea
- Drop (select)
- Radio
- Checkbox

### From

This field type is used to get the email address of the user filling out the form. The first field defaults to **From**.



Activate Field 1	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Required <input type="radio"/> Hidden
Label for Field 1	<input type="text" value="From"/>
Default Value for Field 1	<input type="text"/>
Display Size of Field 1	<input type="text" value="40"/>
Maximum Length of Field 1	<input type="text" value="255"/>
Field Type	<input type="text" value="From"/>
Field 1 Format	<input type="radio"/> Horizontal <input type="radio"/> Vertical <input checked="" type="radio"/> Use CSS
Field 1 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After

## Subject

Whatever the user enters here will become the “Subject” in the email sent to you. The second field defaults to **Subject**.

Activate Field 2	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Required <input type="radio"/> Hidden
Label for Field 2	<input type="text" value="Subject"/>
Default Value for Field 2	<input type="text" value="RE: Simple Email Form"/>
Display Size of Field 2	<input type="text" value="40"/>
Maximum Length of Field 2	<input type="text" value="255"/>
Field Type	<input type="text" value="Subject"/>
Field 2 Format	<input type="radio"/> Horizontal <input type="radio"/> Vertical <input checked="" type="radio"/> Use CSS
Field 2 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After

## Normal

This field will appear as one line on your input form.

If you do not wish to enter a **default value**, make sure to hit the **spacebar**.

Activate Field 8  Yes  
 No  
 Required  
 Hidden

Label for Field 8

Default Value for Field 8

Display Size of Field 8

Maximum Length of Field 8

Field Type

Field 8 Format  Horizontal  
 Vertical  
 Use CSS

Field 8 Before/After  Before  
 After

## Textarea

Creates a text box in which the user can type a message. **Label** is the only field that is not ignored by this field type.

---

**Note:** The new JForm type displays an HTML editor.

---

Activate Field 6	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Required <input type="radio"/> Hidden
Label for Field 6	<input type="text" value="Comments"/>
Default Value for Field 6	<input type="text" value="Comments"/>
Display Size of Field 6	<input type="text" value="4,60"/>
Maximum Length of Field 6	<input type="text" value="255"/>
Field Type	<input type="text" value="Textarea"/>
Field 6 Format	<input type="radio"/> Horizontal <input type="radio"/> Vertical <input checked="" type="radio"/> Use CSS
Field 6 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After

## Drop

In the **Default Value** field, enter options separated by commas as follows: Return1=Visible1,Return2=Visible2. ReturnX is the value returned in the email message. VisibleX is the value appearing in the form.

Activate Field 4	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Required <input type="radio"/> Hidden
Label for Field 4	<input type="text" value="Where Do You Live"/>
Default Value for Field 4	<input type="text" value="NA=North America,SA=South Amei"/>
Display Size of Field 4	<input type="text" value="40"/>
Maximum Length of Field 4	<input type="text" value="255"/>
Field Type	<input type="text" value="Drop"/>
Field 4 Format	<input type="radio"/> Horizontal <input type="radio"/> Vertical <input checked="" type="radio"/> Use CSS
Field 4 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After

## Radio

In the **Default Value** field, enter options separated by commas as follows: Return1=Visible1,Return2=Visible2.

ReturnX is the value returned in the email message sent when that button is selected. VisibleX is the value appearing in the form.

**Horizontal** format is table/row/col/col/col.

**Vertical** format is table/row/col/col/row/col/col.

**Use CSS** (default) assumes you will use your custom CSS.

**Before** means that the label appears to the left of the button.

**After** means that the label appears to the right of the button.

Activate Field 3	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Required <input type="radio"/> Hidden
Label for Field 3	<input type="text" value="Employment status"/>
Default Value for Field 3	<input type="text" value="S=Student,E=Employed,R=Retired"/>
Display Size of Field 3	<input type="text" value="40"/>
Maximum Length of Field 3	<input type="text" value="255"/>
Field Type	<input type="text" value="Radio"/>
Field 3 Format	<input checked="" type="radio"/> Horizontal <input type="radio"/> Vertical <input type="radio"/> Use CSS
Field 3 Before/After	<input type="radio"/> Before <input checked="" type="radio"/> After

## Checkbox

In the **Default Value** field, enter options separated by commas as follows: Return1=Visible1,Return2=Visible2.

ReturnX is the value returned in the email message sent when that box is checked. VisibleX is the value appearing in the form.

**Horizontal** format is table/row/col/col/col.

**Vertical** format is table/row/col/col/row/col/col.

**Use CSS** (default) assumes you will use your custom CSS.

**Before** means that the label appears to the left of the box.

**After** means that the label appears to the right of the box.

Activate Field 5	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Required <input type="radio"/> Hidden
Label for Field 5	<input type="text" value="Computer OS"/>
Default Value for Field 5	<input type="text" value="W10=Windows 10,W8=Windows 8,"/>
Display Size of Field 5	<input type="text" value="200"/>
Maximum Length of Field 5	<input type="text" value="255"/>
Field Type	<input type="text" value="Checkbox"/>
Field 5 Format	<input type="radio"/> Horizontal <input checked="" type="radio"/> Vertical <input type="radio"/> Use CSS
Field 5 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After





---

## Advanced configuration options

---

### Caching

Use **global** means that this module's content will be cached according to your Joomla's global cache settings.

**No caching** means that no content from this module will be cached.

This option is provided by [Joomla](#).

### Form Instance

If you use more than one simple email form on the same page, you need to give each one a unique number to differentiate them from the other forms.

### Send Results CC

Enter email addresses here if you want the form to be sent in carbon copy.

### Send Results BCC

Enter email addresses here if you want the form to be sent in blind carbon copy.

### Reply To this address

Enter email addresses where replies should be sent to.

### Activate Reply To

If set to **Yes**, a "Reply to" field will appear when the email is sent.

## Auto Reset Fields

**Yes** means that all fields will be cleared when the user submits the form.

**No** means that the values entered by the user will remain after the form is submitted.

---

**Note:** With the **JForm** type, **No** is automatically used.

---

## Name of CSS Class

Enter the name of the CSS class that will be used with the form.

## Space After Labels

Amount of pixels between the labels to the left of the form and their input fields.

## Redirect URL

Enter a Website address where the user should be redirected after submitting the form. Make sure you enter a **fully formed** URL.

Example: <http://www.unlikelysource.com/>

## Captcha Use

With the **JForm** type:

To be able to use Captcha, you can follow the procedure on the [Joomla Website](#).

This will produce a captcha looking like this:



---

**Note:** If you don't have a Google account and don't want to create one, you can use a Captcha extension available in the [Joomla Extensions Directory](#).

---

With the **Classic** form type:

Set to **No Captcha** if you don't want any Captcha protection.

**Image Captcha** creates an image including a background rectangle, characters the user will have to type and lines blurring the image.

Please enter the following



moupalev Help us prevent SPAM!

Submit Reset

**Text Captcha** creates a simple character string the user has to type.

Please enter the following gnyxevhb gnyxevhb Help us prevent SPAM!

Submit Reset

## Directory to Write Captchas

An absolute path where captchas will be written.

Example : /var/www/application/images

Make sure that the repository is writable.

## URL for Captcha Directory

URL matching the directory specified above.

## Captcha Word Length

Number of characters the user will need to enter.

## Captcha Font Size

Size of the characters in the captcha image.

## Captcha Width

Width in pixels of the captcha image.

## Captcha Height

Height in pixels of the captcha image.

## Captcha Text Color

The color of the characters in the captcha image.

## Captcha Lines Color

The color of the lines partially hiding the characters in the captcha image.

## Captcha Background Color

The color of the captcha image background.

## Error Text Color

The color in which error messages are displayed to the user.

## Success Text Color

The color in which success messages are displayed to the user.

## Name of Anchor Tag

After submitting the form, the user is redirected to the anchor tag mentioned here. By default, this tag is placed at the beginning of the form.

The name of the tag must start with #. Example : #tag

## Number of Upload Fields

Determines the number of attachments users can or must send through the form.

## Upload Field Label

The label for the upload fields.

## Allowed Attachment Filenames

List of approved filename extensions, separated by commas.

## Are upload fields required?

If set to **Yes**, submitting the form will fail with an error if an upload field is empty.

---

**Note:** This new feature is only available with the **JForm** type.

---

## Directory to Save Attachments

An absolute path to the directory in which attachments sent by users will be saved.

## Send Me A Copy Field Label

The label for field **Send Me A Copy**, set below.

## Send Me A Copy Field

If set to **Yes**, users can ask to receive a copy of the form that they send.

## Send User a Copy Automatically

If set to **Yes**, users will always receive a copy of the form that they send.

## Email Check

If set to **Yes**, the data entered in the **From** field is validated and must follow the format `emailaccount@domain`.

---

**Note:** With the **JForm** type, this validation occurs automatically.

---

## Include Article Title

If set to **Yes**, the Joomla article title is automatically included in a hidden field added to the email.

## Test Mode

If set to **Yes**, the form is used in test mode.

## Override rendering

Set this option to **Yes** if you want to use your own template to modify the module's display.

## Module Tag

The html tag used for the module. This option is provided by [Joomla](#).

## Bootstrap Size

The number of columns used in the module. This option is provided by [Joomla](#).

## Header Tag

The HTML tag used for module headers and titles. This option is provided by [Joomla](#).

## Header Class

The CSS class used for module headers and titles. This option is provided by [Joomla](#).

## Module Style

The option used to override the template style. It is provided by [Joomla](#).

---

## Configuration Example

---

Title \*

Module

[Menu Assignment](#)

[Module Permissions](#)

[Advanced](#)

---

### Simple Email Form

Site

A simple email form from unlikelysource.com with up to 8 fields + CAPTCHA + 32 languages.

Version 2.0.0 -- works on 3.x (1.8.1-1x supports Joomla 1.x)!

REQUIRES a web server running at a minimum PHP 5.3!!!

TO LOAD IN AN ARTICLE (most common):

- In the Details box, modify Position to user99 (or whatever).
  - In your target article, add this line: {loadposition user99}.
  - Make sure Extensions - Plugin Manager - Content - Load Module is active.
- 

Form Type

JForm

Classic (DEPRECATED)

Default Language

Send Results To

Label Alignment

Left

Right

Center

Activate Field 1  Yes  
 No  
 Required  
 Hidden

Label for Field 1

Default Value for Field 1

Display Size of Field 1

Maximum Length of Field 1

Field Type

Field 1 Format  Horizontal  
 Vertical  
 Use CSS

Field 1 Before/After  Before  
 After



Activate Field 2	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Required <input type="radio"/> Hidden
Label for Field 2	<input type="text" value="Subject"/>
Default Value for Field 2	<input type="text" value="RE: Simple Email Form"/>
Display Size of Field 2	<input type="text" value="40"/>
Maximum Length of Field 2	<input type="text" value="255"/>
Field Type	<input type="text" value="Subject"/>
Field 2 Format	<input type="radio"/> Horizontal <input type="radio"/> Vertical <input checked="" type="radio"/> Use CSS
Field 2 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After

Activate Field 3	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Required <input type="radio"/> Hidden
Label for Field 3	<input type="text" value="Employment status"/>
Default Value for Field 3	<input type="text" value="S=Student,E=Employed,R=Retired"/>
Display Size of Field 3	<input type="text" value="40"/>
Maximum Length of Field 3	<input type="text" value="255"/>
Field Type	<input type="text" value="Radio"/>
Field 3 Format	<input checked="" type="radio"/> Horizontal <input type="radio"/> Vertical <input type="radio"/> Use CSS
Field 3 Before/After	<input type="radio"/> Before <input checked="" type="radio"/> After

Activate Field 4  Yes  
 No  
 Required  
 Hidden

Label for Field 4

Default Value for Field 4

Display Size of Field 4

Maximum Length of Field 4

Field Type

Field 4 Format  Horizontal  
 Vertical  
 Use CSS

Field 4 Before/After  Before  
 After

Activate Field 5	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Required <input type="radio"/> Hidden
Label for Field 5	<input type="text" value="Computer OS"/>
Default Value for Field 5	<input type="text" value="W10=Windows 10,W8=Windows 8,"/>
Display Size of Field 5	<input type="text" value="200"/>
Maximum Length of Field 5	<input type="text" value="255"/>
Field Type	<input type="text" value="Checkbox"/>
Field 5 Format	<input type="radio"/> Horizontal <input checked="" type="radio"/> Vertical <input type="radio"/> Use CSS
Field 5 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After

Activate Field 6	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Required <input type="radio"/> Hidden
Label for Field 6	<input type="text" value="Comments"/>
Default Value for Field 6	<input type="text" value="Comments"/>
Display Size of Field 6	<input type="text" value="4,60"/>
Maximum Length of Field 6	<input type="text" value="255"/>
Field Type	<input type="text" value="Textarea"/>
Field 6 Format	<input type="radio"/> Horizontal <input type="radio"/> Vertical <input checked="" type="radio"/> Use CSS
Field 6 Before/After	<input checked="" type="radio"/> Before <input type="radio"/> After

Activate Field 7  Yes  
 No  
 Required  
 Hidden

Label for Field 7

Default Value for Field 7

Display Size of Field 7

Maximum Length of Field 7

Field Type

Field 7 Format  Horizontal  
 Vertical  
 Use CSS

Field 7 Before/After  Before  
 After

Activate Field 8  Yes  
 No  
 Required  
 Hidden

Label for Field 8

Default Value for Field 8

Display Size of Field 8

Maximum Length of Field 8

Field Type

Field 8 Format  Horizontal  
 Vertical  
 Use CSS

Field 8 Before/After  Before  
 After

Title \*

[Module](#)

[Menu Assignment](#)

[Module Permissions](#)

[Advanced](#)

---

Module Assignment

Title \*

[Module](#) [Menu Assignment](#) [Module Permissions](#) [Advanced](#)

Manage the permission settings for the user groups below. See notes at the bottom.

Public	Action	Select New Setting
<a href="#">- Guest</a>	Delete	<input type="text" value="Inherited"/> ▼
<a href="#">- Manager</a>	Edit	<input type="text" value="Inherited"/> ▼
<a href="#">- Administrator</a>	Edit State	<input type="text" value="Inherited"/> ▼
<a href="#">- Registered</a>	Frontend Editing	<input type="text" value="Inherited"/> ▼
<a href="#">- Author</a>		



Title \*

[Module](#)   [Menu Assignment](#)   [Module Permissions](#)   **Advanced**

---

Caching

Form Instance

Send Results CC

Send Results BCC

Reply To this address

Activate Reply To  Yes  
 No

Auto Reset Fields  Yes  
 No

Name of CSS Class

Space After Labels	<input type="text" value="10"/>
Redirect URL	<input type="text"/>
Use Captcha	<input type="radio"/> No Captcha <input checked="" type="radio"/> Image Captcha <input type="radio"/> Text Captcha
Directory to Write Captchas	<input type="text" value="/myserver/htdocs/joomla/captcha"/>
URL for Captcha Directory	<input type="text" value="http://joomla.unlikelysource.org/cap"/>
Captcha Word Length	<input type="text" value="4"/>
Captcha Font Size	<input type="text" value="24"/>
Captcha Width	<input type="text" value="200"/>
Captcha Height	<input type="text" value="60"/>
Captcha Text Color	<input type="text" value="#000000"/>

Captcha Lines Color	<input type="text" value="#BFBFBF"/>
Captcha Background Color	<input type="text" value="#FFFF00"/>
Error Text Color	<input type="text" value="red"/>
Success Text Color	<input type="text" value="green"/>
Name of Anchor Tag	<input type="text" value="#unlikely"/>
Number of Upload Fields	<input type="text" value="2"/>
Upload Field Label	<input type="text" value="Attachment"/>
Allowed Attachment Filenames	<input type="text" value="jpg,png"/>
Are upload fields required?	<input checked="" type="radio"/> Yes <input type="radio"/> No
Directory to Save Attachments	<input type="text" value="/myserver/htdocs/joomla/images"/>

Send Me A Copy Field Label	<input type="text" value="Send me a copy"/>
Send Me A Copy Field	<input checked="" type="radio"/> Yes <input type="radio"/> No
Send User a Copy Automatically	<input type="radio"/> Yes <input checked="" type="radio"/> No
Email Check	<input checked="" type="radio"/> Yes <input type="radio"/> No
Include Article Title	<input checked="" type="radio"/> Yes <input type="radio"/> No
Test Mode	<input type="radio"/> Yes <input checked="" type="radio"/> No
Override rendering	<input type="radio"/> Yes <input checked="" type="radio"/> No
Module Tag	<input type="text" value="div"/>
Bootstrap Size	<input type="text" value="0"/>
Header Tag	<input type="text" value="h3"/>
Header Class	<input type="text"/>
Module Style	<input type="text" value="Inherited"/>

Here's the result of this configuration with the **Classic** type:

**From**

**Subject**

**Employment status**  Student  Employed  Retired

**Where Do You Live**

**Computer OS**

- Windows 10
- Windows 8
- Other Windows
- Linux
- Mac OSX

**Comments**


**Terms**  I understand that this module is free

**Company**

**Attachment**

- No file selected.
- No file selected.

**Please enter the following**



Help us prevent SPAM!

Send me a copy

Here's the result of this configuration with the **JForm** type:

From \*

Subject \*

Employment status  Student  Employed  Retired

Where Do You Live

Computer OS

- Windows 10
- Windows 8
- Other Windows
- Linux
- Mac OSX

Comments

Edit ▾ Insert ▾ View ▾ Format ▾ Table ▾ Tools ▾

**B** *I* U ~~S~~ | Paragraph ▾ | |

| ▾ |  $x_2$   $x^2$

p


Toggle editor

Terms \*

Company

Attachment  No file selected.  
 No file selected.

Send me a copy

Help us prevent SPAM! \*   
 [Privacy & Terms](#)



---

## Indices and tables

---

- `genindex`
- `search`



**A**

Activate Field X, 10  
Activate Reply To, 21  
Allowed Attachment Filenames, 24  
Are upload fields required, 25  
Auto Reset Fields, 21

**B**

Bootstrap Size, 26

**C**

Caching, 21  
Captcha Background Color, 24  
Captcha Font Size, 23  
Captcha Height, 23  
Captcha Lines Color, 24  
Captcha Text Color, 24  
Captcha Use, 22  
Captcha Width, 23  
Captcha Word Length, 23  
Checkbox, 18

**D**

Default Value for Field X, 11  
Directory to Save Attachments, 25  
Directory to Write Captchas, 23  
Display Size of Field X, 11  
Drop, 16

**E**

Email address, 8  
Email Check, 25  
Error Text Color, 24

**F**

Field Type, 11  
Field types, 12  
Field X Before/After, 12  
Field X Format, 11  
Form Instance, 21

Form type, 7  
From, 12

**H**

Header Class, 26  
Header Tag, 26

**I**

Include Article Title, 25  
Installation, 3

**L**

Label alignment, 8  
Label for Field X, 11  
Language, 7

**M**

Maximum Length of Field X, 11  
Module Assignment, 5  
Module Style, 26  
Module Tag, 26

**N**

Name of Anchor Tag, 24  
Name of CSS Class, 22  
Normal, 14  
Number of Upload Fields, 24

**O**

Override rendering, 26

**P**

Plug-in Manager, 6  
Position, 4  
Publish, 4

**R**

Radio, 17  
Redirect URL, 22  
Reply To this address, 21

## S

Send Me A Copy Field, 25  
Send Me a Copy Field Label, 25  
Send Results BCC, 21  
Send Results CC, 21  
Send Results To, 8  
Send User a Copy Automatically, 25  
Space After Labels, 22  
Status, 4  
Subject, 13  
Success Text Color, 24

## T

Test Mode, 25  
Textarea, 15  
Title, 4

## U

Upload Field Label, 24  
URL for Captcha Directory, 23