
Sphinx and RTFD Demo Documentation

Release 0.1.1

Rigel Trajano

August 22, 2014

1 Sphinx and RTFD Demo	3
2 Installation	5
3 Usage	7
4 Contributing	9
4.1 Types of Contributions	9
4.2 Get Started!	10
4.3 Pull Request Guidelines	10
4.4 Tips	11
5 Credits	13
5.1 Development Lead	13
5.2 Contributors	13
6 History	15
6.1 0.1.1 (2014-05-13)	15
7 sphinx_rtfD	17
7.1 sphinx_rtfD Package	17
8 Indices and tables	19
Python Module Index	21

Contents:

Sphinx and RTFD Demo

Demonstration of Sphinx and RTFD for PUG presentation

- Free software: BSD license
- Documentation: <http://sphinx-and-rtfd-demo.rtfid.org/>

Installation

At the command line:

```
$ easy_install sphinx_rtd
```

Or, if you have virtualenvwrapper installed:

```
$ mkvirtualenv sphinx_rtd  
$ pip install sphinx_rtd
```

Usage

To use Sphinx and RTFD Demo in a project:

```
import sphinx_rtf
```

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com//sphinx_rtfld/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “feature” is open to whoever wants to implement it.

4.1.4 Write Documentation

Sphinx and RTFD Demo could always use more documentation, whether as part of the official Sphinx and RTFD Demo docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com//sphinx_rtfld/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *sphinx_rtf* for local development.

1. Fork the *sphinx_rtf* repo on GitHub.

2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/sphinx_rtf.git
```

3. Install your local copy into a virtualenv. Assuming you have *virtualenvwrapper* installed, this is how you set up your fork for local development:

```
$ mkvirtualenv sphinx_rtf
$ cd sphinx_rtf/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass *flake8* and the tests, including testing other Python versions with *tox*:

```
$ flake8 sphinx_rtf tests
$ python setup.py test
$ tox
```

To get *flake8* and *tox*, just *pip* install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in *README.rst*.
3. The pull request should work for Python 2.6, 2.7, and 3.3, and for PyPy. Check https://travis-ci.org/sphinx_rtf/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ python -m unittest tests.test_sphinx_rtf
```


Credits

5.1 Development Lead

- Rigel Trajano <whichone@gmail.com>

5.2 Contributors

None yet. Why not be the first?

History

6.1 0.1.1 (2014-05-13)

- First release on PyPI.

7.1 sphinx_rtd Package

7.1.1 sphinx_rtd Package

7.1.2 sphinx_rtd Module

Module level docstring for the Greeter class

```
class sphinx_rtd.sphinx_rtd.Greeter (msg, name)  
    A greeter class Greets people
```

```
    greet ()
```

```
        Greets a user.
```

```
    >>> my_greeter = Greeter('Hello', 'PUG')
```

```
    >>> my_greeter.greet ()
```

```
    'Hello, PUG!'
```

Indices and tables

- *genindex*
- *modindex*
- *search*

S

`sphinx_rtfid.__init__`, 17
`sphinx_rtfid.sphinx_rtfid`, 17